



3189

No. 2—*First Supplement to Typical Reptiles and Amphibians*

By THOMAS BARBOUR and ARTHUR LOVERIDGE

In June 1929, under the title: "Typical Reptiles and Amphibians," we published (*Bull. Mus. Comp. Zoöl.*, **69**, pp. 205–360) a list of the 1473 lots of type material in the Herpetological Collections of the Museum of Comparative Zoölogy. During the 16 years which have since elapsed, type material of a further 795 species has been added, and it was considered advisable to prepare a list of them in connection with their possible removal to a place of greater safety than the Museum itself. The opportunity, therefore, has been taken to prepare this supplementary list which reveals that type material continues to accumulate at the rate of rather less than a species each week. This, of course, is not expected long to continue.

There appears to be some confusion among certain former European correspondents as to the precise meaning of the various terms employed. Thus one author (Ernst Ahl) frequently and stupidly designated examples of a new species from one locality as "Types," while material from other places he called "Cotypes." The late Franz Werner, who should have known better, sometimes sent us specimens labelled "Type" which, on investigation, proved to be only topotypes (*i.e.* from the type locality but not available to the describer at the time when he proposed the new race or species). It is, therefore, advisable to define the three terms employed in the present paper.

- HOLOTYPE.** The designated single specimen on which the original description was based. For the purposes of this list, however, the term has been used also for those cases where there was no second individual available to the describer.
- COTYPE.** One of several specimens utilized by the describer in preparing his description, yet for which he failed to designate a specific individual as type.
- PARATYPE.** An individual used or mentioned by the author when publishing the original description in which he clearly designates one particular specimen as "Type."
- TYPE.** Actually synonymous with Holotype, but in this paper used to indicate those species where other specimens (paratypes) were mentioned by the describer.

In conformity with Article 32 of the International Rules of Zoolo-gical Nomenclature, we place the name of an author in parentheses only

when a taxonomic change involves the transference of the species named by him to a different genus than that to which he originally assigned it.

The first column contains the Registration Number in the Museum of Comparative Zoölogy, where two parallel series of numbers have always been employed for reptiles and amphibians. The third column contains the full name of the collector, where known, initials being omitted where the specimen is accredited to more than one collector. The fourth column records the source—usually the donor, or the museum from which the specimen was received in exchange. In this connection we take the opportunity of expressing our deep appreciation to the Curators of the United States National Museum, the Museum of Zoölogy, University of Michigan, and the Chicago Natural History Museum, for their helpful coöperation in effecting extensive exchanges of paratype material to the mutual enrichment of our respective collections. We wish to urge upon our colleagues abroad that they propose further exchanges so that type material may be widely disseminated and less subject to total loss than if the entire series is hoarded in one institution. The last column is reserved for the date received, not infrequently prior to 1929 in which case it will generally be found that the species, or race, was only recognized and diagnosed subsequent to the publication of our last list.

For the convenience of workers on restricted taxonomic groups, the figures furnished below show the numbers of species accredited to the various groupings listed.

AGAMIDAE.....	16	GERRHOSAURIDAE.....	1
AMPHISBAENIDAE.....	3	GEKKONIDAE.....	84
ANGUIDAE.....	6	HYLIDAE.....	33
BOIDAE.....	15	IGUANIDAE.....	60
BRACHYCEPHALIDAE	6	LACERTIDAE.....	22
BREVICIPITIDAE.....	9	LEPTODACTYLIDAE....	61
BUFONIDAE.....	23	LEPTOTYPHLOPIDAE ..	7
CAECILIIDAE.....	8	PIPIDAE.....	44
CAUDATA.....	51	POLYPEDATIDAE.....	53
CHAMAELEONIDAE....	7	RANIDAE.....	39
CHELONIA.....	22	SCINCIDAE.....	54
COLUBRIDAE.....	106	TEIIDAE.....	28
CORDYLIDAE.....	11	TYPHLOPIDAE.....	14
CROCODYLIDAE.....	1	VARANIDAE	1
CROTALIDAE.....	10	VIPERIDAE.....	2
ELAPIDAE.....	15	XANTUSIIDAE.....	1

The senior author appreciates the courtesy of his junior colleague in adding his name to the title. He is just selfish enough to allow it to remain for purely sentimental reasons.

ABLEPHARUS BOUTONII CAUDATUS Sternfeld

1918, Abhand. Senckenberg. naturf. Ges., **36**, p. 423.

29161. Cotype. Juan de Nova, Mozambique. A. Voeltzkow. Exch. Senckenberg Mus. 1930.

ABLEPHARUS BOUTONII DEGRIJSI (Mertens)

See **CRYPTOBLEPHARUS B. DEGRIJSI Mertens**

ABLEPHARUS BOUTONII KEIENSIS Roux

See **A. b. var. KEIENSIS Roux**

ABLEPHARUS BOUTONI var. KEIENSIS Roux=

A. BOUTONII KEIENSIS Roux

1910, Abhand. Senckenberg. naturf. Ges., **33**, p. 240.

29162-3. 2 Cotypes. Elat, Great Kei Id., Molucca Is. Roux & Merton. Exch. Senckenberg Mus. 1929.

ABLEPHARUS BOUTONII MAYOTTENSIS (Mertens)

See **CRYPTOBLEPHARUS B. MAYOTTENSIS Mertens**

ABLEPHARUS BOUTONII NOVOCaledonicus (Mertens)

See **CRYPTOBLEPHARUS B. NOVOCaledonicus Mertens**

ABLEPHARUS BOUTONII RENSCHI (Mertens)

See **CRYPTOBLEPHARUS B. RENSCHI Mertens**

ABLEPHARUS SMITHII Witte

1936, Revue Zool. Bot. Afr., **4**, p. 29.

42879-80. 2 Paratypes. Nyonga, Lualaba River, Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1937.

ABRANA COTTI Parker=RANA FLOWERI Boulenger

1931, Proc. Zool. Soc. London, 1930, p. 898, fig. 1.

16252. Paratype. Charre, Quilimane, Mozambique. H. B. Cott. Exch. British Mus. 1931.

ACANTHODACTYLUS CANTORIS ARABICUS Boulenger

1918, Bull. Soc. Zoöl. France, p. 154.

28685. Cotype. Aden, Arabia. Exch. British Mus. 1929.

ACANTHODACTYLUS TRISTAMI IRACENSIS Schmidt

1939, Field Mus. Nat. Hist. Zoöl. Ser., 24, p. 60.

45605. Paratype. Haditha, Iraq. H. Field. Exch. Field Mus. 1940.

ACONTIAS PERCIVALI Loveridge

1935, Bull. Mus. Comp. Zoöl., 79, p. 13.

31079-80. 2 Paratypes. Voi, Kenya Colony. A. B. Percival. Don. Nairobi Mus. 1930.

40174. Type. Foot of Mt. Mbololo, nr. Voi, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40175-200. 26 Paratypes. Foot of Mt. Mbololo, nr. Voi, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

AGAMA AGAMA DORIAE BoulengerSee *A. d. CORDOFANENSIS* WernerAGAMA AGAMA ELGONIS Lönnberg. See *A. ELGONIS* Lönnberg*AGAMA AGAMA KAIMOSAE* Loveridge=*A. PLANICEPS CAUDOSPINOSA* Meek

1935, Bull. Mus. Comp. Zoöl., 79, p. 10.

40136. Type. Rocky Heights 3 miles W. of Kaimosi. Kakamega, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40137-50. 14 Paratypes. Kakamega, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

AGAMA AGAMA TURUENSIS Loveridge=

A. A. ELGONIS Lönnberg

1932, Bull. Mus. Comp. Zoöl., 72, p. 376.

30686. Type. Unyanganyi, Turu, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30687-735. 50 Paratypes. Unyanganyi, Turu, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

AGAMA AGAMA UFIPAE Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 377.

30741. Type. Kipili, Ufipa, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30742-5. 4 Paratypes. Kipili, Ufipa, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

AGAMA CAUDOSPINOSA Meek = *A. PLANICEPS CAUDOSPINOSA* Meek

1911, Field Mus. Nat. Hist. Zoöl. Series, **7**, p. 407.

34957. Paratype. Gilgil, Kenya Colony. C. Akeley. Exch. Field Mus. 1933.

AGAMA DORIAE CORDOFANENSIS Werner = *AGAMA AGAMA DORIAE* Boulenger

1919, Denks. Akad. Wiss. Wien, **96**, p. 42, pl. ii, figs. 1-1a.

15829-30. 2 Cotypes. Falodi, Kordofan, Anglo-Egyptian Sudan. F. Werner. T. Barbour. 1919.

The locality is misprinted "Talodi" in this paper.

AGAMA ELGONIS Lönnberg = *AGAMA AGAMA ELGONIS* Lönnberg

1922, Ark. Zool., **14**, No. 12, p. 2.

32797. Cotype. East slopes of Mt. Elgon, Kenya Colony. H. Granvik. Exch. Stockholm Mus. 1932.

AGAMA HISPIDA MAKARIKARICA FitzSimons

1932, Ann. Transvaal Mus., **15**, p. 36.

33473-4. 2 Paratypes. Makarikari Pan, Bechuanaland. Vernay & Lang. Exch. Field Mus. 1932.

AGAMA PLANICEPS CAUDOSPINOSA Meek. See *A. CAUDOSPINOSA* Meek and *A. A. KAIMOSAE* Loveridge

AGAMA RUEPPELLI SEPTENTRIONALIS Parker

1932, Journ. Linn. Soc. London, Zool., **38**, p. 225.

18280. Paratype. Mbuyuni, Kenya Colony. A. Loveridge. T. Barbour. 1924.

18281. Paratype. Voi, Kenya Colony. A. Loveridge. T. Barbour. 1924.

29640. Paratype. Kenya Colony. E. Heller. Exch. U. S. Nat. Mus. 1930.

Mbuyuni, not Mbunyi, is the correct spelling of one paratype locality.

AGAMA WEIDHOLZI Wettstein

1932, Zool. Anz., p. 303, photo.

44311-2. 2 Paratypes. Tabadienke, etc., Senegambia. A. Weidholz. Exch. Vienna Mus. 1938.

AGKISTRODON BROWNII Shreve = **BOTHROPS BARBOURI** (Dunn)

1938, Copeia, p. 9.

42678. Type. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1937.

42679. Paratype. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1937.

Shreve agrees that this pit-viper is indistinguishable from the snake named *Lachesis barbouri* Dunn, 1919, which some would refer to the genus *Trimeresurus*.

AHAETULLA BOIGA INTERMEDIA Mertens = **DENDROPHIS BOIGA INTERMEDIA** (Mertens)

1927, Senckenbergiana, 9, p. 241.

28602. Paratype. Sumbawa-Besar, Dutch East Indies. R. Mertens. Exch. Senckenberg Mus. 1929.

ALLOPHRYNE RUTHVENI Gaige

1926, Occ. Papers Mus. Zool. Univ. Michigan, No. 176, p. 1.

11790. Paratype. Tumatumari, British Guiana. Exch. Michigan Mus. 1923.

ALSOPHIS ANGULIFER RUTTYI Grant

1940, The Herpetology of the Cayman Islands (Jamaica), p. 50, pl. iii, figs. 5-6.

44876. Type. Little Cayman Id., West Indies. C. Grant. T. Barbour. 1939.

44877-9. 3 Paratypes. Little Cayman Id., West Indies. C. Grant. T. Barbour. 1939.

ALSOPHIS NICHOLSI Grant

1937, Journ. Agric. Univ. Puerto Rico, **21**, p. 516.

46503. Paratype. Buck Id., St. Thomas, U. S. Virgin Is. C. Grant.
Exch. Michigan Mus. 1942.

ALSOPHIS VUDII ATERRIMUS Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 362.

37942. Holotype. High Rock, Grand Bahama Id., Bahamas.
T. Barbour. T. Barbour. 1934.

ALSOPHIS VUDII PICTICEPS Conant

1937, Proc. New England Zoöl. Club, **16**, p. 82.

43150. Holotype. Bimini Ids., Bahamas. Y. H. Olsen. R. Conant.
1937.

ALSOPHIS VUDII RAINHEYI Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 363.

37929. Type. Landrail Point, Crooked Id., Bahamas. T. Barbour.
T. Barbour. 1934.

37930-8. 9 Paratypes. Landrail Point, Crooked Id., Bahamas.
T. Barbour. T. Barbour. 1934.

ALSOPHIS VUDII UTOWANAE Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 365.

37941. Holotype. Sheep Cay, Great Inagua Id., Bahamas. J. C.
Greenway, Jr., T. Barbour. 1934.

AMBYSTOMA TIGRINUM MELANOSTICTUM (Baird)

See **AMBYSTOMA TIGRINUM SLATERI** Dunn

AMBYSTOMA TIGRINUM SLATERI Dunn = **A. T. MELANOSTICTUM** (Baird)

1940, Copeia, p. 159.

15819. Paratype. Torrington, Goshen Co., Wyoming. E. M.
Schlaikjer. E. M. Schlaikjer. 1930.

24109. Paratype. Alberta, Canada. W. Rowan. W. Rowan. 1939.

The reasons for regarding *slateri* as a synonym of *Siredon lichenoides* var.
melanosticta Baird were advanced by Bishop (1942, Copeia, p. 256).

AMEIVA BARBOURI Cochran

1928, Proc. Biol. Soc. Washington, **41**, p. 56.

25537. Type. La Source, Gonave Id., Haiti. W. J. Eyerdam. T. Barbour. 1927.

25538. Paratype. La Source, Gonave Id., Haiti. W. J. Eyerdam. T. Barbour. 1927.

AMEIVA BIRDORUM Grant

1932, Journ. Dept. Agric. Porto Rico, **16**, p. 160.

36385-94. 36412-8. 19 Paratypes. Diablo Id., off Fajardo, Porto Rico. C. Grant. T. Barbour. 1933.

Dr. Barbour dislikes this name very much—why not *avium*?

AMEIVA CHRYSOLAEMA BOEKERI Mertens

1938, Senckenbergiana, **20**, p. 338, fig. 6.

44757. Paratype. S. of Fondo Negro, Dominican Republic. H. Böker. Exch. Senckenberg Mus. 1938.

AMEIVA CHRYSOLAEMA WOODI Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 181.

37583. Type. Isle Tortue, Haiti. T. Barbour. T. Barbour. 1934.

37584-92. 28 Paratypes. Isle Tortue, Haiti. T. Barbour. T. Barbour. 1934.

AMEIVA FESTIVA MIADIS Barbour & Loveridge

1929, Bull. Mus. Comp. Zoöl., **69**, p. 141.

26970. Type. Great Corn Id., off Nicaragua. J. L. Peters. Mus. Exped. 1928.

26971-5. 5 Paratypes. Great Corn Id., off Nicaragua. J. L. Peters. Mus. Exped. 1928.

AMEIVA MAYNARDII PARVINAGUAE Barbour & Shreve

1936, Proc. New England Zoöl. Club, **16**, p. 3.

42039. Type. Little Inagua Id., Bahamas. J. C. Greenway, Jr. Mus. Exped. 1936.

42040. Paratype. Little Inagua Id., Bahamas. J. C. Greenway, Jr. Mus. Exped. 1936.

AMEIVA ROSAMONDAE Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 179.

37567. Holotype. Saona Id., Dominican Republic. T. Barbour.
T. Barbour. 1934.

AMEIVA WETMOREI ELANORAE Grant and Roosevelt

1932, Journ. Dept. Agric. Porto Rico, **16**, p. 48.

36419-30. 11 Paratypes. Caja de Muertos Id., Porto Rico. C.
Grant. T. Barbour. 1933.

Subsequently Grant (*loc. cit.* p. 161) raised this to specific rank on the grounds
that *wetmorei* has 13-14 femoral pores, *elanorae* only 12.

AMPHIBOLURUS BARBATUS MINIMUS Loveridge

1933, Proc. New England Zoöl. Club, **13**, p. 69.

32969-71. 3 Paratypes. Geraldton, W. Australia. W. E. Schevill.
Harvard Australian Exped. 1931.

32972. Type. West Wallaby Id., W. Australia. G. M. Allen.
Harvard Australian Exped. 1931.

32973-8. 6 Paratypes. West Wallaby Id., W. Australia. G. M.
Allen. Harvard Australian Exped. 1931.

AMPHIBOLURUS DARLINGTONI Loveridge

1932, Proc. New England Zoöl. Club, **13**, p. 33.

32958. Type. Mullewa, Western Australia. P. J. Darlington.
Harvard Australian Exped. 1931.

32959. Paratype. Mullewa, Western Australia. P. J. Darlington.
Harvard Australian Exped. 1931.

AMPHISBAENA MPWAPWAENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 378.

30767. Type. Mpwapwa, Ugogo, Tanganyika Territory. A. Love-
ridge. Mus. Exped. 1930.

30768. Paratype. Mpwapwa, Ugogo, Tanganyika Territory. A.
Loveridge. Mus. Exped. 1930.

AMPHISBAENA RONDOENSIS Loveridge

1941, Bull. Mus. Comp. Zoöl., **87**, 394, fig. 23.

47951. Type. Nchingidi, Rondo Plateau, Tanganyika Territory.
A. Loveridge. Mus. Exped. 1939.

47952-92. 40 Paratypes. Nchingidi, Rondo Plateau, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

ANADIA NICEFORI Loveridge

1929, Proc. Biol. Soc. Wash., 42, p. 99.

27340. Holotype. Macanal, Rio Garagoa, Eastern Andes, Colombia. Hno. Nicéforo Maria. Hno Nicéforo Maria. 1928.

Dunn (1944, Caldesia, p. 67) refers this species to *Ptychoglossus*, separated from *Anadia* by their less squarish and more or less keeled dorsal scales.

ANOLIS ALBI Barbour

1932, Proc. New England Zoöl. Club, 12, p. 101.

32301. Type. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1931.

32302. Paratype. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1931.

ANOLIS BAHORUCOENSIS Noble & Hassler

1933, Amer. Mus. Novit., No. 652, p. 11.

43822. Paratype. Valle de Polo etc., Dominican Republic. W. G. Hassler. Exch. J. C. Armstrong. 1938.

45952-3. 2 Paratypes. Palomino Springs, Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

ANOLIS CLIVICOLUS Barbour & Shreve

1926, Occ. Papers Boston Soc. Nat. Hist., 8, p. 251.

39664. Type. Loma Cordero to Pico Turquino, Cuba. J. A. Acună. S. C. Bruner. 1935.

39665. Paratype. Loma Cordero to Pico Turquino, Cuba. J. A. Acună. S. C. Bruner. 1935.

ANOLIS COBANENSIS Stuart

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 464, p. 6.

46516. Paratype. Finca Chichen, Alta Verapaz, Guatemala. L. C. Stuart. Exch. Michigan Mus. 1942.

ANOLIS CONSPERSUS LEWISI Grant = *ANOLIS GRAHAMI LEWISI* Grant
1940, "The Herpetology of the Cayman Islands," p. 23.

45106. Type. Grand Cayman Id. C. Grant. T. Barbour. 1939.

45107-110. 4 Paratypes. Grand Cayman Id. C. Grant. T. Barbour. 1939.

The paratypes listed above are not so designated but are part of the "11 specimens in the writer's collection" referred to on p. 25.

ANOLIS CRISTATELLUS COOKI Grant

1931, Journ. Dept. Agric. Porto Rico, 15, p. 220.

34788-9. 2 Paratypes. Brea Point, S. W. Porto Rico. C. Grant. T. Barbour. 1933.

ANOLIS CRISTATELLUS WILEYI Grant

1931, Journ. Dept. Agric. Porto Rico, 15, p. 220.

34792. Type. Culebra Id., Porto Rico. C. Grant. T. Barbour. 1933.

35951-66. 16 Paratypes. Culebra Id., Porto Rico. C. Grant. T. Barbour. 1933.

ANOLIS DARLINGTONI Cochran

1939, Proc. New England Zoöl. Club, 18, p. 1.

44360. Type. Loma Vieja, Cordillera Central, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44361. Paratype. Loma Vieja, Cordillera Central, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44362. Paratype. Loma Rucilla, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44363. Paratype. Constanza, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44364. Paratype. Valle Nuevo, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

ANOLIS DISTICHUS ATAVELENSIS Noble & Hassler
See *A. DOMINICENSIS ATAVELENSIS* Noble & Hassler

ANOLIS DISTICHUS CAUDALIS Cochran

See *A. DOMINICENSIS CAUDALIS* Cochran

ANOLIS DISTICHUS JULIAE Cochran
See **A. DOMINICENSIS JULIAE** Cochran

ANOLIS DOMINICENSIS ALTAVELENSIS Noble & Hassler =
A. DISTICHUS ALTAVELENSIS Noble & Hassler

1933, Amer. Mus. Novit., No. 652, p. 9.

45948-9. 2 Paratypes. Alta Vela Id., Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

ANOLIS DOMINICENSIS CAUDALIS Cochran =
A. DISTICHUS CAUDALIS Cochran

1932, Proc. Biol. Soc. Washington, **45**, p. 185.

25509-18. 13 Paratypes. Pte. à Raquette, Gonave Id., Haiti. W. J. Eyerdam. T. Barbour. 1927.

ANOLIS DOMINICENSIS JULIAE Cochran =
A. DISTICHUS JULIAE Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 169.

37517. Type. Isle Vache, Haiti. T. Barbour. T. Barbour. 1934.

37518-9. 2 Paratypes. Isle Vache, Haiti. T. Barbour. T. Barbour. 1934.

ANOLIS EQUESTRIS HASSLERI Barbour & Shreve

1936, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 251.

11178. Holotype. Los Indios, Isle of Pines, Cuba. G. A. Link. Exch. Carnegie Mus. 1912.

ANOLIS EQUESTRIS NOBLEI Barbour & Shreve

1936, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 250.

6924. Paratype. Santiago, Oriente, Cuba. W. Robinson. W. Robinson. 1904.

8977. Paratype. Nr. Guantanamo, Oriente, Cuba. C. T. Ramsden. C. T. Ramsden. 1913.

26653. Type. Sierra de Nipe, Oriente, Cuba. E. Mitchell. E. Mitchell. 1928.

ANOLIS FAIRCHILDII Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 357.

38245. Paratype. Cotton Cay, Cay Sal, Bahamas. P. Bartsch. Exch. U. S. Nat. Mus. 1934.

ANOLIS GAIGEI Ruthven = A. TROPIDOGASTER Hallowell

1916, Occ. Papers Mus. Zool. Univ. Michigan, No. 32, p. 6, pl. iii.

6562. Paratypes. Pueblo Viega, Sta. Marta Mtns., Colombia.
W. W. Brown. O. Bangs. 1899.

ANOLIS GRAHAMI LEWISI Grant. See A. CONSPERSUS LEWISI Grant

ANOLIS HAGUEI Stuart

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 464, p. 3.

46515. Paratype. Finca Chichén, Alta Verapaz, Guatemala.
L. C. Stuart. Exch. Michigan Mus. 1942.

ANOLIS INCOMPERTUS INCOMPERTUS Barbour

1932, Proc. New England Zoöl. Club, 12, p. 99.

32309. Type. Villavicencio, San Martin, Colombia. Hno. Nicéforo
Maria. Hno. Nicéforo Maria. 1931.

32310-21. 12 Paratypes. Villavicencio, San Martin, Colombia.
Hno. Nicéforo Maria. Hno. Nicéforo Maria. 1931.

ANOLIS INCOMPERTUS NICEFORI Barbour

1932, Proc. New England Zoöl. Club, 12, p. 100.

32322. Type. Humbo, Dept. Boyaca, Colombia. Hno. Nicéforo
Maria. Hno. Nicéforo Maria. 1931.

32323. Paratype. Humbo Dept. Boyacá, Columbia. Hno. Nicéforo
Maria. Hno. Nicéforo Maria. 1931.

ANOLIS KEMPTONI Dunn

1940, Proc. Acad. Nat. Sci. Philadelphia, 92, p. 111.

46247. Paratype. Above Boquete, Panama Republic. E. R. Dunn.
Exch. E. R. Dunn. 1942.

ANOLIS LEUCOPHAEUS MARIGUANAE Cochran

1931, Journ. Washington Acad. Sci., 21, p. 40.

38180-1. 2 Paratypes. Mariguana Cay, Bahamas. P. Bartsch.
Exch. U. S. Nat. Mus. 1934.

ANOLIS LEUCOPHAEUS SULARUM Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 354.

38013. Type. West Booby Cay off Atwood's Cay, Bahamas. J. C. Greenway, Jr. T. Barbour. 1934.

38014-5. 2 Paratypes. West Booby Cay off Atwood's Cay, Bahamas. J. C. Greenway, Jr. T. Barbour. 1934.

ANOLIS LINEATOPUS COXI Grant

1940, "Jamaica Today," p. 155.

45079. Holotype. Portland Point, Jamaica. C. Grant. T. Barbour. 1939.

ANOLIS LINEATOPUS NECKERI Grant

1940, "Jamaica Today," p. 155.

45087. Holotype. Mandeville, Jamaica. C. Grant. T. Barbour. 1939.

ANOLIS LOVERIDGEI Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 47.

38700. Type. Portillo Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

38834. Paratype. Portillo Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

38831. Paratype. Mataderos Mtns., Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

38832-3. 2 Paratypes. Dept. of Yoro, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

ANOLIS MARIARUM Barbour

1932, Proc. New England Zoöl. Club, **12**, p. 100.

32303. Type. Sampedro, Dept. Antioquia, Colombia. Hno. Nicéforo Maria. Hno. Nicéforo Maria. 1931.

32304-8. 5 Paratypes. Sampedro, Dept. Antioqua, Colombia. Hno. Nicéforo Maria. Hno. Nicéforo Maria. 1931.

ANOLIS MONTICOLA Shreve

1936, Proc. New England Zoöl. Club, **15**, p. 93.

38296. Holotype. N. & E. foothills, Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ANOLIS PATRICIUS Barbour = *ANOLIS HOMOLECHIS* Cope

1929, Proc. New England Zoöl. Club, **11**, p. 37.

28759. Type. Mina Piloto, Sagua de Tanamo, Cuba. C. T. Ramsden. C. T. Ramsden. 1929.

28760-75. 16 Paratypes. Mina Piloto, Sagua de Tanamo, Cuba. C. T. Ramsden. C. T. Ramsden. 1929.

ANOLIS ROOSEVELTI Grant

1931, Journ. Dept. Agric. Porto Rico, **15**, p. 221.

36136. Holotype. Culebra Id., Porto Rico. C. Grant. T. Barbour. 1933.

ANOLIS RUTHVENI Stuart = *A. UNIFORMIS* Cope

1935, Occ. Papers Mus. Zool. Michigan, No. 310, p. 1.

46309. Paratype. Santa Teresa, El Peten, Guatemala. L. C. Stuart. Exch. Univ. Mich. Mus. 1939.

ANOLIS SMARAGDINUS Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 355.

37983. Type. Mortimer's South Point, Long Id., Bahamas. T. Barbour. T. Barbour. 1934.

37984. Paratype. Mortimer's South Point, Long Id., Bahamas. T. Barbour. T. Barbour. 1934.

38218-20. 3 Paratypes. Clarendetown, Long Id., Bahamas. T. Barbour. T. Barbour. 1934.

ANOLIS SMINTHUS Dunn & Emlen

1932, Proc. Acad. Nat. Sci. Philadelphia, **84**, p. 26.

32348. Paratype. San Juancito, 6400-7000 feet, Honduras Republic. J. T. Emlen. Exch. Acad. Nat. Sci. Phil. 1932.

ANOLIS STEJNEGERI Barbour

1931, Copeia, p. 88.

29907. Holotype. Key West, Florida. A. G. Elbon. T. Barbour. 1931.

ANOLIS TROPIDOGASTER Hallowell. See *A. GAIGEI* Ruthven

ANOLIS UNIFORMIS Cope. See *A. RUTHVENI* Stuart*ANOLIS USTUS VERAEC-PACIS* Barbour

1932, Proc. New England Zoöl. Club, 12, p. 98.

32324. Type. Hacienda Chimoxan, Alta Vera Paz. A. W. Anthony. T. Barbour. 1931.

32325-31. 7 Paratypes. Vera Paz, Guatemala. A. W. Anthony. T. Barbour. 1931.

ANOLIS UTOWANAE Barbour

1932, Copeia, p. 12.

31035. Holotype. Mazatlan, Sinaloa, Mexico. T. Barbour. T. Barbour. 1931.

ANOMALEPIS ASPINOSUS Taylor

1939, Proc. New England Zoöl. Club, 17, p. 92.

14782. Type. Perico, Peru. G. K. Noble. Harvard Peruvian Exp. 1916.

14781-3-5. 17401. 4 Paratypes. Perico, Peru. G. K. Noble. Harvard Peruvian Exp. 1916.

The last number is misprinted as "14701" in the description.

ANOMALEPIS DENTATUS Taylor = *A. MEXICANUS* Jan

1939, Proc. New England Zoöl. Club, 17, p. 90.

29220. Type. Barro Colorado Id., Canal Zone. E. R. Dunn. E. R. Dunn. 1930.

Though registered as collected by J. Zetek, Dr. E. R. Dunn informs us that he was the collector of this little worm snake.

ANOMALEPIS MEXICANUS Jan. See *A. DENTATUS* Taylor*APARALLACTUS TURNERI* Loveridge

1935, Bull. Mus. Comp. Zoöl., 79, p. 9.

39952. Type. Sokoki Forest, nr. Malindi, Kenya Colony. H. J. A. Turner. H. J. A. Turner. 1934.

40120. Paratype. Peccatoni, nr. Witu, Kenya Colony. A. Loveridge. A. Loveridge. 1934.

40121-2. 2 Paratypes. Mkonumbi, nr. Witu, Kenya Colony.
A. Loveridge. A. Loveridge. 1934

40122-3. 2 Paratypes. Between Mombosasa & Witu, Kenya
Colony. A. Loveridge. A. Loveridge. 1934.

ARISTELLIGER COCHRANAE Grant

1931, Journ. Dept. Agric. Porto Rico, 15, p. 399, pl. xlviii.

34641-8. 8 Paratypes. Navassa Id., Dominican Republic. C.
Grant. T. Barbour. 1933.

ARTHROLEPTIDES DUTOITI Loveridge

1935, Bull. Mus. Comp. Zoöl., 79, p. 17.

19864. Type. Koitobos River, Mt. Elgon, Uganda. C. A. du Toit.
C. A. du Toit. 1934.

ARTHROLEPTIS BEQUAERTI Barbour & Loveridge

1929, Proc. New England Zoöl. Club, 11, p. 25.

14751. Type. Mt. Vissoke, Belgian Congo. J. Derscheid. Harvard
Med. Sch. Exped. 1927.

14752-64. 13 Paratypes. Mt. Vissoke, Belgian Congo. J. Der-
scheid. Harvard Med. Sch. Exped. 1927.

ARTHROLEPTIS DALENEI Hoffman

1940, Soölog. Navor. Nas. Mus. Bloemfontein, 1, p. 97, fig. 1.

24505-8. 4 Paratypes. Greytown, Natal. A. C. Hoffman. Exch.
Bloemfontein Mus. 1941.

ARTHROLEPTIS RUNGWENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., 72, p. 386.

17141. Holotype. Ilolo, Rungwe District, Tanganyika Territory.
A. Loveridge. Mus. Exped. 1930.

ARTHROLEPTIS STENODACTYLUS LÖNNBERGI Nieden

See **A. s. ULUGURUENSIS** Loveridge

ARTHROLEPTIS STENODACTYLUS ULUGURUENSIS Loveridge=

A. S. LÖNNBERGI Nieden

1932, Proc. Biol. Soc. Washington, 45, p. 61.

16100. Type. Nyingwa, Uluguru Mtns., Tanganyika Territory.
A. Loveridge. T. Barbour. 1927.

13122-6. 5 Paratypes. Nyingwa, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

In addition there are numerous paratypes from ten other localities in the mountains. This form only came to be described when Ahl, having compared a topotype with the type of *lönnbergi* in the Berlin Museum, insisted that they were different. Later a topotype of *lönnbergi* was received from the Royal Swedish Museum and found to be subspecifically indistinguishable.

ARTHROLEPTIS UKINGENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., 72, p. 385.

17076-8. 3 Paratypes. Ilolo, Rungwe District, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

17137. Type. Madehani, Ukinga Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

17138-40. 3 Paratypes. Madehani, Ukinga Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

ARTHROLEPTIS XENODACTYLOIDES NKUKAE Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 427.

17029. Type. Nkuka Forest, Rungwe Mtn., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

17030-50. 20+ Paratypes. Nkuka Forest, Rungwe Mtn., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

17026-7. 2 Paratypes. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

17028. Paratypes. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

ASPIDURA GUENTHERI Ferguson

1876, Proc. Zool. Soc. London, p. 819.

28467. Cotype. Ceylon, near the coast. W. Ferguson. Exch. British Mus. 1929.

ATELOPUS CHIRQUIENSIS Shreve

1936, Occ. Papers Boston Soc. Nat. Hist., 8, p. 269.

19966. Type. Chiriqui Viejo, Rio Chiriqui, Panama Republic. S. F. Hildebrand. S. F. Hildebrand. 1935.

19967-71. 5 Paratypes. Chiriquí Viejo, Rio Chiriquí, Panama Republic. S. F. Hildebrand. S. F. Hildebrand. 1935.

ATELOPUS CRUCIGER VOGLI L. Müller

1934, Zool. Anz., **108**, p. 151.

20923-5. 3 Paratypes. Nr. Hacienda Trinidad, nr. Maracay, Las Penas, Venezuela. C. Vogt. Exch. Munich Mus. 1936.

ATELOPUS VARIUS ZETEKI Dunn

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 71.

16018. Type. El Valle de Antón, Panama Republic. J. Zetek. T. Barbour. 1930.

16019-20. 2 Paratypes. El Valle de Antón, Panama Republic. J. Zetek. T. Barbour. 1930.

ATHERIS BARBOURI Loveridge

1930, Proc. New England Zoöl. Club, **11**, p. 107.

29055. Type. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

29056-7. 2 Paratypes. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

ATRACTUS CLARKI Dunn & Bailey

1939, Bull. Mus. Comp. Zoöl., **86**, p. 8.

28800. Holotype. Cana Mines, Santa Cruz de Cana, Darien, Panama Republic. Dr. H. C. Clark. T. Barbour. 1938.

ATRACTUS LOVERIDGEI Amaral

1930, Bull. Antivenin Inst. Amer. (Philadelphia), **4**, p. 28.

29059. Holotype. Jerico, Colombia. Hno. Nicéforo Maria. Hno. Nicéforo Maria. 1929.

ATRACTUS NICÉFORI Amaral

1930, Bull. Antivenin Inst. Amer. (Philadelphia), **4**, p. 28.

29058. Holotype. Jerico, Colombia. Hno. Nicéforo Maria. Hno. Nicéforo Maria. 1929.

ATRACTUS NIGRICAUDUS Schmidt & Walker

1943, Zool. Series Field Mus. Nat. Hist., **24**, p. 327.

45909. Type. Huachon, Dept. Junin, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

45910. Paratype. Huachon, Dept. Junin, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

AUDANTIA ARMOURI Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 171.

37523. Type. La Selle Peak, Haiti. A. Audant. T. Barbour. 1934.

37524. Paratype. La Selle Peak, Haiti. A. Audant. T. Barbour. 1934.

AUDANTIA SHREVEI Cochran

1939, Proc. New England Zoöl. Club, **18**, p. 2.

44365. Type. Valle Nuevo, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44366-7. 2 Paratypes. Valle Nuevo, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44368-72. 5 Paratypes. Loma Pelona, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44373. 1 Paratype. Loma Rucilla, Dominican Républic. P. J. Darlington. Mus. Exped. 1938.

BACHIA TALPA Ruthven

1925, Proc. Boston Soc. Nat. Hist., **38**, p. 101, figs. 1-3.

14636. Paratype. Sta. Marta Mtns., Colombia. A. G. Ruthven. Exch. Michigan Mus. 1921.

BARYGENYS CHEESMANAE Parker

1936, Ann. Mag. Nat. Hist. (10), **17**, p. 74, fig. 1.

19921. Paratype. Mt. Tafu, 8500 ft., New Guinea. L. E. Cheesman. Exch. British Mus. 1935.

BASILISCUS BARBOURI Ruthven

1914, Proc. Biol. Soc. Washington, **27**, p. 9, pl. i.

6550. 2 Paratypes. La Concepcion, Sta. Marta Mtns., Colombia. W. W. Brown. O. Bangs. 1898.

6560-5. 6572. 8 Paratypes. Palomina, Sta. Marta Mtns., Colombia. W. W. Brown. O. Bangs. 1898.

11307. Paratype. Fundacion, Sta. Marta Mtns., Colombia. A. G. Ruthven. Exch. Michigan Mus. 1915.

As stated by the author, in a footnote, most of these specimens are too young to show the characters of the species.

Batrachoseps catalinae Dunn = **Batrachoseps attenuatus**
CATALINAE Dunn

1922, Copeia, p. 62.

25763. Paratype. Santa Catalina Island, California. J. Hurter. Exch. U. S. Nat. Mus. 1944.

Batrachuperus tibetanus Schmidt

1925, Amer. Mus. Novit., No. 157, p. 5.

17426. Paratype. About 33° N. on Tibetan border of Kansu, China. R. B. Ekvall. Exch. Field Mus. 1931.

Bayavia cyclura crassicollis Roux

1913, in Sarasin & Roux, Nova Caledonia, Zool., 1, p. 89.

27935. Paratype. Netché, Maré, Loyalty Is. Sarasin & Roux. Exch. Basel Museum. 1929.

Bedriagai moreaui Loveridge

1936, Proc. New England Zoöl. Club, 15, p. 68.

39799. Holotype. Amani, Usambara Mtns., Tanganyika Territory R. E. Moreau. R. E. Moreau. 1936.

Boigertia lutzae Loveridge

1941, Proc. Biol. Soc. Washington, 54, p. 196.

46190-1. Cotypes. Pituba, Sao Salvador, Bahia, Brazil. Dr. Bertha Lutz. Mus. Nac. do Brasil. 1941.

These are also genotypes of a form occupying a position intermediate between *Gehyra* and *Hemidactylus*.

Bolitoglossa arborea Taylor

1941, Herpetologica, 2, p. 62, fig. 4.

24546. Paratype. Near Tianguistengo, Hidalgo, Mexico. Roberts & Taylor. Exch. E. H. Taylor. 1941.

BOLITOGLOSSA DIMIDIATA Taylor

1941 (1940), Univ. Kansas Sci. Bull., **26**, p. 408, figs. 1-2.

24543. Paratype. Hidalgo, Guerrero, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1941.

BOLITOGLOSSA GALAENA Taylor

1941, Proc. Biol. Soc. Washington, **54**, p. 83.

25764. Paratype. 15 miles west of Galaena, Nuevo Leon, Mexico. Hobart M. Smith. Exch. U. S. Nat. Mus. 1944.

BOLITOGLOSSA LAVAE Taylor

1942, Univ. Kansas Sci. Bull., **28**, p. 295, pl. xxvii, figs. 5-6.

25603-4. 2 Paratypes. 2 miles west of La Joya, Veracruz, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1942.

BOLITOGLOSSA MULTIDENTATA (Taylor)

See *OEDIPUS MULTIDENTATA* Taylor

BOLITOGLOSSA NIGROFLAVESCENS Taylor

1941, Univ. Kansas Sci. Bull., **27**, p. 148, pl. viii; pl. ix, figs. 9-10.

25607-8. 2 Paratypes. Cerro Ovando, 5000-6000 ft., Chiapas, Mexico. H. M. Smith. Exch. E. H. Taylor. 1942.

BOLITOGLOSSA NIGROMACULATA Taylor

1941, Univ. Kansas Sci. Bull., **27**, p. 141, figs. 1 A-B.

25765. Paratype. Cuatulapan, Veracruz, Mexico. Hobart M. Smith. Exch. U. S. Nat. Mus. 1944.

BOLITOGLOSSA OCCIDENTALIS Taylor

1942, Univ. Kansas Sci. Bull., **28**, p. 145.

25609. Paratype. Finca Juarez, Chiapas, Mexico. H. M. Smith. Exch. E. H. Taylor. 1942.

BOLITOGLOSSA ROBERTSI (Taylor). See *OEDIPUS ROBERTSI* Taylor

BOLITOGLOSSA SMITHI (Taylor). See *OEDIPUS SMITHI* Taylor

BOLITOGLOSSA TERRESTRIS Taylor

1941, Univ. Kansas Sci. Bull., **27**, p. 115.

25613-4. 2 Paratypes. 4-10 miles south of Tianguistengo, Hidalgo, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1942.

BOLITOGLOSSA UNGUIDENTIS Taylor

1941, Herpetologica, **2**, p. 57, figs. 1-3.

25615-6. 2 Paratypes. Cerro San Felipe, Oaxaca, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1942.

BOLITOGLOSSA XOLOCALCAE Taylor

1941, Univ. Kansas Sci. Bull., **27**, p. 150, pl. vii; pl. ix, figs. 7-8.

25617-8. 2 Paratypes. Cerro Ovando, 6000-8000 ft., Chiapas, Mexico. H. M. Smith. Exch. E. H. Taylor. 1942.

BOTHROPS, see also TRIMERESURUS

BOTHROPS ALBOCARINATA Shreve

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 130.

36989. Holotype. Pastaza River between Canelos & Maranon River, Ecuador. C. Spencer. T. Barbour. 1932.

This name has precedence over *B. alticola* Parker, 1934, Ann. Mag. Nat. Hist. (10), **14**, p. 272, a species described from Loja, Ecuador.

BOTHROPS BARBOURI (Dunn). See AGKISTRODON BROWNI Shreve

BOTHROPS NIGROVIRIDIS MARCHI Barbour & Loveridge

1929, Bull. Antivenin Inst. Amer. (Philadelphia), **3**, p. 1.

27260. Type. Quimistan, Santa Barbara, Honduras Republic. D. March. T. Barbour. 1928.

27567-9. 3 Paratypes. Cofradia to Quimistan, Santa Barbara, Honduras Republic. D. March. T. Barbour. 1929.

The museum has now a good series of this handsome pit-viper.

BOULENGERULA CHANGAMWENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 382.

16301. Type. Changamwe, near Mombasa, Kenya Colony. A. Loveridge. Mus. Exped. 1930.

16302-4. 3 Paratypes. Changamwe, nr. Mombasa, Kenya Colony A. Loveridge. Mus. Exped. 1930.

BOULENGERULA TAITANUS Loveridge

1935, Bull. Mus. Comp. Zoöl., **79**, p. 16.

2001. Type. Mt. Mbololo, Teita, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

20002-23. 21 Paratypes. Mt. Mbololo, Teita, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

BREVICEPS PARVUS CAFFER Hewitt = B. PENTHERI Werner

1932, Ann. Natal Mus. (Pietermaritzburg), **7**, p. 109.

17691. Paratype. Gleniffer, Kei Road, Cape Province, South Africa. G. A. Ranger. Exch. Albany Mus. 1932.

BREVICEPS PENTHERI Werner

See BREVICEPS PARVUS Hewitt and BREVICEPS PARVUS CAFFER Hewitt

BUFO BLANFORDI Boulenger. See B. VIRIDIS SOMALACUS Meek

BUFO BOREAS HALOPHILUS Baird & Girard. See B. B. NELSONI Stejneger

BUFO BOREAS NELSONI Stejneger = B. B. HALOPHILUS Baird & Girard 1893, N. Amer. Fauna, No. 7, p. 220, pl. iii, figs. 4 a-b.

15015. Paratype. Oasis Valley, Nevada. Stephens. Exch. U. S. Nat. Mus. 1928.

BUFO BUFO WRIGHTI Schmidt & Liu

1940, Field Mus. Nat. Hist. Zool. Series, **24**, p. 151, fig. 16B.

24180-1. 2 Paratypes. Tailing, Szechwan, China. H. Stevens. Exch. Field Mus. 1940.

BUFO CAMERUNENSIS CAMERUNENSIS Parker

1936, Proc. Zool. Soc. London, p. 153.

22331. Paratype. Oban, Calabar, Southern Nigeria. P. A. Talbot. Exch. British Mus. 1935.

22332-3. 2 Paratypes. Ja River, French Cameroons. G. L. Bates. Exch. British Mus. 1935.

BUFO EXSUL Myers

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 460, p. 3.

23056-7. 2 Paratypes. Deep Springs, Inyo Co., California. Ferris, Wiggins & Myers. Stanford Univ. Mus. 1942.

BUFO GARMANI Meek = **B. R. REGULARIS** Reuss

1897, Field Mus. Nat. Hist. Zool. Series, 1, p. 176.

19082. Cotype. Halleh (Haili), British Somaliland. C. Akeley. Exch. Field Mus. 1933.

Bufo lÖNNBERGI Anderson = **B. L. lÖNNBERGI** Andersson

1911, Svenska Vetensk.-Akad. Handl. (Stockholm), 47, No. 6, p. 35, pl. ii, figs. 4, 6.

17804. 17830-1. 3 Cotypes. Mt. Kenya, Kenya Colony. E. Lönnberg. Exch. Stockholm Mus. 1932.

Bufo lÖNNBERGI NAIROBIENSIS Loveridge

1902, Occ. Papers Boston Soc. Nat. Hist. 8, p. 48.

3237. Type. Nairobi, Kenya Colony. F. J. Jackson. Exch. British Mus. 1913.

3238. Paratype. Nairobi, Kenya Colony. F. J. Jackson. Exch. British Mus. 1913.

Bufo micranotis rondoensis Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 387.

25090. Type. Nchingidi, Rondo Plateau, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

25091-100. 10 Paratypes. Nchingidi, Rondo Plateau, Tanganyika, Territory. A. Loveridge. Mus. Exped. 1939.

Bufo minshanicus Stejneger

1926, Journ. Washington Acad. Sci., 16, p. 445.

25689. Paratype. Choni, Tao River, Kansu, Inner Mongolia. F. R. Wulsin. Exch. U. S. Nat. Mus. 1944.

BUFO PARKERI Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 382.

16330. Type. Mangasini, Usandawi, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16331-50. 20 Paratypes. Mangasini, Usandawi, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

BUFO REGULARIS REGULARIS Reuss. See **B. GARMANI** Meek
and **B. R. KISOLOENSIS** Loveridge**BUFO REGULARIS GUTTURALIS** Power

1927, Trans. Roy. Soc. S. Africa, **14**, p. 416, pl. xxi, fig. 2.

15403. Cotype. Lobatsi, Bechuanaland Protectorate. J. H. Power. Exch. Kimberly Mus. 1929.

BUFO REGULARIS HUMBENSIS Monard

1937, Bull. Soc. Neuchatel, Sci. Nat., **62**, p. 26.

23712. Cotype. Mulondo, Angola. A. Monard. Exch. Basle Mus. 1938.

BUFO REGULARIS KISOLOENSIS Loveridge = **B. R. REGULARIS** Reuss.

1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 52.

19083-90. 8 Paratypes. Kisolo, Kigezi District, Uganda. E. Heller. Exch. Field Mus. 1933.

BUFO SMITHI Stejneger

1907, U. S. Nat. Mus. Bull., **58**, p. 64.

3689, 25690. 2 Paratypes. Kochi, Toza Province, Shikoku Id., Japan. H. M. Smith. Exch. U. S. Nat. Mus. 1919, 1944.

BUFO TAITANUS Peters = **B. T. TAITANUS** Peters

1878, Monatsb. Akad. Wiss. Berlin, p. 208, pl. ii, fig. 9.

22327. Cotype. Teita (Taita), Kenya Colony. J. Hildebrandt. Exch. Berlin Mus. 1937.

BUFO TAITANUS UZUNGWENSIS Loveridge

1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 44.

16380. Paratype. Dabaga, Uzungwe Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

16382. Paratype. Kigogo, Uzungwe Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

16383. Type. Kigogo, Uzungwe Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

16384. Paratype. Njombe, Ubena Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

16385. Paratype. Lukungu, Ubena Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

16386. Paratype. Nyamwanga, Poroto Mtns., Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

BUFO TOGOENSIS Ahl

1924, Arch. Naturg., **90 A**, Heft 5, p. 253.

19576. Cotype. Adele (as Bismarckburg), Togo. L. Conradt.

T. Barbour. 1933.

BUFO URUNGUENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 383.

16376. Type. Kitungulu, Urungu, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16377-9. 3 Paratypes. Kitungulu, Urungu, Tanganyika Territory.

A. Loveridge. Mus. Exped. 1930.

BUFO USHORANUS Loveridge

1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 45.

10330 Holotype. Ulugu, Ushora, Tanganyika Territory. A. Loveridge. T. Barbour. 1925.

BUFO VERTEBRALIS ALBIVENTRIS Power

1927, Trans. Roy. Soc. S. Africa, **14**, p. 418, pl. xxii.

15402. Cotype. Lobatsi, Bechuanaland Protectorate. J. H. Power. Exch. Kimberly Mus. 1929.

BUFO VIRIDIS SOMALACUS Meek = *B. BLANFORDI* Boulenger
1897, Field Mus. Nat. Hist. Zool. Series, 1, p. 177.

19104-5. 2 Cotypes. Halleh (Haili), British Somaliland. C. Akeley.
Exch. Field Mus. 1933.

BUNGARUS FLAVICEPS BALUENSIS Loveridge
1938, Proc. Biol. Soc. Washington, 51, p. 44.

43601. Type. Kenokok River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr. Harvard Primate Exped. 1937.

43602. Paratype. Kenokok River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr. Harvard Primate Exped. 1937.

CAECILIA BASSLERI Dunn

1942, Bull. Mus. Comp. Zoöl., 91, p. 518.

19401. Type. Pastaza River between Canelos and Maranon River, Ecuador. C. Spencer. T. Barbour. 1933.

CAECILIA CARIBEA Dunn

1942, Bull. Mus. Comp. Zoöl., 91, p. 509.

24520. Type. Pensilvania, s. of Medellin, Colombia. Hno. Nicéforo Maria. E. R. Dunn. 1941.

CAECILIA DEGENERATA Dunn

1942, Bull. Mus. Comp. Zoöl., 91, p. 505.

17383. Type. Garagoa, N. E. of Bogota, Colombia. Hno. Nicéforo Maria. T. Barbour. 1931.

25593-4. 2 Paratypes. Valley of the Rio Negro at Coachi, etc., Colombia. Hno. Nicéforo Maria. Exch. Am. Mus. Nat. Hist. 1943.

CAECILIA ELONGATA Dunn

1942, Bull. Mus. Comp. Zoöl., 91, p. 527.

21521. Paratype head. Yavisa, Darien, Panama Republic. Dr. H. C. Clark. T. Barbour. 1935.

CALAMARIA GERVAISII IRIDESCENT Taylor

1917, Philippine Journ. Sci., 12, p. 360.

46681. Paratype. Canlaon Volcano, Occidental Negros, Philippine Ids. E. H. Taylor. Exch. Carnegie Mus. 1942.

CALAMARIA LUMBRICOIDEA GRISWOLDI Loveridge

1938, Proc. Biol. Soc. Washington, **51**, p. 43.

43580. Type. Luidan River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr., Harvard Primate Exped. 1937.

43581. Paratype. Luidan River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr., Harvard Primate Exped. 1937.

CALLISaurus DRACONOIDES BREVICEPS Bogert & Dorson

1942, Copeia, p. 173.

46679-80. 2 Paratypes. Guirocoba, S.E. of Alamos, Sonora, Mexico. J. W. Hilton. Exch. Am. Mus. Nat. Hist. 1942.

CALOTES BREVIPES Werner

1904, Zool. Anz., **27**, p. 462.

33519. Paratype. Tonkin, French Indo-China. H. Fruhstorfer. Exch. Senckenberg Mus. 1932.

The original description mentions two male "cotypes" only, yet this young specimen, received from F. Werner in 1904 by the Senckenberg Museum, is clearly labeled "paratype."

CELESTUS BARBOURI Grant

1940, "The Herpetology of Jamaica, II, The Reptiles," p. 101.

45169. Type. Mandeville, Jamaica. C. Grant. T. Barbour. 1939.

CELESTUS CRUSCULUS CUNDALLI Grant

1940, "Jamaica To-day," p. 157.

45163. Holotype. Mandeville, Jamaica. C. Grant. T. Barbour. 1929.

CELESTUS CRUSCULUS MOLESWORTHI Grant

1940, "Jamaica To-day," p. 157.

45184. Holotype. Kingston, Jamaica. C. Grant. T. Barbour. 1939.

CELESTUS DARLINGTONI Cochran

1939, Proc. New England Zoöl. Club, **18**, p. 2.

44374. Type. Valle Nuevo, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

44375-6. 2 Paratypes. Valle Nuevo, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

- CELESTUS DELASAGRA NIGROPUNCTATUS Barbour & Shreve
1937, Bull. Mus. Comp. Zool., **80**, p. 278.
7426. Paratype. Cuba-eastern. Exch. U. S. Nat. Mus. 1912.
42504. Type. Mtns. N. of Imias, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.
42506. Paratype. El Yunque de Baracoa, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.
42563. Paratype. Cuchillo de Guajimero, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

- CELESTUS DUQUESNEYI Grant
1940, "Jamaica To-day," p. 157.

45194. Holotype. Portland Point, Jamaica. C. Grant. T. Barbour. 1939.

- CENTROLENE VALERIOI Dunn
1931, Occ. Papers Boston Soc. Nat. Hist., **5**, p. 397.

16003. Type. La Palma, Costa Rica. E. R. Dunn. E. R. Dunn. 1930.
16004. Paratype. La Palma, Costa Rica. E. R. Dunn. E. R. Dunn. 1930.

- CERASTES VIPERA INORNATUS Werner
1929, Sitz. Akad. Wiss. Wien, **138**, **1**, p. 7.

27509. Holotype. Ain Sefra, W. Algeria. F. Werner. T. Barbour. 1928.

- CHALCIDES OCELLATUS EBNERI Werner. See C. o. VITTATUS
var. EBNERI Werner

- CHALCIDES OCELLATUS GUTTOLINEATA Werner
See C. o. POLYLEPIS FORMA GUTTOLINEATA Werner

- CHALCIDES OCELLATUS MONTANUS Werner
1931, Sitz. Akad. Wiss. Wien, **140**, **1**, p. 295, pl. ii, fig. 10.
- 31459-60. 2 Cotypes. Tizi Tamatert, Grand Altas, French Morocco. F. Werner. T. Barbour. 1931.

- CHALCIDES OCELLATUS OCELLATUS Forskål
See LYOGOSOMA (sic) AKELEYI Meek

CHALCIDES OCELLATUS POLYLEPIS FORMA GUTTOLINEATA Werner =
C. o. GUTTOLINEATA Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 294, pl. ii, fig. 9.

31462. Cotype. Chella, nr. Rabat, French Morocco. F. Werner.
 T. Barbour. 1931.

31463. Cotype. Taza, nr. Rabat, French Morocco. F. Werner.
 T. Barbour. 1931.

31464. Cotype. Fez, nr. Rabat, French Morocco. F. Werner.
 T. Barbour. 1931.

CHALCIDES OCELLATUS SUBTYPICUS Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 293, pl. iii, fig. 1.

31451-3. 2 Cotypes. Debdou to Taourirt, French Morocco. F. Werner. T. Barbour 1931.

31452. Cotype. Oglat Cedra, French Morocco. F. Werner. T. Barbour. 1931.

31458. Cotype. Taourirt, French Morocco. F. Werner. T. Barbour. 1931.

CHALCIDES OCELLATUS VITTATUS var. **EBNERI** Werner =
C. o. EBNERI Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 296, pl. ii, fig. 8.

31461. Holotype. Fez, French Morocco. F. Werner. T. Barbour.
 1931.

CHAMELEO BARBOURI Hechenbleikner

1942, Proc. New England Zoöl. Club, **19**, p. 103

7758. Type. Madagascar. Exch. Senckenberg Mus. 1910.

45505. Paratype. Madagascar. Exch. Senckenberg Mus. 1910.

CHAMELEO DILEPIS IDJWIENSIS Loveridge

1942, Bull. Mus. Comp. Zoöl., **92**, p. 363, pl. v, fig. 2.

47155. Type. Upper Mulinga River, Idjwi Id., Lake Kivu, Belgian Congo. A. Loveridge. Mus. Exped. 1939.

47156-65. Paratypes. Upper Mulinga River, Idjwi Id., Lake Kivu, Belgian Congo. A. Loveridge. Mus. Exped. 1939.

CHAMAELEON BITAENIATUS ALTAEELGONIS Loveridge

1935, Bull. Mus. Comp. Zoöl., **79**, p. 15.

40274. Type. Kaburomi, Mt. Elgon, 10,500 feet, Uganda. A. Loveridge. Mus. Exped. 1934.

40275-300. 50 Paratypes. Kaburomi, Mt. Elgon, 10,500 feet, Uganda. A. Loveridge. Mus. Exped. 1934.

CHAMAELEON INCORNUTUS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 380.

31350. Type. Madehani, Ukinga Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31351-5. 7 Paratypes. Madehani, Ukinga Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31356-9. 4 Paratypes. Nyamwanga, Poroto Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31360-4. 5 Paratypes. Nkuka Forest, Rungwe Mtn., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

CHAMAELEON LATERISPINIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 381.

31386. Type. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31387. Paratype. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

CHAMAELEON WERNERI Tornier

See *CHAMAELEON WERNERI DABAGAE* Loveridge

CHAMAELEON WERNERI DABAGAE Loveridge = *C. WERNERI* Tornier
1932, Bull. Mus. Comp. Zoöl., **72**, p. 379.

31344. Type. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31345-8. 4 Paratypes. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

CHIROMANTIS MACROPS Ahl = *C. PETERSI KELLERI* Boettger
1929, Zool. Anz., **80**, p. 29.

17625. Cotype. Ganda Ali, Annia Galla, Ethiopia. Erlanger & Neumann. Exch. Berlin Mus. 1932.

CHIROMANTIS PETERSI KELLERI Boettger. See **C. MACROPS** Ahl

CHERSINELLA SCHONLANDI Hewitt = **TESTUDO VERROXII** A. Smith
1934, Ann. Natal Mus., 7, p. 303, pl. xvi, figs. 46-50.

42222-4. 3 Paratypes. Steinkop, Cape Province, Union of South Africa. C. G. S. de Villiers. Exch. Stellenbosch Univ. 1936.

CHERSYDRUS GRANULATUS LUZONENSIS Loveridge

1938, Proc. Biol. Soc. Washington, 51, p. 209.

25608. Holotype. Laguna de Bay, Luzon, Philippine Ids. E. H. Taylor. T. Barbour. 1927.

CNEMASPIS AFRICANUS ELGONENSIS Loveridge

1936, Proc. Zool. Soc. London, 1935, p. 820.

40870. Paratype. Ngenge, Mt. Elgon, Uganda. A. Loveridge. Mus. Exped. 1934.

40873. Type. Sipi, Mt. Elgon, Uganda, A. Loveridge. Mus. Exped. 1934.

40871-2. 40874-5. 4 Paratypes. Sipi, Mt. Elgon, Uganda. A. Loveridge. Mus. Exped. 1934.

CNEMASPIS BOULENGERI Strauch

See **GONATODES GLAUCUS** M. A. Smith

CNEMASPIS NIGRIDUS M. A. Smith

1925, Sarawak Mus. Journ., 3, p. 22.

39024. Paratype. Mt. Gadin, Lunda, Borneo. M. A. Smith. T. Barbour. 1935.

CNEMIDOPHORUS ANGUSTICEPS Cope

1877, Proc. American Philos. Soc., 17, p. 95.

46945. Cotype. Yucatan, Mexico. A. Schott. Exch. U. S. Nat. Mus. 1944.

A synonym of *C. sexlineatus gularis* (Baird & Gerard) *fide* Burt, 1931, Bull. 154, U. S. Nat. Mus., p. 98.

CNEMIDOPHORUS DECEMLINEATUS Hallowell

1860, Proc. Acad. Nat. Sci. Philadelphia, p. 482.

46944. Cotype. Nicaragua. C. Wright. Exch. U. S. Nat. Mus. 1944.

A synonym, or possibly a race of *C. deppii* Wiegmann, 1834.

CNEMIDOPHORUS GULARIS VELOX Springer =**C. SEXLINEATUS PERPLEXUS** Baird & Girard

1928, Copeia, p. 102.

37208. Holotype. Lee's Ferry, Arizona. S. H. Springer. J. Piatt. 1934.

CNEMIDOPHORUS LEMNISCATUS GAIGEI Ruthven =**C. L. LEMNISCATUS** Daudin

1915, Occ. Papers Mus. Zool. Univ. Michigan, No. 16, p. 1, pl. i.

6558. Paratypes. La Palomina, Sta. Marta Mtns., Colombia. W. W. Brown. O. Bangs. 1898.

6570. Paratypes. La Palomina, Sta. Marta Mtns., Colombia. W. W. Brown. O. Bangs. 1898.

6571. Paratypes. La Palomina, Sta. Marta Mtns., Colombia. W. W. Brown. O. Bangs. 1898.

CNEMIDOPHORUS LEMNISCATUS LEMNISCATUS Daudin

See **C. L. GAIGEI** Ruthven

CNEMIDOPHORUS LEMNISCATUS PICTA (Van Denburgh & Slevin)

See **VERTICARIA PICTA** Van Denburgh & Slevin

CNEMIDOPHORUS MEXICANUS BALSAS Gadow =**CNEMIDOPHORUS SEXLINEATUS GULARIS** Baird & Girard

1906, Proc. Zool. Soc. London, p. 363.

28670. Cotype. Cuernavaca, Basin of the Balsas River, Mexico. Exch. British Mus. 1929.

CNEMIDOPHORUS MURINUS RUTHVENI Burt

1935, Occ. Papers Mus. Zool. Univ. Michigan, No. 324, p. 1.

27551. Paratype. Seroe, Grandi, Bonaire Id., Dutch West Indies. H. B. Baker. Exch. Michigan Mus. 1929.

CNEMIDOPHORUS PUNCTILINEALIS Dickerson =
CNEMIDOPHORUS TESSELLATUS TESSELLATUS (Say)

1919, Bull. Am. Mus. Nat. Hist., 41, p. 475.

14305. Paratype. San José de Guaymas, Mexico. W. W. Brown
Col. J. E. Thayer. 1919.

CNEMIDOPHORUS SEXLINEATUS GULARIS Baird & Girard
See **CNEMIDOPHORUS MEXICANUS BALSAS** Gadow

CNEMIDOPHORUS SEXLINEATUS PERPLEXUS Baird & Girard
See **C. GULARIS VELOX** Springer

CNEMIDOPHORUS TESSELLATUS AETHIOPS Cope

1900, Ann. Rep. U. S. Nat. Mus. for 1898, p. 582 (part, including type).

46946. Cotype. Hermosillo, Sonora, Mexico. Jenkins & Evermann.
Exch. U. S. Nat. Mus. 1944.

A synonym of *C. t. tessellatus* (Say) *fide* Burt, 1931, Bull. 154, U. S. Nat. Mus.,
p. 151, but recognized by some recent writers.

CNEMIDOPHORUS TESSELLATUS TESSELLATUS (Say)
See **C. PUNCTILINEALIS** Dickerson

COLEONYX VARIEGATUS ABBOTTI Klauber

1945, Trans. San Diego Soc. Nat. Hist., 10, p. 154.

45721. Paratype. Cerros Island, Lower California, Mexico. J. R.
Slevin. California Acad. Sci. 1940.

COLEONYX VARIEGATUS BOGERTI Klauber

1945, Trans. San Diego Soc. Nat. Hist., 10, p. 176.

6364. 2 Paratypes. Florence, Pinal Co., Arizona. E. A. Browne.
E. A. Browne. 1890.

15510-1. 2 Paratypes. Tucson, Pima Co., Arizona. J. R. Slevin.
Exch. California Acad. Sci. N. D.

42400. 1 Paratype. Tucson, Pima Co., Arizona. J. A. Griswold,
Jr. Mus. Exped. 1937.

43976. 1 Paratype. Tucson, Pima Co., Arizona. T. Barbour.
T. Barbour. 1938.

COLEONYX VARIEGATUS PENINSULARIS Klauber

1945, Trans. San Diego Soc. Nat. Hist., **10**, p. 161.

37210. Type. La Paz, Lower California, Mexico. M. L. Cornejo. T. Barbour. 1933.

COLEONYX VARIEGATUS SONORIENSIS Klauber

1945, Trans. San Diego Soc. Nat. Hist., **10**, p. 162.

48768-9. 2 Paratypes. 5-15 miles s. e. of Hermosillo, Sonora, Mexico. Morrow Allen. Exch. Univ. Mich. Mus. Zoöl. 1945.

COLEONYX VARIEGATUS UTAHENSIS Klauber

1945, Trans. San Diego Soc. Nat. Hist., **10**, p. 171.

48788-90. 3 Paratypes. Watercress Springs, Washington Co., Utah. Ross Hardy. Exch. Ross Hardy. 1945.

48791. Paratype. St. George, Washington Co., Utah. Ross Hardy. Exch. Ross Hardy. 1945.

COLOBODACTYLUS TAUNAYI Amaral

1933, Mem. Inst. Butantan, **7**, p. 70, figs 41-45.

37394. Paratype. Las Bernado, Sao Paulo, Brazil. Bicego. Exch. Inst. Butantan. 1934.

COLOPUS KALAHARICUS FitzSimons = *C. WAHLBERGII* Peters

1932, Ann. Transvaal Mus., **15**, p. 36.

33471-2. 2 Paratypes. Kaotwe Pan, Bechuanaland. Vernay & Lang. Exch. Field Mus. 1932.

COLUBER ALGIRUS INTERMEDIUS Werner

1929, Sitz. Akad. Wiss. Wien, **138**, **1**, p. 6, pl. iv, fig. 6.

27496. Holotype. Ain Sefra, West Algeria. F. Werner. T. Barbour. 1928.

COLUBER CANTORIS Boulenger = *ELAPHE CANTORIS* (Boulenger)

1894, Cat. Snakes Brit. Mus., **2**, p. 35.

28646. Cotype. Khasi Hills, India. J. Hooker. Exch. British Mus. 1929.

COLUBER RHODORACHIS Jan

1865, in De Filippi, Viagg. in Persia, p. 256.

902. ?Type. Arabia. Capt. C. Millett. Essex Inst., Salem. 1861.

COLUBER SMITHI (Boulenger)

See **CORONELLA SEMIORNATA FUSCOPROSEA** Loveridge

COLUBER VARIABILIS (Boulenger). See **ZAMENIS VARIABILIS** Boulenger

CONIOPHANES FISSIDENS ANDRESENSIS Bailey

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 362, p. 4.

31867. Holotype. San Andre Id., off Nicaragua, Colombia. J. Zetek. T. Barbour. 1931.

CONIOPHANES IMPERIALIS COPEI Hartweg & Oliver

1938, Occ. Papers Mus. Zool. Univ. Michigan, No. 390, p. 4.

46508-9. 2 Paratypes. Mtns vic. La Mixtequilla, Oaxaca, Mexico. Hartweg & Oliver. Exch. Michigan Mus. 1942.

CONIOPHANES SCHMIDTI Bailey

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 362, p. 1.

22065. Paratype. Chichen Itzá, Yucatan. O. Ricketson. 1925.

46510. Paratype. Chichen Itzá, Yucatan. K. McKay. Exch. Michigan Mus. 1942.

CONSTRICCTOR CONSTRICCTOR AMARALI Stull

1932, Occ. Papers Boston Soc. Nat. Hist., 8, p. 27.

16700. Holotype. São Paulo, Brazil. A. do Amaral. 1922.

COPHIXALUS ORNATUS (Fry). See **PHRYNIXALUS REGINAE** Anderson

CORDYLUS spp. See under **ZONURUS**

**CORONELLA SEMIORNATA FUSCOROSEA Loveridge =
COLUBER SMITHI (Boulenger)**

1935, Bull. Mus. Comp. Zoöl., **79**, p. 8.

40554. Paratype. Tsavo, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40555. Type. Mt. Mbololo, Teita, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40556-7. Paratypes. Mt. Mbololo, Teita, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

CRINIA DARLINGTONI Loveridge

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 57.

18390. Type. MacPherson Range, Queensland. P. J. Darlington. Harvard Australian Exped. 1932.

18391-2. 2 Paratypes. MacPherson Range, Queensland. P. J. Darlington. Harvard Australian Exped. 1932.

CRINIA GLAUERTI Loveridge

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 57.

18420. Type. Mundaring Weir, nr. Perth, Western Australia. P. J. Darlington. Harvard Australian Exped. 1931.

18421-2. 2 Paratypes. Mundaring Weir, nr. Perth, Western Australia. P. J. Darlington. Harvard Australian Exped. 1931.

CROCODYLV PALUSTRIS KIMBULA Deraniyagala

1936, Ceylon Journ. Sci. (B), **19**, p. 280, figs. 1-2, plates xxxii-xxxiii.

42176. Paratype. Ceylon. Exch. Colombo Mus. 1936.

42178. Paratype. Dambura, Western Province, Ceylon. P. Deraniyagala. Exch. Colombo Mus. 1936.

42180. Paratype. Galatabendi, Northwestern Province, Ceylon. P. Deraniyagala. Exch. Colombo Mus. 1936.

The first two specimens listed are only skins, the third is an alcoholic juvenile, the one figured in plate xxxii, fig. 1.

CROSSODACTYLODES PINTOI Cochran

1938, Proc. Biol. Soc. Washington, **51**, p. 41.

25707. Paratype. Maché, Est. Rio de Janeiro, Brazil. Museu Paulista. Exch. U. S. Nat. Mus. 1944.

CROSSODACTYLUS AENEUS L. Müller1924, Senckenbergiana, **6**, p. 171.

17736. Paratype. Barreira, Sierra dos Orgaes, Rio de Janeiro, Brazil. E. Bresslau. Exch. Munich Mus. 1932.

CROTALUS CERASTES LATEROREPENS Klauber1944, Trans. San Diego Soc. Nat. Hist., **10**, p. 94, pl. v, fig. 2.

47295. Paratype. Benson's Dry Lake, San Diego Co., California. James Deuel. L. M. Klauber. 1945.

CROTALUS CONFLUENTUS LUTOSUS Klauber =*C. VIRIDIS LUTOSUS* Klauber1930, Trans. San Diego Soc. Nat. Hist., **6**, p. 100, p. x, fig. 1.

39674. Paratype. 10 miles N. W. of Abraham, Millard Co., Utah. C. B. Perkins. Exch. L. M. Kláuber. 1935.

CROTALUS CONFLUENTUS NUNTIUS Klauber =*C. VIRIDIS NUNTIUS* Klauber1935, Trans. San Diego Soc. Nat. Hist., **8**, p. 78, pl. viii.

39675. Paratype. Diablo Canyon, Coconino Co., Arizona. R. L. Borden. Exch. L. M. Klauber. 1935.

CROTALUS VIRIDIS LUTOSUS KlauberSee *C. CONFLUENTUS LUTOSUS* Klauber*CROTALUS VIRIDIS NUNTIUS* KlauberSee *C. CONFLUENTUS NUNTIUS* Klauber*CROTAPHOPELTIS SHREVEI* Loveridge1932, Proc. Biol. Soc. Washington, **45**, p. 83.

32471. Holotype. Missao de Dondi, Bella Vista, Angola. K. H. Prior. Exch. Alberta Univ. 1932.

CRYPTOBLEPHARUS BOUTONII DEGRIJSI Mertens =*ABLEPHARUS B. DEGRIJSI* (Mertens)1928, Zool. Anz., **78**, p. 83.

29164. Paratype. Anjouan Id., Comoro Is. A. Voeltzkow. Exch. Senckenberg Mus. 1930.

CRYPTOBLEPHARUS BOUTONII MAYOTTENSIS Mertens =
ABLEPHARUS B. MAYOTTENSIS (Mertens)

1928, Zool. Anz., **78**, p. 83.

37204. Paratype. Mayotte Id., Comoro Is. A. Voeltzkow. T. Barbour. 1933.

CRYPTOBLEPHARUS BOUTONII NOVOCaledonicus Mertens =
ABLEPHARUS B. NOVOCaledonicus (Mertens)

1928, Zool. Anz., **78**, p. 88.

27939. Paratype. Hiengliene, New Caledonia. Sarasin & Roux. Exch. Basel Museum. 1929.

Burt (1928) suggests that this is a synonym of *poecilopleurus* Wiegmann.

CRYPTOBLEPHARUS BOUTONII RENSCHI Mertens =
ABLEPHARUS B. RENSCHI (Mertens)

1928, Senckenbergiana, **10**, p. 230.

31910. Paratype. Kambaniroe nr. Waingapoe, Sumba Id. R. Mertens. Exch. Senckenberg Mus. 1931.

CRYPTOBLEPHARUS BOUTONII SUMBAWANUS Mertens =
ABLEPHARUS B. SUMBAWANUS (Mertens)

1928, Zool. Anz., **78**, p. 85.

29165. Paratype. Sumbawa-Besar, Dutch East Indies. R. Mertens. Exch. Senckenberg Mus. 1930.

CTENOSAURA SIMILIS MULTIPUNCTATA Barbour & Shreve

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, pl. 197.

36830. Holotype. Old Providence Id., Colombia. J. C. Greenway, Jr., A. V. Armour Exped. 1933.

CYCLORHAMPHUS GRANULOSUS Lutz

1929, Mem. Inst. Oswaldo Cruz, **22**, pp. 19, 22, pl. iii, figs. 3-4.

25711. Cotype. Bonito, Serra da Bocaine, São Paulo, Brazil. (A. Lutz). Exch. U. S. Nat. Mus. 1944.

CYCLURA CARINATA BARTSCHI Cochran

1931, Journ. Washington Acad. Sci., **21**, p. 40.

38182. Paratype. Booby Cay, E. of Mariguana Cay, Bahamas. P. Bartsch. Exch. U. S. Nat. Mus. 1934.

DARLINGTONIA HAETIANA Cochran

1935, Proc. Boston Nat. Hist. Soc., **40**, p. 375.

38252. Holotype. Roche Croix, Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

DENDRASPIS JAMESONI KAIMOSAE Loveridge =
DENDROASPIS J. KAIMOSAE (Loveridge)

1936, Proc. Biol. Soc. Washington, **49**, p. 64.

40743. Type. Kaimosi, Kakamega, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40744-8. 5 Paratypes. Kaimosi, Kakamega, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

DENDROASPIS JAMESONI KAIMOSAE (Loveridge)
 See *DENDRASPIS J. KAIMOSAE* Loveridge

DENDROBATES MINUTUS MINUTUS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 212.

15288. Type. Barro Colorado Id., Canal Zone. E. R. Dunn. E. R. Dunn. 1929.

16016. 2 Paratypes. Nicensa, San Blas, Panama Republic. T. E. Snyder. T. E. Snyder. 1929.

DENDROBATES MINUTUS VENTRIMACULATUS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 213.

19684-90. 18 Paratypes. Pastaza River between Canelos & Marañon River, Ecuador. C. Spencer. T. Barbour. 1933.

19734. Type. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

19735-41. 7 Paratypes. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

DENDROPHIDION CLARKII Dunn

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 78.

34878. Holotype. El Valle de Antón, Panama Republic. E. R. Dunn. E. R. Dunn. 1933.

DENDROPHIDION VINITOR H. M. Smith

1941, Proc. Biol. Soc. Washington, **54**, p. 74.

9561. Paratype. Matagalpa, Nicaragua. W. B. Richardson. Bt. of W. B. R. 1911.

17117. Paratype. Matagalpa, Nicaragua. W. B. Richardson.
Bt. of W. B. R. 1911.
19342. Paratype. Suretka, Costa Rica. Dunn & Duryea. T. Barbour. 1923.
19344. Paratype. La Loma Mtns., Panama Republic. Dunn & Duryea. T. Barbour. 1923.
- 42782-3. 2 Paratypes. Pequina-Esperanza Ridge, Panama Republic. H. C. Clark. T. Barbour. 1937.

DENDROPHIS BOIGA INTERMEDIA (Mertens)
See **AHAETULLA BOIGA INTERMEDIA** Mertens

DESMOGNATHUS AUREATAGULUS Weller = **D. FUSCUS IMITATOR** Dunn
1920, Proc. Jun. Soc. Nat. Hist. Cincinnati, 1, p. 3.

17541-5. 5 Paratypes. Newfoundland Gap, 4400-4600 ft., North Carolina-Tennessee line. W. H. Weller. Exch. Junior Soc. Nat. Hist. Cincinnati. 1932.

DESMOGNATHUS QUADRAMACULATUS AMPHILEUCUS Bishop
1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 12.

25796. Paratype. Demorest, Habersham Co., Georgia. M. E. Phillips. Exch. S. C. Bishop. 1944.

DESMOGNATHUS WRIGHTI King
1936, Herpetologica, 1, p. 57.

20943-4. 2 Paratypes. Mt. Le Conte, Sevier Co., Tennessee. W. King. Exch. U. S. Nat. Mus. 1937.

DINODON FLAVOZONATUM Pope
1928, Amer. Mus. Novit., No. 325, p. 2.

45962-3. 2 Paratypes. Chungan Hsien, Yenping, China. C. H. Pope. Exch. American Mus. 1941.

DIPSOSAURUS DORSALIS SONORIENSIS Allen
1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 259, p. 4.

46517-8. 2 Paratypes. S. E. Hermosillo, Sonora, Mexico. Morrow Allen. Exch. Michigan Mus. 1942.

DROMICUS ANGUSTILINEATUS Schmidt & Walker1943, Zool. Series Field Mus. Nat. Hist., **24**, p. 308.

45907. Paratype. 45908. Type. Toquepala Mine, 60 km. East of Moquegua, Dept. Tacna, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

DROMICUS PARVIFRONS ROSAMONDAE Cochran =
LEMADOPHIS P. ROSAMONDAE (Cochran)1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 186.37668. Type. Isle Vache, Haiti. T. Barbour. T. Barbour. 1934.
37669-72. 4 Paratypes. Isle Vache, Haiti. T. Barbour. T. Barbour. 1934.**DROMICUS TACHYMEMOIDES** Schmidt & Walker1943, Zool. Series Field Mus. Nat. Hist., **24**, p. 309.

45940. Paratype. Toquepala Mine, Tacna Dept., Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1940.

DRYADOPHIS ALTERNATUS ALTERNATUS (Bocourt)
See **EUDRYAS BODDAERTI GAIGEAE** Stuart**DRYADOPHIS BODDAERTI RUTHVENI** (Stuart)
See **EUDRYAS RUTHVENI** Stuart**DRYADOPHIS MELANOLOMUS TEHUANAE** H. M. Smith1943, Proc. U. S. Nat. Mus., **93**, p. 420.

46865. Paratype. Tres Cruces, Oaxaca, Mexico. H. M. Smith. Exch. U. S. Nat. Mus. 1944.

ECPLEOPUS LUTZAE Loveridge1944, Proc. Biol. Soc. Washington, **57**, p. 97.

46991. ♀ Cotype. In bromeliads at about 3,500 feet, above Beija. Flor River, Theresopolis, Rio de Janeiro, Brazil. Dr. Bertha Lutz-Dr. B. Lutz. 1944.

EDALORHINA PUSTULATA Shreve1941, Proc. New England Zoöl. Club, **18**, p. 80.

7666. Holotype. Guayaquil, Ecuador. C. T. Brues. C. T. Brues. 1913.

EGERNIA CARINATA H. M. Smith1939, Field Mus. Nat. Hist. Zool. Series, **24**, p. 11.45594. Paratype. Toolbrunup, Western Australia. J. Baldwin.
Exch. Field Mus. 1940.*EGERNIA INORNATA* Rosén. See *E. STRIATA* Sternfeld*EGERNIA STRIATA* Sternfeld = *E. INORNATA* Rosén1919, Senckenbergiana, **1**, p. 79.

33525-6. 2 Cotypes. Hermannsburg, Finke River, Central Australia. M. Leonhardi. Exch. Senckenberg Mus. 1932.

ELACHISTOCLEIS OVALIS (Schneider)See *HYPOPACHUS PEARSEI* Ruthven*ELAPHE CANTORIS* (Boulenger). See *COLUBER CANTORIS* Boulenger*ELAPHE QUADRIVITTATA DECKERTI* Brady1932, Proc. Biol. Soc. Washington, **45**, p. 5.21934. Paratype. Lower Matacumbe Key, Florida. J. N. Farnum.
J. N. Farnum. 1929.29322. Paratype. Lower Matacumbe Key, Florida. J. N. Farnum.
J. N. Farnum. 1930.*ELAPHE QUADRIVITTATA PARALLELA* Barbour1942, Proc. New England Zoöl. Club, **20**, p. 103, pl. xvii.46468. Holotype. Sam Windsor's Lump, Carteret Co., N. Carolina.
W. L. Engels. W. L. Engels. 1942.*ELAPHE QUATTUORLINEATA PRAEMATURA* Werner1935, Sitz. Akad. Wiss. Wien, **144**, **1**, p. 111, fig. 5.

38523. Paratype. Tos Id., Cyclades, Greece. F. Werner. T. Barbour. 1935.

ELAPHE WILLIAMI Barbour & Carr1940, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 340.45705. Type. Nr. Lebanon, Levy Co., Florida. Harold Williams.
T. Barbour. 1940.45706-7. 2 Paratypes. Nr. Lebanon, Levy Co., Florida. Harold Williams.
T. Barbour. 1940.

ELAPS FULVIUS BARBOURI Schmidt
= MICRURUS F. BARBOURI (Schmidt)

1928, Bull. Antivenin Inst. Amer. (Philadelphia), **2**, p. 64.

13658. Type. Paradise Key, Dade Co., Florida. T. Barbour.
 T. Barbour. 1920.

ELAPSOIDEA SUNDEVALLII FITZSIMONSI Loveridge

1944, Bull. Mus. Comp. Zoöl., **95**, p. 229.

46795. Paratype. Gomodimo Pan, Kalahari Desert, Bechuanaland
 Protectorate. H. Lang. Exch. Field Mus. Nat. Hist. 1943.

ELEUTHERODACTYLUS ACUMINATUS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 217.

19949-50. 2 Paratypes. Sarayacu, Ecuador. O. C. Felton. T.
 Barbour. 1933.

19951. Type. Canelos, Oriente, Ecuador. O. C. Felton. T. Bar-
 bour. 1932

ELEUTHERODACTYLUS ALBIPES Barbour & Shreve

1937, Bull. Mus. Comp. Zoöl., **80**, p. 383.

21960. Paratype. Nr. Cueva del Aura, Pico Turquino, Oriente,
 Cuba. P. J. Darlington. Mus. Exped. 1936.

22015-8. 4 Paratypes. Cueva del Aura to Pico Cuba, Oriente,
 Cuba. P. J. Darlington. Mus. Exped. 1936.

22045. Type. Pico Turquino, 5400-6000 ft., Oriente, Cuba. P. J.
 Darlington. Mus. Exped. 1936.

22046-9. 16 Paratypes. Pico Turquino, 5400-6000 ft., Oriente,
 Cuba. P. J. Darlington. Mus. Exped. 1936.

ELEUTHERODACTYLUS ALTICOLA Lynn

1937, Herpetologica, **1**, p. 89, pl. viii, fig. 2.

22363. Paratype. Blue Mtn. Peak, St. Thomas Parish, Jamaica.
 W. G. Lynn. Exch. U. S. Nat. Mus. 1937.

ELEUTHERODACTYLUS ANDREWSI Lynn

1937, Herpetologica, **1**, p. 88, pl. viii, fig. 2.

22364. Paratype. Clydesdale, Jamaica. W. G. Lynn. Exch. U. S.
 Nat. Mus. 1937.

ELEUTHERODACTYLUS ARMSTRONGI Noble & Hassler
1933, Amer. Mus. Novit., No. 652, p. 2.

24547-8. 2 Paratypes. Nr. Barahona, Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

ELEUTHERODACTYLUS ATKINSI ORIENTALIS Barbour & Shreve
1937, Bull. Mus. Comp. Zoöl., 80, p. 382.

3882. Paratype. La Patana, nr. Baracoa, Cuba. V. J. Rodriguez. C. de la Torre. 1915.

4073. Paratype. La Patana, nr. Baracoa, Cuba. V. J. Rodriguez. T. Barbour. 1916.

22070-4. 7 Paratypes. El Yunque de Baracoa, Cuba. P. J. Darlington. Mus. Exped. 1936.

22092-8. 7 Paratypes. Cape Maisi, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22101-3. 3 Paratypes. Mtns. N. of Imias, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22158. Type. Upper Ovando River, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22159. Paratype. Upper Ovando River, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

ELEUTHERODACTYLUS AUDANTI Cochran
1934, Occ. Papers Boston Soc. Nat. Hist., 8, p. 164.

19704. Type. La Selle Peak, Haiti. A. Audant. T. Barbour. 1934.

19705-10. 6 Paratypes. La Selle Peak, Haiti. A. Audant. T. Barbour. 1934.

ELEUTHERODACTYLUS BAKERI Cochran
1935, Proc. Boston Nat. Hist. Soc., 40, p. 369.

19837. Type. Mt. La Hotte, 5000-7800 ft., Haiti. P. J. Darlington. Mus. Exped. 1934.

19838-41. 19843-45. 21562-68. 14 Paratypes. Mt. La Hotte, 5000-7800 ft., Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS BREVIROSTRIS Shreve
1936, Proc. New England Zoöl. Club, 15, p. 95.

21557. 21558-60. Type and 3 Paratypes. N. & E. foothills, Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

21573. Paratype. 5000-7000 ft., Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS CARMELITAE Ruthven

1922, Mus. Zool. Univ. Michigan, Misc. Publ., No. 8, p. 51, pl. xi, fig. 1, pl. xii, fig. 1.

8979. Paratype. Quebrada Viernes Santo, 5000 ft., San Lorenzo, Santa Marta Mtns., Colombia. A. G. Ruthven. Exch. Michigan Mus. 1922.

ELEUTHERODACTYLUS COCHRANAE Grant

1933, Journ. Dept. Agric. Puerto Rico, **16**, p. 325.

18603-21. 19 Cotypes. Hassel Id., nr. St. Thomas Id., Virgin Is. C. Grant. T. Barbour. 1933.

The author designates a numbered type from St. John and then proceeds to describe the species on the basis of "Co-types" from St. John and Hassel Id.

ELEUTHERODACTYLUS DARLINGTONI Cochran

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 368.

19847. Type. Near La Visite, La Selle Range, Haiti. P. J. Darlington. Mus. Exped. 1934.

19848-50. 3 Paratypes. Near La Visite, La Selle Range, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS DORSOCONCOLOR Taylor

1942, Univ. Kansas Sci. Bull., **27**, p. 152.

25713. Paratype. Tequeyutepec, Veracruz, Mexico. Hobart M. Smith. Exch. U. S. Nat. Mus. 1944.

ELEUTHERODACTYLUS FEMUR-LEVIS Cochran

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 371.

19836. Holotype. Desbarriere, Mt. de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS GAIGEI (Dunn). See **LITHODYTES GAIGEI** Dunn

ELEUTHERODACTYLUS GLANDULIFER Cochran
1935, Proc. Boston Soc. Nat. Hist., **40**, p. 367.
19851. Holotype. N. & E. foothills of Mt. La Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS GLANDULIFEROIDES Shreve
1936, Proc. New England Zoöl. Club, **15**, p. 96.

21597. Type. Nr. La Visite, La Selle Range, Haiti. P. J. Darlington Mus. Exped. 1934.

21598. Paratype. Nr. La Visite, La Selle Range, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS INTERMEDIUS Barbour & Shreve
1937, Bull. Mus. Comp. Zoöl., **80**, p. 384:

21965. Type. Nr. Cueva del Aura, Pico Turquino, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

21966-74. 13 Paratypes. Nr. Cueva del Aura, Pico Turquino, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22050. Paratype. 5400-6000 ft. on Pico Turquino, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22130-2. 3 Paratypes. Mtns. N. of Imias, 3000-4000 ft., Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22157. Paratype. Sierra Maestra, Cobre Range, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

ELEUTHERODACTYLUS JUGANS Cochran, 1937
NOM. NOV. FOR LEPTODACTYLUS DARLINGTONI Cochran, 1935
1937, Journ. Washington Acad. Sci., **27**, p. 312.

ELEUTHERODACTYLUS LEWISI Lynn & Dent
1942, Herpetologica, **2**, p. 72, figs.

25714. Paratype. Dolphin Head, Near Bush Mtn., Westmoreland, Jamaica. W. G. Lynn. Exch. U. S. Nat. Mus. 1944.

ELEUTHERODACTYLUS MATUDAI Taylor
1942, Univ. Kansas Sci. Bull., **27**, p. 154.

25715. Paratype. Mt. Ovando, Chiapas, Mexico. H. M. Smith. Exch. U. S. Nat. Mus. 1944.

ELEUTHERODACTYLUS MEGALOPS Ruthven

1917, Occ. Papers Mus. Zool. Univ. Michigan, No. 39, p. 3, pl. i, figs. 1-2.

4755-6. 2 Paratypes. Cincinnati, Colombia. F. M. Gaige. Exch. Michigan Mus. 1917.

8981-2. 2 Paratypes. Sta. Marta Mtns., Colombia. A. G. Ruthven. Exch. Michigan Mus. 1922.

ELEUTHERODACTYLUS MILESI Schmidt

1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 18.

17435-6. 2 Paratypes. Mtns. W. of San Pedro, Honduras Republic. K. P. Schmidt. Exch. Field Mus. 1931.

ELEUTHERODACTYLUS MONNICHORUM Dunn

1940, Proc. Acad. Nat. Sci. Philadelphia, **92**, p. 107.

10051-6. 6 Paratypes. Gutierrez, Bocas del Toro, Panama Republic. E. R. Dunn. T. Barbour. 1923.

These are part of the "seven tiny specimens at Gutierrez" mentioned by Dunn.

ELEUTHERODACTYLUS ORCUTTI Dunn

1928, Proc. U. S. Nat. Mus., **74**, Art. 22, p. 1.

25717. Paratype. Arntully, St. Thomas Parish, Jamaica. C. R. Orcutt. Exch. U. S. Nat. Mus. 1944.

ELEUTHERODACTYLUS PARVUS Barbour & Shreve

1937, Bull. Mus. Comp. Zoöl., **80**, p. 386.

21947. Type. Cueva del Aura, Pico Turquino, Cuba. P. J. Darlington. Mus. Exped. 1936.

21948-59. 12 Paratypes. Cueva del Aura, Pico Turquino, Cuba. P. J. Darlington. Mus. Exped. 1936.

ELEUTHERODACTYLUS PICTISSIMUS Cochran

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 371.

19846. Holotype. Tardieu, N. E. foothills of Mt. la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS POOLEI Cochran

1938, Proc. Biol. Soc. Washington, **51**, p. 93.

25718. Paratype. Citadel of King Christophe, Haiti. A. J. Poole. Exch. U. S. Nat. Mus. 1944.

ELEUTHERODACTYLUS PSEUDOACUMINATUS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 218.

19948. Holotype. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

ELEUTHERODACTYLUS RANOIDES EMLENI Dunn

See *E. r. nubicola* Dunn & Emlen

ELEUTHERODACTYLUS RANOIDES NUBICOLA Dunn & Emlen =

E. r. emleni Dunn

1932, Proc. Acad. Nat. Sci., Philadelphia, **34**, p. 23.

17615. Paratype. San Juancito, Honduras Republic. J. T. Emlen. Exch. Philadelphia Acad. 1932.

As *E. r. nubicola* Dunn & Emlen, 1932, was preoccupied by *E. nubicola* Dunn, 1926, the latter renamed the species *E. r. emleni* in 1932, Copeia, p. 97.

ELEUTHERODACTYLUS RUFIFEMORALIS Noble & Hassler

1933, Amer. Mus. Novit., No. 652, p. 4.

24549-50. 2 Paratypes. Ravine above Salvacion Station, nr. Barahona, Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

ELEUTHERODACTYLUS SCHMIDTI RUCILLENSIS Cochran

1939, Proc. New England Zoöl. Club, **18**, p. 3.

23300. Type. Loma Rucilla, Dominican Republic. P. J. Darlington. Mus. Exped. 1938.

ELEUTHERODACTYLUS SEMIPALMATUS Shreve

1936, Proc. New England Zoöl. Club, **15**, p. 94.

21561. Holotype. N. & E. foothill, Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ELEUTHERODACTYLUS STADELMANI Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 44.

21290. Type. Portillo Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

21291. Paratype. Sta. Marta, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

ELEUTHERODACTYLUS TALAMANCAE Dunn

1931, Occ. Papers Boston Soc. Nat. Hist., 5, p. 385.

9785-7. 3 Paratypes. Suretka, Costa Rica. E. R. Dunn. T. Barbour. 1920.

9879. Type. Almirante, Bocas del Toro, Panama Republic. Dunn & Duryea. T. Barbour. 1923.

9882-3. 2 Paratypes. Almirante, Bocas del Toro, Panama Republic. Dunn & Duryea. T. Barbour. 1923.

9971-5. 5 Paratypes. La Loma, Bocas del Toro, Panama Republic. Dunn & Duryea. T. Barbour. 1923.

7949-52. 4 Paratypes. Monteverde, Costa Rica. E. R. Dunn. T. Barbour. 1920.

8040. 1 Paratype. Zent, Costa Rica. E. R. Dunn. T. Barbour. 1920.

ELEUTHERODACTYLUS TURQUINENSIS Barbour & Shreve

1937, Bull. Mus. Comp. Zoöl., 80, p. 380.

21975. Type. Nr. Cueva del Aura, Pico Turquino, Oriente, Cuba P. J. Darlington. Mus. Exped. 1936.

21976-84. 30 Paratypes. Nr. Cueva del Aura, Pico Turquino Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

ELEUTHERODACTYLUS VENTRILINEATUS (Shreve)

See **LEPTODACTYLUS VENTRILINEATUS** Shreve

EMOIA FLAVIGULARIS Schmidt

1932, Field Mus. Nat. Hist. Zool. Series, 18, p. 185.

32193. Paratype. Tunnibuli, Ysabel Id., Solomon Is. K. P. Schmidt. Exch. Field Mus. 1931.

EMOIA KUEKENTHALI (Boettger)

See **LYGOSOMA KUEKENTHALI** Boettger

EMOIA SANFORDI Schmidt & Burt

1930, Amer. Mus. Novit., No. 436, p. 1.

19609. Paratype. Ambrym, New Hebrides. Speiser. Exch. Basle Mus. 1924.

ENYGRUS ASPER SCHMIDTI Stull1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 26.29778. Type. Kaiserin Sepik, Augusta River, New Guinea. Gil-
lerup. Exch. Zool. Mus. Amsterdam. 1931.**EPICRATES CENCHRIA GAIGEI** Stull1938, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 298.46502. Paratype. Dept. Sta. Cruz, Bolivia. J. Steinbach. Exch.
Michigan Mus. 1942.**EPICRATES INORNATUS GRANTI** Stull

1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 267, p. 1.

33947. Holotype. Tortola Id., Porto Rico. C. Grant. T. Barbour.
1933.**EPICRATES STRIATUS FOSTERI** Barbour1941, Proc. New England Zoöl. Club, **18**, p. 64.46054. Type. Nr. Alicetown, N. Bimini Id., Bahamas. Foster &
Huntingdon. Foster & Huntingdon. 1941.46055-9. 46178. 6 Paratypes. Nr. Alicetown, N. Bimini Id.,
Bahamas. Foster & Huntingdon. Foster & Huntingdon. 1941.**EPICRATES STRIATUS RELICQUUS** Barbour & Shreve1935, Proc. Boston Soc. Nat. Hist., **40**, p. 362.37891. Holotype. Sheep Cay, Great Inagua Id., Bahamas. J. C.
Greenway, Jr. T. Barbour. 1934.**EREMIAS MULTIOCELLATA SATURATA** BlanfordSee **E. YARKANDENSIS VAR. SATURATA** Blanford**EREMIAS MULTIOCELLATA YARKANDENSIS** BlanfordSee. **E. YARKANDENSIS** Blanford**EREMIAS YARKANDENSIS** Blanford= **E. MULTIOCELLATA YARKANDENSIS** Blanf.1875, Journ. Asiatic Soc. Bengal, **44**, p. 194.7167. Cotype. Yarkand, Chinese Turkestan. F. Stoliczka. Exch.
Indian Mus. 1908.

EREMIAS YARKANDENSIS VAR. SATURATA Blanford
= E. MULTIOCELLATA SATURATA Blanford

1875, Journ. Asiatic Soc. Bengal, **44**, p. 195.

7168. Cotype. Kuenlun Valley, south of Yarkand, Chinese Turkestan. F. Stoliczka. Exch. Indian Mus. 1908.

ERYTHROLAMPRUS AESCULAPII IMPAR Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 49.

38765. Holotype. Mataderos Mtns., Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

ERYTHROLAMPRUS MIMUS MICRURUS Dunn & Bailey

1939, Bull. Mus. Comp. Zoöl., **86**, p. 12.

18848. Paratype. France Field, Canal Zone. Barbour, Brooks & Wigglesworth. T. Barbour. 1924.

24957. Paratype. Juan Mina, Canal Zone. J. Zetek. T. Barbour. 1927.

31828. Type. Cana Mines, Panama Republic. H. C. Clark. T. Barbour. 1938.

32724-7. 4 Paratypes. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1929.

37887. Paratype. France Field, Canal Zone. J. B. Shropshire. T. Barbour. 1933.

ERYX COLUBRINA LOVERIDGEI Stull

See **ERYX THEBAICUS LOVERIDGEI** Stull

ERYX THEBAICUS LOVERIDGEI Stull

= E. COLUBRINA LOVERIDGEI Stull

1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 29, pl. ii, fig. A.

7295. Paratype. Uganda. T. Barbour.

11486. Paratype. Nairobi, Kenya Colony. F. R. Wulsin. F. R. Wulsin. 1915.

18184. Type. Mbuyuni, Kenya Colony. A. Loveridge. T. Barbour. 1916.

Mbuyuni, not Mbunyi, is the correct rendering of the type locality, and F. R. Wulsin, not A. Loveridge, the collector of M. C. Z. 11486.

**EUDRYAS BODDAERTI GAIGEAE Stuart
=DRYADOPHIS A. ALTERNATUS (Bocourt)**

1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 254, p. 7.

46504. Paratype. Boquete, Chiriqui Province, Panama Republic. H. T. Gaige. Exch. Michigan Mus. 1942.

**EUDRYAS RUTHVENI Stuart
=DRYADOPHIS BODDAERTI RUTHVENI (Stuart)**

1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 254, p. 4.

6521, 6544-7. 5 Paratypes. La Concepcion, Colombia. W. W. Brown. O. Bangs. 1899.

6554-5. 6575. 6577. 4 Paratypes. Palomina, Sta. Marta region, Colombia. W. W. Brown. O. Bangs. 1899.

46505. Paratype. San Lorenzo, Santa Marta Mtns., Colombia. A. S. Pearse. Exch. Michigan Mus. 1942.

EUMECES INDUBITUS Taylor

1934, Univ. Kansas Sci. Bull., **21**, p. 258, pls. xxiv-xxv.

37715. Paratype. Nr. Ascension, W. Mexico. Taylor & Smith. Exch. E. H. Taylor. 1933.

EUMECES LATISCUTATUS OKADAЕ Stejneger

1907, U. S. Nat. Mus. Bull. No. 58, p. 200, fig. 181.

46953. Paratype. Nii shima, Idzu Seven Islands, Japan. N. Okada. Exch. U. S. Nat. Mus. 1944.

EUMECES OCHOTERANAE Taylor

1933, Proc. Biol. Soc. Washington, **46**, p. 129.

37716. Paratype. Mazatlan, Guerrero, Mexico. Taylor & Smith. Exch. E. H. Taylor. 1933.

EUMECES TUNGANUS Stejneger

1924, Journ. Acad. Sci. Washington, **14**, p. 384.

46955. Paratype. Zuting Kias, Hsikiang, 5000-6000 feet, China. D. C. Graham. Exch. U. S. Nat. Mus. 1944.

EUPEMPHIX RUTHVENI Netting

1930, Ann. Carnegie Mus., **19**, p. 167, pl. vii, fig. 1.

15698. Paratype. Matamoco, Santa Marta Mtns., Colombia. A. G. Ruthven. Exch. Michigan Mus. 1930.

EUPEMPHIX SCHERERI Myers

1942, Proc. Biol. Soc. Washington, **55**, p. 151.

25598. Paratype. Pevas, Ampiyacu River, Peru. P. Scherer. Exch. Stanford Univ. Mus. 1943.

EUPREPES (EUPREPIS) ISSELII Peters=MABUYA ISSELII (Peters)

1871, Monatsb. Akad. Wiss. Berlin, p. 567.

37207. Cotype. Keren, Boguslande, Ethiopia. Issel & Doria. T. Barbour. 1933.

Is likely to prove a recognizable northeast African race of *M. varia*.

EURYCEA GRISEOGASTER Moore & Hughes

1941, Copeia, p. 139.

25527-8. 2 Paratypes. Swimmer's Creek, Illinois River, Sequoyah Co., Oklahoma. Dutton, Hallock, Moore & Seamster. Moore & Hughes. 1942.

25534. 2 Paratypes. Swimmer's Creek, Illinois River, Sequoyah Co., Oklahoma. Dutton, Hallock, Moore & Seamster. Exch. Michigan Mus. 1942.

EURYCERA LONGICAUDA PERNIX Mittleman

1942, Proc. New England Zoöl. Club, **21**, p. 101, pl. xx.

25569. Type. Jimmie Strahl Creek, State Park, Brown Co., Indiana M. B. Mittleman. Exch. M. B. Mittleman. 1942.

25570-4. 5 Paratypes. Jimmie Strahl Creek, State Park, Brown Co., Texas. C. E. Mohr. Exch. S. C. Bishop. 1942.

EURYCERA NANA BISHOP

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 9, pl. i, fig. 1.

25580-1. 2 Paratypes. Lake at head of San Marcos River, Hayes Co., Texas. C. E. Mohr. Exch. S. C. Bishop. 1942.

EURYCERA NEOTENES Bishop & Wright

1937, Proc. Biol. Soc. Washington, **50**, p. 142, fig.

22350. Paratype. 5 miles N. of Helotes, Texas. S. C. Bishop. S. C. Bishop. 1937.

EURYCEA TYNERENSIS Moore & Hughes

1939, Amer. Midl. Nat. (Notre Dame), **22**, p. 697, figs. 1-2.

25530-2. 3 Cotypes. Tyner Creek, Proctor, Adair Co., Oklahoma. Moore & Mizelle. Moore & Hughes. 1942.

25533. 3 Cotypes. Tyner Creek, Proctor, Adair Co., Oklahoma. Moore & Mizelle. Exch. Michigan Mus. 1942.

EUSPONDYLUS MARIANUS (Ruthven)

See **PRIONODACTYLUS MARIANUS** Ruthven

GASTROTHECA BOLIVIANA GRISWOLDI Shreve

1941, Proc. New England Zoöl. Club, **18**, p. 82.

24102. Type. Maraynioc, Dept. Junin, Peru. J. A. Griswold, Jr. J. A. Griswold, Jr. 1937.

24103-6. Paratypes. Maraynioc, Dept. Junin, Peru. J. A. Griswold, Jr. J. A. Griswold, Jr. 1937.

In addition there are series of paratypes from several other localities as listed by the original describer.

GEKKO OORTI Kopstein

1926, Zool. Med. (Leiden), **9**, p. 77.

38970. 39721. 2 Paratypes. Teun Id., Banda Sea. F. Kopstein. Exch. Leyden Mus. 1935.

GEOEMYDA SPENGLERI SINENSIS Fan = **G. S. SPENGLERI** (Gmelin)

1931, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. (Canton), No. 11, p. 146.

32425. Paratype. Lo-shiang, Kwangsi, China. Kwechow Exped. Exch. Sun Yatsen Univ. 1932.

The reasons for regarding *sinensis* as a synonym have been enumerated by Pope, 1935, The Reptiles of China, p. 35.

GEOEMYDA SPENGLERI SPENGLERI (Gmelin)
See G. SPENGLERI SINENSIS Fan

GEOPHIS DUNNI Schmidt

1932, Copeia, p. 8.

31870. Holotype. Matagalpa, Nicaragua. E. stomach of *Micrurus*
W. B. Richardson.

GEOPHIS SEMIANNULATUS H. M. Smith

1941, Proc. New England Zoöl. Club, 18, p. 49.

11422. Holotype. Colima, Mexico. G. Glückert. G. Glückert.
1913.

GEOTRYPTES SERAPHINI OCCIDENTALIS Parker

1936, Zool. Meded. (Leiden), 19, p. 99.

23554. Cotype. Oubasi, S. Ashanti, Gold Coast. H. G. F. Spurrell.
Exch. British Mus. 1938.

GEPHYROMANTIS DECARYI Angel = **MANTIDACTYLUS DECARYI** (Angel)

1931 (1930), Bull. Soc. Zool. France, 55, p. 549.

17459. Cotype. Midongy du Sud, Farafangana Prov., Madagascar.
R. Decary. Exch. Paris Mus. 1932.

GERRHOSAURUS FLAVIGULARIS FITZSIMONSI Loveridge

1942, Bull. Mus. Comp. Zoöl., 89, p. 514.

13532-3. 2 Paratypes. Morogoro, Tanganyika Territory. A.
Loveridge. T. Barbour. 1920.

17983. Paratype. Loita Plains, Kenya Colony. C. P. Curtis. C. P.
Curtis. 1923.

29656. Paratype. Mazeras, Kenya Colony. E. Heller. Exch. U. S.
Nat. Mus. 1930.

29657. Paratype. Voi, Kenya Colony. E. Heller. Exch. U. S.
Nat. Mus. 1930.

41275-7. 3 Paratypes. Voi, Kenya Colony. A. Loveridge. Mus.
Exped. 1934.

41280. Type. Mt. Mbololo, Kenya Colony. A. Loveridge. Mus.
Exped. 1934.

41281-2. 2 Paratypes. Mt. Mbololo, Kenya Colony. A. Loveridge.
Mus. Exped. 1934.

41283. Paratype. Ngatana, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

41284. Paratype. Golbanti, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

GLAUCONIA MERKERI Werner=
=LEPTOTYPHLOPS CONJUNCTA CONJUNCTA (Jan)

1909, Jahr. Ver. Natk. Württemburg (Stuttgart), **65**, p. 61.

31627. Cotype. Moshi, Tanganyika Territory. Merker. Exch. Stuttgart Mus. 1931.

The description of *merkeri* was faulty.

GLAUERTIA RUSSELLI Loveridge

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 89.

19424-9. 6 Paratypes. Creek flowing into Gascoyne River, Mt. Landor Stn., Western Australia. L. Glauert. Exch. W. Australia Mus. 1933.

GONATODES GLAUCUS M. A. Smith = **CNEMASPIS BOULENGERII** Strauch
1920 (1921), Journ. Nat. Hist. Soc. Siam, **4**, p. 95, pl. -, fig. 3.

39014-23. 21 Paratypes. Pulo Condore off Cochin China coast, China Sea. M. A. Smith. T. Barbour. 1935.

GONOCEPHALUS SCHODEI Vogt. See **GONOCEPHALUS SCHODEI** Vogt

GONOCEPHALUS SCHODEEI Vogt = **GONOCEPHALUS SCHODEI** Vogt
1932, Sitz. Ges. Naturf. Freunde Berlin, p. 282.

37201. Cotype. Jesus Maria, Lambussa Id., Dutch New Guinea. Schoede. T. Barbour. 1933.

GRAPTEMYS BARBOURI Carr and Marchand

1942, Proc. New England Zoöl. Club, **20**, p. 98.

46251. Type. Chipola River, Jackson Co., Florida. A. F. Carr, Jr. T. Barbour. 1941.

46252-301. 49 Paratypes. Chipola River, Jackson Co., Florida. A. F. Carr, Jr. T. Barbour. 1941.

GRAPTEMYS PSEUDOGEOGRAPHICA VERSA Stejneger

1925, Journ. Washington Acad. Sci., **15**, p. 463.

42346. Paratype. Austin, Texas. H. H. & C. S. Brimley. Exch. U. S. Nat. Mus. 1936.

GYMNOACTYLUS ANGULARIS M. A. Smith

See *G. PEGUENSIS VAR. ANGULARIS* M. A. Smith

GYMNOACTYLUS BREVIPALMATUS M. A. Smith

1923, Journ. Nat. Hist. Soc. Siam, **6**, p. 48, pl. v, fig. 1.

39037. Cotype. Khao Luang, Nakon Sritamarat Mtns., Siam. M. A. Smith. T. Barbour. 1935.

GYMNOACTYLUS CONDORENSIS M. A. Smith

1921, Journ. Nat. Hist. Soc. Siam, **4**, p. 94, pl. -, fig. 1.

39038-9. 2 Paratypes. Pulo Condore, off Cochin China coast, China Sea. M. A. Smith. T. Barbour. 1935.

GYMNOACTYLUS CONSPICUUS Amaral

1933, Mem. Inst. Butantan, **7**, p. 57, figs. 9-10.

37393. Paratype. Villa Nova, Bahia, Brazil. E. Garbe. Exch. Inst. Butantan. 1934.

GYMNOACTYLUS INTERMEDIUS M. A. Smith

1917, Journ. Nat. Hist. Soc. Siam, **2**, p. 221, pl. -, fig. 2.

39040. Cotype. Khao Sebab, Chantabun, S. E. Siam. M. A. Smith. T. Barbour. 1935.

GYMNOACTYLUS IRREGULARIS M. A. Smith

See *G. PEGUENSIS VAR. IRREGULARIS* M. A. Smith

**GYMNOACTYLUS PEGUENSIS VAR. ANGULARIS M. A. Smith
= *G. ANGULARIS* M. A. Smith**

1921, Proc. Zool. Soc. London, p. 427, fig. 1C.

39044. Paratype. Dong Paya Fai Mtns., E. Siam. M. A. Smith. T. Barbour. 1935.

The habitat is given as Dong Rek Mountains, Eastern Siam.

GYMNOACTYLUS PEGUENSIS VAR. IRREGULARIS M. A. Smith
= **G. IRREGULARIS** M. A. Smith

1921, Proc. Zool. Soc. London, p. 428, fig. 1B.

39043. Paratype. Camly, Langbian Plateau, S. Annam. M. A. Smith. T. Barbour. 1935.

GYRINOPHILUS PORPHYRITICUS DURYI (Weller)
See **PSEUDOTRITON DURYI** Weller

GYRINOPHILUS PORPHYRITICUS INAGNOSCUS Mittleman

1942, Proc. New Eng. Zoöl. Club, **20**, p. 27, pl. vi, fig. F.

25526. Paratype. Salt Creek, 4 miles S.W. of Bloomingville, Good Hope Twn., Hocking Co., Ohio. M. B. Mittleman. M. B. Mittleman. 1942.

HAIDEOTRITON WALLACEI Carr

1939, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 333.

19875. Holotype. Albany, Dougherty Co., Georgia. Hummel. A. F. Carr, Jr. 1939.

HELICOPS PASTAZAE Shreve

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 129.

36993. Type. Pastaza River between Canelos and Marañon River, Ecuador. C. Spencer. T. Barbour. 1932.

36994-8. 5 Paratypes. Pastaza River between Canelos and Marañon River, Ecuador. C. Spencer. T. Barbour. 1932.

An error of printing gives the type as No. 36,963 and paratype as 36,944.

HELIOPORUS EYREI (Gray). See **H. INSULARIS** Loveridge

HELIOPORUS INSULARIS Loveridge = **H. EYREI** (Gray)

1934, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 92.

18198-202. 5 Paratypes. Rottnest Id., Western Australia. P. J. Darlington. Harvard Australian Exped. 1931.

HEMIDACTYLUS GARDINERI Boulenger

See also *H. PERSIMILIS* Barbour & Loveridge and *H. MANDANUS* Loveridge

1909, Trans. Linn. Soc. London **12**, p. 296, pl. xi, fig. 4.

28652. Cotype. Farquhar Group, Seychelle Is. S. Gardiner. Exch. British Mus. 1929.

HEMIDACTYLUS LEIGHTONI Boulenger. See *H. NEOTROPICALIS* Shreve

HEMIDACTYLUS MANDANUS Loveridge = *H. GARDINERI* Boulenger

1936, Proc. Biol. Soc. Washington, **49**, p. 60.

39995. Holotype. Manda Id., Kenya Colony. A. Loveridge. Mus. Exped. 1934.

HEMIDACTYLUS NEOTROPICALIS Shreve = *H. LEIGHTONI* Boulenger

1936, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 270.

39706. Holotype. Puerto Wilches, Santander Dept., Colombia. R. E. Stadelman. T. Barbour. 1935.

The locality as given in the original description was erroneous and was later corrected by the author (1938, Herpetologica, **1**, p. 124) who was informed by the collector that he had dropped the gecko, without labeling it, into a can of material from Curumani.

HEMIDACTYLUS PARKERI Loveridge = *H. PUCCIONII CALABRESI*

1936, Proc. Biol. Soc. Washington, **49**, p. 59.

22976. Holotype. Zanzibar. C. Cooke. Mus. Exped. 1862.

Doubtless imported by a dhow trading from Somaliland. In a recent paper Parker (1942, Bull. Mus. Comp. Zoöl., **91**, p. 27) suggests that *puccionii* is a juvenile *H. turcicus*, but we are inclined to think that it is a synonym of another species, the type of which, however, will require reexamination before a decision is reached.

HEMIDACTYLUS PUCCIONII CALABRESI. See *H. PARKERI* Loveridge

HEMIDACTYLUS TANGANICUS Loveridge

1929, U. S. Nat. Mus. Bull. 151, p. 42, pl. i.

18253. Holotype. Dutumi, nr. Kisaki, Tanganyika Territory. A. Loveridge. T. Barbour. 1932.

HEMIDACTYLUS TAYLORI Parker

1932, Proc. Zool. Soc. London, p. 342.

33595. Paratype. Sol Haud, 2700 ft., British Somaliland. R. H. R. Taylor. Exch. British Mus. 1932.

HEMIDACTYLUS TROPIDOLEPIS BARBOURI Loveridge

1942, Bull. Mus. Comp. Zool., 91, p. 320, fig.

40907. Type. Changamwe, opp. Kilindini Harbour, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

26649-50. 30447. 47323-8. 9 Paratypes. Likoni, opp. Kilindini Harbour, Kenya Colony. A. Loveridge. Mus. Exped. 1927. 1930. 1939.

47320-2. 3 Paratypes. Siga Caves, nr. Tanga, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

HEMITHECONYX TAYLORI Parker

1930, Ann. Mag. Nat. Hist. (10), 6, p. 603.

38544-5. 2 Paratypes. Sol Haud, 3000 ft., British Somaliland. R. H. R. Taylor. Exch. British Mus. 1935.

HOMOPHOLIS WAHLBERGII ARNOLDI Loveridge

1944, Proc. Biol. Soc. Washington, 57, p. 1.

12581. Type. Mahalapsi River, Bechuanaland Protectorate. F. Dally. Exch. Nat. Mus. S. Rhodesia. 1919.

HYLA ALBOFRENATA Lutz

1926, Trab. Inst. Oswaldo Cruz, pp. 7, 14.

25695. Cotype. Sumare, Corcovado, Rio de Janeiro, Brazil. (A. Lutz.) Exch. U. S. Nat. Mus. 1944.

HYLA ALTAE Dunn

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 61.

17972. Type. Summit, Canal Zone. E. R. Dunn. E. R. Dunn.
1932.

HYLA ANCEPS Lutz

1929, Comptes Rendus Soc. Biol. (Rio), **101**, p. 943.

15850. Cotype. Estrella, Rio de Janeiro, Brazil. A. Lutz. Exch.
Inst. Oswaldo Cruz. 1930.

HYLA ANGULARIS Loveridge

1945, Proc. Biol. Soc. Washington, **58**, p. 54.

25891. Type. Mount Wilhelm, 5000–8000 ft., Bismarck Range,
New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

HYLA BECKI Loveridge

1945, Proc. Biol. Soc. Washington, **58**, p. 55.

25900. Type. Mount Wilhelm, 7000–10,000 ft., Bismarck Range,
New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

25901–9. 39 Paratypes. Mount Wilhelm, 7000–10,000 ft. Bismarck
Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

HYLA BROMELIACEA Schmidt

1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 19.

17431–2. 2 Paratypes. Mtns. of San Pedro, Honduras Republic.
K. P. Schmidt. Exch. Field Mus. 1931.

21301. Paratype. Mtns. behind Ceiba, Honduras Republic. R. E.
Stadelman. T. Barbour. 1935.

21302–3. 2 Paratypes. Mtns. of Sta Ana, Honduras Republic.
R. E. Stadelman. T. Barbour. 1935.

Besides the first two specimens listed above, the author refers to "two additional specimens . . . in the Museum of Comparative Zoölogy," actually there were three.

HYLA BRONGERSMAI Loveridge

1945, Proc. Biol. Soc. Washington, **58**, p. 56.

15203. Type. Parana Valley, central Dutch New Guinea. D. P. Wirz. Exch. Basel Mus. 1929.

HYLA COLYMBIA Dunn

1931, Occ. Papers Boston Soc. Nat. Hist., **5**, p. 400.

10234. Type. La Loma, Panama Republic. Dunn & Duryea. T. Barbour. 1925.

10233,5. 2 Paratypes. La Loma, Panama Republic. Dunn & Duryea. T. Barbour. 1925.

10236-43. ? Tadpoles. La Loma, Panama Republic. Dunn & Duryea. T. Barbour. 1925.

HYLA CULEX Dunn & Emlen

1932, Proc. Acad. Nat. Sci. Philadelphia, **84**, p. 24.

16098. Type. Tela, Honduras Republic. R. E. Stadelman. T. Barbour. 1930.

HYLA DARLINGTONI Loveridge

1945, Proc. Biol. Soc. Washington, **58**, p. 53.

25890. Type. Mount Wilhelm, 5000-8000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

HYLA EVELYNÆ Schmidt

1944, Zool. Series Field Mus. Nat. Hist., **29**, p. 156, fig. 21.

27561. Paratype. Alvarez, 15 km. northeast of San Carlos, Uruguay. K. P. Schmidt. Exch. Chicago Mus. 1944.

HYLA FUSCOVARIA Lutz

1926, Mem. Inst. Oswaldo Cruz., **19**, p. 7.

15851-2. 2 Cotypes. Rio de Janeiro, Brazil. A. Lutz. Exch. Inst. Oswaldo Cruz. 1930.

HYLA LAFRENTZI Mertens & Wolterstorff

1929, Zool. Anz., **84**, p. 235.

17702. Paratype. Desierto de los Leones, N. Mexico. K. Lafrentz. Exch. Senckenberg Mus. 1932.

HYLA LEUCOPHYLLATA SARAYACUENSIS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 215.

19729. Type. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

19730. Paratype. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

HYLA LOQUAX Gaige & Stuart

1934, Occ. Papers Mus. Zool. Univ. Michigan, No. 281, p. 1.

19754. 21456. 2 Paratypes. N. of La Libertad, Guatemala. L. C. Stuart. Exch. Michigan Mus. 1932 and 1935.

HYLA MEGAPODIA Mirando-Ribeiro

1926, Arch. Mus. Nac. (Rio de Janeiro), **27**, (no text), pl. v, fig. 5.

15668. Cotype. Matto Grosso, Brazil. Mus. Nac. de Rio Janeiro. 1930.

HYLA PARKERI Gaige

1929, Occ. Papers Mus. Zool. Univ. Michigan, No. 207, p. 1.

15566-70. 16467-72. 11 Paratypes. Buenavista, Dept. Sta. Cruz, Bolivia. J. Steinbach. Exch. Michigan Mus. 1929.

HYLA PEARSONI Gaige

1929, Occ. Papers Mus. Zool. Univ. Michigan, No. 207, p. 3.

15565. Paratype. Upper Beni below mouth of Mapiri, Bolivia. N. E. Pearson. Exch. Michigan Mus. 1929.

HYLA PICADOI Dunn

1937, Copeia, p. 163.

16002. Type. Volcan Barba, Costa Rica. E. R. Dunn. E. R. Dunn. 1930.

HYLA RUEPPELLI Boettger

1895, Zool. Anz. **18**, p. 137.

17703-4. 2 Paratypes. Kau, N. Halmahera. W. Küenthal. Exch. Senckenberg Mus. 1932.

HYLA SANBORNI Schmidt

1944, Zool. Series Field Mus. Nat. Hist., **29**, p. 155, fig. 20.

25535. Paratype. Hacienda Alvarez nr. San Carlos, Uruguay. K. P. Schmidt. Exch. Michigan Mus. 1942.

HYLA SPINIPOLLEX Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 45.

21300. Holotype. Mtns. behind Ceiba, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

HYLA STADELMANI Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 45.

21310. Type. Subirana Valley, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

21311. Paratype. Subirana Valley, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

HYLA URUGUAYA Schmidt

1944, Zool. Series Field Mus. Nat. Hist., **29**, p. 158, fig. 22.

25762. Paratype. Quebrada de los Cuervos, Dept. of Trienda y Tres, Uruguay. K. P. Schmidt. Exch. Chicago Mus. 1944.

HYLA WRIGHTORUM Taylor

1939 (1938), Univ. Kansas Sci. Bull., **25**, p. 436, pl. xlvi, fig. 1.

25536. Paratype. David Lee Lake, Catron Co., New Mexico. J. T. Cantrall. Exch. Michigan Mus. 1942.

HYLA ZETEKI Gaige

1929, Occ. Papers Mus. Zool. Univ. Michigan, No. 207, p. 4.

15571. Paratype. Boquete, Chiriqui Province, Panama Republic. H. T. Gaige. Exch. Michigan Mus. 1929.

HYLAMBATES COCHRANAE Loveridge

1941, Proc. U. S. Nat. Mus., 91, p. 125.

24465. Cotype. Bandaja, Liberia. W. M. Mann. Exch. U. S. Nat. Mus. 1941.

HYLAMBATES LEBEAUI Witte = **LEPTOPELIS LEBEAUI** (Witte)

1933, Revue Zool. Bot. Afr., 24, p. 102.

21674. Paratype. Tembwe Katanga, Belgian Congo. H. Schouteden. Exch. Congo Mus. 1936.

HYLAMBATES RUFUS VAR. MODESTA Werner =
LEPTOPELIS MODESTUS (Werner)

1898, Verh. Ges. Zool. Bot. Wien, 48, p. 197.

17621. Cotype. Victoria, British Cameroons. Preuss. Exch. Berlin Mus. 1932.

This frog was received as a cotype of *modesta*, but in Werner's paper no locality, other than tadpoles from Togo, is given for var. *modesta* whereas var. *boulengeri* came from Victoria, Cameroons, Preuss coll., but was based on a single specimen with which this does not agree. At the same time the museum received a faded frog from Victoria, also Preuss coll., labeled *boulengeri*.

HYLARTHROLEPTIS ELBERTI Ahl = **PHRYNOBATRACHUS ELBERTI** (Ahl)

1925, Sitz. Ges. Naturf. Freunde Berlin, 1923, p. 101.

17538. Cotype. Buala, Uam River, French Cameroon. Elbert. Exch. Berlin Mus. 1932.

HYLOXALUS PANAMENSIS Dunn

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 69.

19209. Type. El Valle de Antón, Panama Republic. E. R. Dunn. E. R. Dunn. 1933.

19210-4. 5 Paratypes. El Valle de Antón, Panama Republic. E. R. Dunn. E. R. Dunn. 1933.

HYMENOCIRUS BOULENGERI Witte

1930, Revue Zool. Bot. Afr., **19**, p. 167, footnote.

14856-9. 2164-8. 9 Paratypes. Koteli, nr. Buta, Bas Uele, Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1928 and 1936.

HYPEROLIUS ADAMETZI Ahl

1931, Das Tierreich, No. 55, p. 295, fig. 171.

17626. Cotype. Bamenda, Cameroons. Adametz. Exch. Berlin Mus. 1932.

The Zoological Record cites Mitt. Zool. Mus. Berlin, **17**, pp. 1-132 for the description of this and some ninety other members of the genus described by Ahl. Actually as Das Tierreich appeared in March and the Mitteilungen on April 1 the former has precedence. In the case of *ademetzi* it was misspelled *ademetzi* in the Mitteilungen (p. 37), the collector being given as Adametz on p. 38, and on our label.

HYPEROLIUS AHLI Loveridge

1936, Bull. Mus. Comp. Zoöl., **79**, p. 402.

20682. Type. Peccatoni, nr. Witu, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

20683-4. 2 Paratypes. Peccatoni, nr. Witu, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

20685-9. 5 Paratypes. Nr. Witu, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

20690-4. 5 Paratypes. Golbanti, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

20695-7. 3 Paratypes. Malindi, Seydie Province, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

And a few additional paratypes from four other localities.

HYPEROliUS ARGENTOVITTUS Ahl. See **H. CALlichromus Ahl****HYPEROliUS BAUMANNI Ahl**

1931, Das Tierreich, No. 55, p. 291, fig. 167.

17627. Cotype. Misahöhe, Togoland. C. Baumann. Exch. Berlin Mus. 1932.

HYPEROliUS BITAENIATUS Ahl

1931, Das Tierreich, No. 55, p. 322, fig. 196.

17628. Cotype. Konde-Nyika, Tanganyika Territory. F. Fülleborn. Exch. Berlin Mus. 1932.

HYPEROliUS BREVICEPS Ahl=H. UNDULATUS (Boulenger)

1931, Das Tierreich, No. 55, p. 316, fig. 190.

17629. Cotype. Eldama Ravine Station, Kenya Colony. H. Grote. Exch. Berlin Mus. 1932.

HYPEROliUS CALlichromus Ahl=H. ARGENTOVITTIS Ahl

1931, Das Tierreich, No. 55, p. 372, fig. 248.

17630-1. 2 Cotypes. W. Bank of Upper Russisi River, Belgian Congo. R. Grauer. Exch. Berlin Mus. 1932.

HYPEROliUS CONCOLOR (Hallowell). See H. MAXIMUS Ahl**HYPEROliUS DECIPIENS Ahl**

1931, Das Tierreich, No. 55, p. 404, fig. 280.

17633. Cotype. W. of Russisi River, Belgian Congo. R. Grauer. Exch. Berlin Mus. 1932.

HYPEROliUS DECORATUS Ahl

1931, Das Tierreich, No. 55, p. 352, fig. 227.

17632. Cotype. Longa, Upper Mimesera River, Loanda, Angola. Brühl & Gleim. Exch. Berlin Mus. 1932.

HYPEROLIUS DISCODACTYLUS Ahl

1931, Das Tierreich, No. 55, p. 363, fig. 239.

17634. Cotype. W. of Lake Edward, Belgian Congo. R. Grauer. Exch. Berlin Mus. 1932.

HYPEROLIUS FLAVOGUTTATUS Ahl

1931, Das Tierreich, No. 55, p. 369, fig. 245.

17635. Cotype. Bukoba, Tanganyika Territory. F. Stuhlmann. Exch. Berlin Mus. 1932.

HYPEROLIUS FULLEBORNI Ahl

1931, Das Tierreich, No. 55, p. 349, fig. 224.

17636-7. 2 Cotypes. Rungwe, Tanganyika Territory. F. Fülleborn. Exch. Berlin Mus. 1932.

HYPEROLIUS HIEROGLYPHICUS Ahl

1931, Das Tierreich, No. 55, p. 409, fig. 282.

17638. Cotype. Bamenda, Cameroons. Adametz. Exch. Berlin Mus. 1932.

HYPEROLIUS MARGINATUS Peters. See H. PICTUS Ahl**HYPEROLIUS MARIAE Barbour & Loveridge**

See H. MELANOPHTHALMUS Ahl

HYPEROLIUS MAXIMUS Ahl=H. CONCOLOR (Hallowell)

1931, Das Tierreich, No. 55, p. 366, fig. 241.

17639. Cotype. Guinea. H. Schlegel. Exch. Berlin Mus. 1932.

HYPEROLIUS MELANOPHTHALMUS Ahl=H. MARIAE Barbour & Loveridge

1931, Das Tierreich, No. 55, p. 341, fig. 215.

17640. Cotype. Zanzibar. Tup. Exch. Berlin Mus. 1932.

HYPEROBIUS MILNEI Loveridge = *H. pusillus* (Cope)

1935, Bull. Mus. Comp. Zoöl., **79**, p. 18.

20025. Type. Witu, Coast Province, Kenya Colony. A. Loveridge.

20026-50. 50 Paratypes. Witu, Coast Province, Kenya Colony.

A. Loveridge. Mus. Exped. 1934.

20051-2. 2 Paratypes. Golbanti, Coast Province, Kenya Colony.

A. Loveridge. Mus. Exped. 1934.

20053. 1 Paratype. Malindi, Coast Province, Kenya Colony.

A. Loveridge. Mus. Exped. 1934.

HYPEROBIUS MONTANUS (Angel). See *RAPPIA MONTANA* Angel**HYPEROBIUS MOSSAMBICUS** Parker

1931, Proc. Zool. Soc. London, 1930, p. 904, pl. i, fig. 1.

16300. Paratype. Fambani River, Mozambique. H. B. Cott.
Exch. British Mus. 1933.

HYPEROBIUS MULTICOLOR Ahl

1931, Das Tierreich, No. 55, p. 367, fig. 243.

17641. Cotype. Bamboo Forest, Mt. Karisimbi, Belgian Ruanda.
H. Schuhotz. Exch. Berlin Mus. 1932.

HYPEROBIUS NYASSAE Ahl = *H. undulatus* (Boulenger)

1931, Das Tierreich, No. 55, p. 339, fig. 213.

17642. Cotype. Rungwe, Tanganyika Territory. F. Fülleborn.
Exch. Berlin Mus. 1932.

Misprinted Rugwe in Mitt. Zool. Mus. Berlin, **17**, p. 67, where Ahl regards
Tukuyu (Langenburg) specimens as typical, the two localities are 20 miles
apart.

HYPEROBIUS PARKERI PARKERI Loveridge

1933, Bull. Mus. Comp. Zoöl., **74**, p. 410.

13365. Type. Dar es Salaam, Tanganyika Territory. A. Loveridge.
T. Barbour. 1927.

13366-7. 2 Paratypes. Derema, Usambara Mtns., Tanganyika
Territory. A. Loveridge. T. Barbour. 1927.

17263-73. 10 Paratypes. Bagamoyo, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

HYPEROLIUS PARKERI ROVUMAE Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 410, pl. iii, figs. 5-6.

25260. Type. Kitaya, Rovuma River, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

25261-9. 9 Paratypes. Kitaya, Rovuma River, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

HYPEROLIUS PHRYNODERMA Ahl = H. rossii (Calabresi)

1931, Das Tierreich, No. 55, p. 344, fig. 218.

17643. Cotype. Central Tanganyika Territory. Deutsch-Zentral-Afrika Exped. Exch. Berlin Mus. 1932.

Many of the labels on the German Central African Expedition material were destroyed; the locality given for the type series "Zentrales Deutsch-Ost-Afrika" appears to be taken from the name of the Expedition, and the frogs more probably came from the Central Lake Region where the Expedition did much of its collecting.

HYPEROLIUS PICTUS Ahl = H. MARGINATUS Peters

1931, Das Tierreich, No. 55, p. 301, fig. 176.

17644-5. 2 Cotypes. Uhehe near Iringa, Tanganyika Territory. W. Goetz. Exch. Berlin Mus. 1932.

HYPEROLIUS POWERI Loveridge

1938, Proc. Biol. Soc. Washington, 51, p. 213.

23110. Type. Stanger, Umvoti River, Natal. J. H. Power. T. Barbour. 1938.

23111-4. 4 Paratypes. Stanger, Umvoti River, Natal. J. H. Power. T. Barbour. 1938.

Unfortunately the author was abroad at the time of publication and the editor added an 'R' to the type locality, making it "Stranger."

HYPEROLIUS PUSILLUS (Cope). See H. TRANSLUCENS Power, and H. USARMOAE Loveridge; also H. MILNEI Loveridge

HYPEROLIUS ROSSII (Calabresi). See **H. PHRYNODERMA** Ahl

HYPEROLIUS SPATZI Ahl

1931, Das Tierreich, No. 55, p. 406.

17646. Cotype. Bakel to Kadira, Senegal. Spatz. Exch. Berlin Mus. 1932.

HYPEROLIUS SWYNNERTONI FitzSimons

1941, Ann. Transvaal Mus., 20, p. 280, pl. xii, figs. 1-3.

23311-5. 5. Paratypes. Chirinda Forest, Mt. Silinda, Southern Rhodesia. V. FitzSimons. T. Barbour. 1938.

HYPEROLIUS TRANSLUCENS Power = **H. PUSILLUS** (Cope)

1935, Proc. Zool. Soc. London, p. 339, figs. 6-7, pl. i, figs. 3-4.

21527-41. 5 Paratypes. Port St. Johns, Cape Province. J. H. Power. Exch. J. H. Power. 1934.

HYPEROLIUS UNDULATUS (Boulenger). See **H. BREVICEPS** Ahl,

and **H. NYASSAE** Ahl, also **RAPPIA UNDULATA** Boulenger

HYPEROLIUS USARAMOAE Loveridge = **H. PUSILLUS** (Cope)

1932, Proc. Biol. Soc. Washington, 45, pl. lxiii

13363. Type. Dar es Salaam, Tanganyika Territory. A Loveridge. T. Barbour. 1927.

13364. Paratype. Dar es Salaam, Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

HYPEROLIUS VARIABILIS Ahl

1931, Das Tierreich, No. 55, p. 297, fig. 173.

17648. 17652. 2 Cotypes. Bukoba, Tanganyika Territory. Deutsch-Zentral-Afrika Exped. Exch. Berlin Mus. 1932. .

HYPOPACHUS CHAMPIONI Stuart

1940, Proc. Biol. Soc. Washington, **53**, p. 19.

25537-9. 3 Paratypes. 1 km. S. of San Geronimo, Baja Verapaz, Guatemala. L. C. Stuart. Exch. Michigan Mus. 1942.

HYPOPACHUS PEARSEI Ruthven = *ELACHISTOCLEIS OVALIS* (Schneider)

1914, Proc. Biol. Soc. Washington, **27**, p. 77.

3727. 6075. 2 Paratypes. Fundacion, Colombia. A. S. Pearse. Exch. Michigan Mus. 1915 and 1919.

HYPSIGLENA TORQUATA DUNKLEI Taylor

1939 (1938), Univ. Kansas Sci. Bull., **25**, p. 374, pl. xxxvii, fig. 1.

42594. Holotype. Hacienda La Clementina, Tamaulipas, Mexico. D. H. Dunkle. D. H. Dunkle. 1936.

IDIOCRANIUM RUSSELLI Parker

1936, Proc. Zool. Soc. London, p. 162, figs. 6 and 8.

20945-6. 2 Paratypes. Makumunu, Mamfe Division, British Cameroons. I. T. Sanderson. Exch. Cambridge Mus. 1936.

21811-2. 2 Paratypes. Makumunu, Mamfe Division, British Cameroons. I. T. Sanderson. Exch. British Mus. 1936.

IMANTODES SPLENDIDUS OLIVERI H. M. Smith

1942, Proc. U. S. Nat. Mus., **92**, p. 388.

27799. 27801. 2 Paratypes. Tepanatepec, Oaxaca, Mexico. W. W. Brown. T. Barbour. 1927.

27800. Type. Tepanatepec, Oaxaca, Mexico. W. W. Brown, T. Barbour. 1927.

KASSINA DESERTICOLA Ahl

1930, Zool. Anz., **88**, p. 280.

17650. Cotype. Windhuk, South West Africa. L. Scheben. Exch. Berlin Mus. 1932.

KASSINA SENEGALENSIS OVAMBOENSIS Hoffman

1942, Soölogiese Navorsing Nas. Mus. Bloemfontein, 1, p. 155, figs. 26-27.

25657. Paratype. Oshikango, Ovamboland, South West Africa. V. FitzSimons. Exch. Transvaal Mus. 1943.

KINOSTERNON CREASERI Hartweg

1934, Occ. Papers Mus. Zool. Univ. Michigan, No. 277, p. 1.

46501. Paratype. Hacienda, Chichen Itza, Yucatan. E. Creaser. Exch. Michigan Mus. 1942.

KINOSTERNON FLAVESCENS (Agassiz)

See *PLATYTHRYRA FLAVESCENS* Agassiz

LACERTA ANDREANSKYI Werner

1929, Sitz. Akad. Wiss. Wien, 138, 1, p. 4, fig. 1, pl. iii, figs. 1-3.

27391. Holotype. Tachdirt, Grand Atlas, Morocco. G. Andreansky to Werner. T. Barbour. 1928.

LACERTA DUGESII MAULI Mertens

1938, Senckenbergiana, 20, p. 287, figs. 1-2.

44758. Paratype. Deserta Grande Id., nr. Madeira, Canary Islands. G. Maul. Exch. Senckenberg Mus. 1938.

LACERTA ERHARDI AMORGENSIS Werner

1933, Sitz. Akad. Wiss. Wien, 142, 1, p. 110, figs. 3-4.

37028-33. 6 Cotypes. Amorgos Id., Cyclades Is. F. Werner. T. Barbour. 1933.

LACERTA ERHARDI RUTHVENI Werner

1930, Occ. Papers Mus. Zool. Univ. Michigan, No. 211, p. 13, pl. iv, figs. 18-22.

46520. Paratype. Skopelos Id., Aegean Sea. F. Werner. Exch. Michigan Mus. 1942.

LACERTA ERHARDI THERMINENSIS Werner

1935, Sitz. Akad. Wiss. Wien, **144**, 1, p. 96, fig. 1 (part).

38493-500. 8 Paratypes. Kythnos Id., Cyclades, Greece. F. Werner. T. Barbour. 1935.

LACERTA PERSPICILLATA CHABANAUDI Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 286.

29981. Type. Chella, nr. Rabat, French Morocco. F. Werner. T. Barbour. 1931

29982. Paratype. Taza, nr. Rabat, French Morocco. F. Werner. T. Barbour. 1931.

LACERTA PERSPICILLATA PELLEGRINI FORMA RERAHIENSIS Werner =
L. P. RERAHIENSIS Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 287, pl. iii, fig. 14.

29983. Holotype. Ol Rerahia, Grand Atlas, French Morocco. F. Werner. T. Barbour. 1931.

LACERTA PERSPICILLATA PELLEGRINI FORMA TAZANA Werner =
L. P. TAZANA Werner

1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 287, pl. iii, fig. 13.

29984-9. 6 Cotypes. Taza, Morocco. F. Werner. T. Barbour. 1931.

LACERTA PERSPICILLATA PELLEGRINI Werner

1929, Sitz. Akad. Wiss. Wien, **138**, 1, p. 5, pl. i, fig. 4a.

27390. Holotype. Sefrou, French Morocco. F. Werner. T. Barbour. 1929.

LACERTA PERSPICILLATA RERAHIENSIS Werner
See *L. P. PELLEGRINI FORMA RERAHIENSIS* Werner*LACERTA PERSPICILLATA TAZANA* Werner

See *L. P. PELLEGRINI FORMA TAZANA* Werner

LACERTA TAURICA GAIGEAE Werner

1930, Occ. Papers Mus. Zool. Univ. Michigan, No. 211, p. 9, pl. i, figs. 4-6, pl. ii, figs. 7-11.

37048-9. 2 Paratypes. Skyros (Scyros) Id., Aegean Sea. F. Werner. T. Barbour. 1933.

46521. 2 Paratypes. Skyros (Scyros) Id., Aegean Sea. F. Werner. Exch. Michigan Mus. 1942.

LAMPROPELTIS GETULUS STICTICEPS Barbour

1942, Proc. New England Zoöl. Club, 20, p. 101, pl. xvi.

46469. Holotype. The Knoll, Ocracoke Id., N. Carolina. W. L. Engels. W. L. Engels. 1942.

LAMPROPELTIS GETULUS YUMENSIS Blanchard

See *L. YUMENSIS* Blanchard

LAMPROPELTIS POLYZONA BLANCHARDI Stuart=

L. TRIANGULUM BLANCHARDI Stuart

1934, Occ. Papers Mus. Zool. Univ. Michigan, No. 309, p. 2.

4252. Paratype. Chichen Itza, Yucatan. L. J. Cole. A. Agassiz. 1904.

27853. Paratype. Chichen Itza, Yucatan. J. H. Sandground. Dr. Sandground. 1929.

29242. Paratype. Chichen Itza, Yucatan. G. Shattuck. Dr. Shattuck. 1930.

LAMPROPELTIS TRIANGULUM BLANCHARDI Stuart

See *L. POLYZONA BLANCHARDI* Stuart

LAMPROPELTIS TRIANGULUM GAIGAE Dunn

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 353, p. 9.

34282. Paratype. Quiel, Chiriqui Province, Panama Republic. Rex Benson. T. Barbour. 1932.

LAMPROPELTIS TRIANGULUM NELSONI Blanchard

1920, Occ. Papers Mus. Zool. Univ. Michigan, No. 81, p. 6, pl. i, fig. 1.

27105. Paratype. Colima, Mexico. J. Xantus. Exch. U. S. Nat. Mus. 1928.

The original number of this specimen was U.S.N.M. 31494.

LAMPROPELTIS YUMENSIS Blanchard =**L. GETULUS YUMENSIS** Blanchard

1919, Occ. Papers Mus. Zool. Univ. Michigan, No. 70, p. 6, pl. i, fig. 2.

27107. Paratype. Yuma, Arizona. U. S. Fish Commission. Exch. U. S. Nat. Mus. 1928.

The original number of this specimen was U.S.N.M. 15969.

LATASTIA CAERULEOPUNCTATA Parker = **L. LONGICAUDATA** Reuss1935, Ann. Mag. Nat. Hist. (10), **16**, p. 527.

42151. Paratype. Haud, 2100 ft., British Somaliland. R. H. R. Taylor. Exch. British Mus. 1936.

LATASTIA LONGICAUDATA Reuss. See **L. CAERULEOPUNCTATA** Parker**LATHROGECKO SANCTAE-MARTAE** Ruthven =**LEPIDOBLEPHARIS S. SANCTAE-MARTAE** (Ruthven)

1916, Occ. Papers Mus. Zool. Univ. Michigan, No. 21, p. 2.

11304. Paratype. Fundacion, Sta. Marta Mtns., Colombia. A. S. Pearse & A. G. Ruthven. Exch. Michigan Mus. 1915.

LEIMADOPHIS PARVIFRONS ROSAMONDAE (Cochran)See **DROMICUS P. ROSAMONDAE** Cochran**LEIOCEPHALUS ALTAVELENSIS** Noble & Hassler

1933, Amer. Mus. Novit., No. 652, p. 14.

45950-1. 2 Paratypes. Alta Vela Id., Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

LEIOCEPHALUS CARINATUS ARMOURI Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 360.

6968. Paratype. Grand Bahama Id., Bahamas. Bahama Exped. T. Barbour. 1904.

38090. Type. High Rock, Grand Bahamas Id., Bahamas. T. Barbour. T. Barbour. 1934.

38091-108. 18 Paratypes. High Rock, Grand Bahama Id., Bahamas. T. Barbour. T. Barbour. 1934.

LEIOCEPHALUS CARINATUS HELENAE Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 359.

38110. Type. Mira Por Vos, S. Cay, Bahama. T. Barbour. T. Barbour. 1934.

38111-9. 9 Paratypes. Mira Por Vos, S. Cay, Bahamas. T. Barbour. T. Barbour. 1934.

LEIOCEPHALUS CARINATUS PICINUS Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 360.

38120. Type. Atwood's Cay, Bahama. J. C. Greenway, Jr. T. Barbour. 1934.

38121. Paratype. Atwood's Cay, Bahamas. J. C. Greenway, Jr. T. Barbour. 1934.

LEIOCEPHALUS GREENWAYI Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 358.

36711. Type. East Plana Cay, Bahamas. T. Barbour. T. Barbour. 1936.

36712-6. 11 Paratypes. East Plana Cay, Bahamas. T. Barbour. T. Barbour. 1936.

LEIOCEPHALUS LOXOGRAMMUS PARNELLI Barbour & Shreve

1935, Proc. Boston Soc. Nat. Hist., **40**, p. 359.

36748. Holotype. Watling's Id., Bahamas. T. Barbour. T. Barbour. 1933.

LEIOCEPHALUS PERSONATUS AUREUS Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., 8, p. 175.

37535-8. 4 Paratypes. Jacmel, Haiti. A. Audant. T. Barbour. 1934.

LEIOCEPHALUS PERSONATUS LOUISAE Cochran

1934, Occ. Papers Boston Soc. Nat. Hist., 8, p. 177.

37551. Type. Saona Id., Dominican Republic. T. Barbour. T. Barbour. 1934.

37552-4. 3 Paratypes. Saona Id., Dominican Republic. T. Barbour. T. Barbour. 1934.

LEIOCEPHALUS PERSONATUS MENTALIS Cochran

1932, Proc. Biol. Soc. Washington, 45, p. 178.

5443. 2 Paratypes. Puerto Plata, Dominican Republic. M. A. Frazer. Bt. by M. C. Z. 1885.

13679-91. 13 Paratypes. Sosúa, Puerto Plata, Dominican Republic. J. L. Peters. T. Barbour. 1916.

LEIOCEPHALUS PERSONATUS SCALARIS Cochran

1932, Proc. Biol. Soc. Washington, 45, p. 181.

46918-9. 2 Paratypes. Cap Haitien, Haiti. A. J. Poole. Exch. U. S. Nat. Mus. 1944.

LEIOLOPISMA HAWAIIENSIS Loveridge=

LYGOSOMA (LEIOLOPISMA) HAWAIIENSE (Loveridge)

1939, Proc. Biol. Soc. Washington, 52, p. 1.

44234. Type. Nr. Honolulu, Oahu, Hawaiian Is. 1939.

44235-7. 3 Paratypes. Wahiawa, Oahu, Hawaiian Is. 1939.

LEIOLOPISMA UNICOLOR (Harlan). See *OLIGOSOMA GEMMINGERI* Cope

LEPIDOLEPHARIS SANCTAE-MARTAE SANCTAE-MARTAE (Ruthven)

See *LATHROGECKO SANCTAE-MARTAE* Ruthven

LEPIDOPHYMA GAIGEAE Mosauer

1936, Herpetologica, 1, p. 3, pl. ii.

42145. Type. Durango, nr. Jacara, Hidalgo, Mexico. W. Mosauer. T. Barbour. 1936.

42146-8. 3 Paratypes. Durango, nr. Jacara, Hidalgo, Mexico. W. Mosauer. T. Barbour. 1936.

LEPOSOMA PERCARINATUM (L. Müller). See L. TAENIATA Noble

LEPOSOMA TAENIATA Noble = L. PERCARINATUM (L. Müller)

1923, Zoologica (New York), 3, p. 303.

45956-7. 2 Paratypes. Kartabo, British Guiana. W. Beebe. Exch. American Mus. 1941.

LEPTODACTYLUS DARLINGTONI Cochran, 1935

Renamed ELEUTHERODACTYLUS JUGANS Cochran, 1937

1935, Proc. Boston Soc. Nat. Hist., 40, p. 372.

19852. Type. Nr. La Visite, La Selle Range, Haiti. P. J. Darlington. Mus. Exped. 1934.

19853-6. 4 Paratypes. Nr. La Visite, La Selle Range, Haiti. P. J. Darlington. Mus. Exped. 1934.

These were also paratypes of *L. darlingtoni* Cochran, a valid species subsequently renamed *E. jugans* Cochran as the name *darlingtoni* was already preoccupied in *Eleutherodactylus* by *darlingtoni* Cochran.

LEPTODACTYLUS VENTRILINEATUS Shreve =
ELEUTHERODACTYLUS VENTRILINEATUS (Shreve)

1936, Proc. New England Zoöl. Club, 15, p. 98.

19857. Type. Mt. La Hotte, 5000-7000 ft., Haiti. P. J. Darlington. Mus. Exped. 1934.

19858-63. 6 Paratypes. Mt. La Hotte, 5000-7000 ft., Haiti. P. J. Darlington. Mus. Exped. 1934.

LEPTODEIRA BAKERI Ruthven

1936, Occ. Papers Mus. Zool. Univ. Michigan, No. 330, p. 1.

46511. Paratype. Bubali, Aruba Id., Dutch West Indies. H. B. Baker. Exch. Michigan Mus. 1942.

LEPTODEIRA LARCORUM Schmidt & Walker

1943, Zool. Series Field Mus. Nat. Hist., 24, p. 311.

17412-6. 5 Paratypes. Perico, Peru. G. K. Noble. Harvard Peruvian Exped. 1916.

17454-65. 11 Paratypes. Bellavista, Peru. G. K. Noble. Harvard Peruvian Exped. 1916.

LEPTODEIRA YUCATANENSIS MALLEISI Dunn & Stuart

1935, Occ. Papers Mus. Zool. Univ. Michigan, No. 313, p. 1.

46512. Paratype. Near La Libertad, Guatemala. H. Malleis. Exch. Michigan Mus. 1942.

LETOPELIS AUBRYI (A. Duméril). See L. BARBOURI Ahl**LETOPELIS BARBOURI Ahl = ? L. AUBRYI (A. Duméril)**

1930, Sitz. Ges. Naturf. Freunde Berlin, p. 199.

13661-71. 11 Cotypes. Mt. Lutindi, Usambara Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

The above represents the present status of this frog, of which all but 2 cotypes are juvenile. In view of the wide gap in the distribution between *aubryi* and *barbouri*, perhaps the latter may be distinct.

LETOPELIS BEQUAERTI Loveridge

1941, Proc. U. S. Nat. Mus., 91, p. 128.

12000. Type. Gbanga, Liberia. J. C. Bequaert. Harvard Med. Sch. Exped. 1927.

12001. Paratype. Gbanga, Liberia. J. C. Bequaert. Harvard Med. Sch. Exped. 1927.

12002-3. 2 Paratypes. Plantation No. 3, Du River, Liberia. G. M. Allen. Harvard Med. Sch. Exped. 1927.

LEPTOPELIS KARISSIMBENSIS Ahl. See **L. RUGEGENSIS** Ahl

LEPTOPELIS LEBEAU (Witte). See **HYLAMBATES LEBEAU** Witte

LEPTOPELIS MODESTUS (Werner)

See **HYLAMBATES RUFUS MODESTA** Werner

LEPTOPELIS RUGEGENSIS Ahl. = **L. KARISSIMBENSIS** Ahl

1929, Sitzb. Ges. Naturf. Freunde Berlin, p. 218.

17531. Cotype. Rugege Forest, Belgian Ruanda. H. Schubotz.
Exch. Berlin Mus. 1932.

LEPTOPELIS SIGNIFER Ahl = **L. VERMICULATUS** (Boulenger)

1930, Sitz. Ges. Naturf. Freunde Berlin, p. 216.

17530. Cotype. Derema, Usambara Mtns., Tanganyika Territory.
O. Neumann. Exch. Berlin Mus. 1932.

LEPTOPELIS TANGANUS Ahl = **L. ULUGURUENSIS** Barbour & Loveridge

1930, Sitz. Ges. Naturf. Freunde Berlin, p. 221.

17529. Cotype. Buloa, Usambara Mtns., Tanganyika Territory
G. Eismann. Exch. Berlin Mus. 1932.

LEPTOPELIS ULUGURUENSIS Barbour & Loveridge

See **L. TANGANUS** Ahl

LEPTOPELIS VERMICULATUS (Boulenger). See **L. SIGNIFER** Ahl

LEPTOPHIS AHAETULLA BOLIVIANUS Oliver

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 462, p. 1.

27553. Paratype. Dept. Sta. Cruz, Bolivia. José Steinbach. Exch.
Michigan Mus. 1929.

LEPTOPHIS COERULEODORSUS Oliver

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 462, p. 4.

6740. Paratype. Port of Spain, Trinidad. T. Barbour. 1903.

11994-5. 12026-7. 4 Paratypes. Milford Bay, Tobago. H. L. Clark & W. B. Broadway. H. L. Clark. 1916.

LEPTOPHIS MEXICANUS YUCATANENSIS Oliver

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 462, p. 10.

15550. Paratype. Chichen Itza, Yucatan. E. H. Thompson. E. H. Thompson. 1911.

22063-4. 2 Paratypes. Chichen Itza, Yucatan. Oliver Ricketson. O. Ricketson. 1925.

LEPTOPHIS NEBULOSUS Oliver

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 462, p. 12.

15287. Type. Casablanca, Costa Rica. Mus. Nac. da Costa Rica. 1921.

17094. Paratype. Matagalpa, Nicaragua. W. B. Richardson. Bt. by M. C. Z. 1909.

LEPTOPHIS OCCIDENTALIS CHOCOENSIS Oliver

1942, Occ. Papers Mus. Zool. Univ. Michigan, No. 462, p. 15.

13298. Paratype. Choco, Colombia. M. V. Campbell. M. V. Campbell. 1919.

LEPTOTYPHOLOPS COLOMBI Klauber

1939, Trans. San Diego Soc. Nat. Hist., 9, p. 62, fig. 3 a-b.

48773. Paratype. Watling's Island, Bahamas. W. W. Worthington. Exch. Carnegie Mus. 1945.

LEPTOTYPHOLOPS CONJUNCTA CONJUNCTA (Jan)See *GLAUCONIA MERKERI* Werner

LEPTOTYPHOLOPS EMINI PEMBAE Loveridge

1941, Proc. Biol. Soc. Washington, **54**, p. 177.

46116. Type. Wingwi Pwana, Pemba Island. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

1911 and 46117-21. 6 Paratypes. Chakechake; Kinazini; Kinowe & Vitongozi, Pemba Island. R. H. W. Pakenham & Loveridge's collector. R. H. W. Pakenham & T. Barbour. 1941 & 1924.

LEPTOTYPHOLOPS HUMILIS CAHUITAE Klauber

1931, Trans. San Diego Soc. Nat. Hist., **6**, p. 339.

46647. Paratype. Yaqui Well, San Diego Co., California. L. M. Klauber. Exch. L. M. Klauber. 1942.

LEPTOTYPHOLOPS MAXIMUS Loveridge

1932, Proc. Biol. Soc. Washington, **45**, p. 151.

33604. Type. Chilpancingo, Guerrero, Mexico. W. W. Brown. T. Barbour. 1932.

33605-7. 3 Paratypes. Chilpancingo, Guerrero, Mexico. W. W. Brown. T. Barbour. 1932.

LEPTOTYPHOLOPS TENELLA Klauber

1939, Trans. San Diego Soc. Nat. Hist., **9**, p. 59, fig. 1 a-b.

48774. Paratype. Mt. St. Benedict, St. George Co., Trinidad. M. G. Netting. Exch. Carnegie Mus. 1945.

LEUROGNATHUS MARMORATA INTERMEDIA Pope

1928, Amer. Mus. Nov., No. 306, p. 14.

13824-5. 2 Paratypes. Davis Gap, Waynesville, North Carolina. C. H. Pope. Exch. American Mus. 1928.

LIASIS AMETHISTINUS KINGHORNI Stull

1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 267, p. 3.

35021. Paratype. Cucania, nr. Babinda, Queensland. W. E. Schevill. Harvard Australian Exped. 1932.

35022. Type. Lake Barrine, 2300 ft., Queensland. W. E. Schevill Harvard Australian Exped. 1932.

35023-4. Paratypes. Lake Barrine, 2300 ft., Queensland. P. J. Darlington. Harvard Australian Exped. 1932.

LIASIS CHILDRENI PERTHENSIS Stull

1932, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 26, pl. ii, fig. A.

24426. Holotype. Perth, West Australia. W. S. Brooks. T. Barbour. 1927.

LIMNODYNASTES DORSALIS INSULARIS Parker

1940, Novit. Zool., **42**, p. 47.

19258. Eaglehawk Neck, Tasmania. F. N. Blanchard. Exch. Michigan Mus. 1933.

19330. ——, Tasmania. T. M. S. English. Exch. Queen Victoria Mus. 1933.

The first number was erroneously given as M. C. Z. 19238.

LIMNODYNASTES SPENCERI Parker

1940, Novit. Zool., **42**, p. 50.

18535-46. 12 Paratypes. Hermannsburg Mission, Finke River, Central Australia. W. E. Schevill. Harvard Australian Exped. 1932.

LIMNODYTES GRANULATUS Boettger =
MANTIDACTYLUS GRANULATUS (Boettger)

1881, Zool. Anz., p. 361.

17711. Cotype. Nossi Be, Madagascar. A. Stumpff. Exch. Senckenberg Mus. 1932.

LIMNOMEDUSA MISIONIS Schmidt

1944, Zool. Series Field Mus. Nat. Hist., **29**, p. 153.

17429-30. 2 Paratypes. Misiones Territory, Rio Paranay, Argentina. K. P. Schmidt. Exch. Field Mus. 1931.

LIOLAEMUS ALTISSIMUS ALTISSIMUS Müller & Hellmich

1932, Zool. Anz., **98**, p. 197, figs. 1-2.

38611-2. 2 Paratypes. Fierro Carrera, Chile. W. Hellmich. Exch. Munich Mus. 1935.

LIOLAEMUS MONTICOLA MONTICOLA Müller & Hellmich

1932, Zool. Anz., **99**, p. 177, fig. 1.

38629-30. 2 Paratypes. Rio San Francisco, Chile. W. Hellmich. Exch. Munich Mus. 1935.

38631-2. 2 Paratypes. Valparaiso, Chile. W. Hellmich. Exch. Munich Mus. 1935.

LIOLAEMUS NIGROMACULATUS COPIAPENSIS Müller & Hellmich

1933, Zool. Anz., **103**, p. 135.

38635-7. 3 Paratypes. Copiapó, Chile. Hellmich & Goetsch. Exch. Munich Mus. 1935.

LIOLAEMUS NIGROMACULATUS KUHLMANNI Müller & Hellmich

1933, Zool Anz., **103**, p. 139, fig. 5.

38633-41. 6 Paratypes. Jalonel, nr. Los Andes, Chile. O. Kuhlmann. Exch. Munich Mus. 1935.

LIOLAEMUS WALKERI Shreve

1938, Journ. Washington Acad. Sci., **28**, p. 404.

43770. Type. Llocllapampa, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

43771-9. 9 Paratypes. Llocllapampa, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

LITHODYTES GAIGEI Dunn = ELEUTHERODACTYLUS GAIGEI (Dunn)

1931, Occ. Papers Boston Soc. Nat. Hist., **5**, p. 387.

9901. 9904. 2 Paratypes. Talamanca Valley, Costa Rica. Dunn & Duryea. T. Barbour. 1923.

10011. Type. Fort Randolph, Canal Zone. Panama Exped. T. Barbour. 1924.

LYCOPHIDION CAPENSE ORNATUM Parker. See **L. ORNATUM** Parker

LYCOPHIDION CAPENSE UZUNGWENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 375.

30117. Type. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30118. Paratype. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

LYCOPHIDION ORNATUM Parker = **L. CAPENSE ORNATUM** Parker
1936, Novit. Zool., **40**, p. 122.

42686. Paratype. Muko, Lake Bunyonyi, Uganda. C. R. S. Pittman. Exch. British Mus. 1937.

L. c. ornatum Parker is well represented in the collection by a fine series from Idjwi Id., Lake Kivu, Belgian Congo.

LYGODACTYLUS ANGOLENSIS Bocage. See **L. LAURAE** Schmidt

LYGODACTYLUS ANGULARIS HEENENI Witte. See **L. HEENENI** Witte

LYGODACTYLUS BRADFIELDI Hewitt = **L. CAPENSIS** A. Smith
1932, Ann. Natal Mus., **7**, p. 126, pl. vi, fig. 10.

33443. Cotype. Quickborn, nr. Okahandja, South West Africa. R. D. Bradfield. Exch. Albany Mus. 1932.

The reasons for synonymizing *bradfieldi* as well as other taxonomic changes in this genus, here recorded for the first time, will be given in a revision of the Gekkonidae now in course of preparation by the junior author.

LYGODACTYLUS CAPENSIS A. Smith. See **L. BRADFIELDI** Hewitt

LYGODACTYLUS DEPRESSUS Schmidt =
L. PICTURATUS DEPRESSUS Schmidt

1919, Bull. Am. Mus. Nat. Hist., **39**, p. 466, pl. xvii, fig. 2.

45987. Paratype. Medje, Ituri Forest, Belgian Congo. H. Lang. Exch. American Mus. 1941.

LYGODACTYLUS GROTEI PAKENHAMI Loveridge

1941, Proc. Biol. Soc. Washington, **54**, p. 176.

46082. Type. Wete, Pemba Id., East Africa. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

46083-5. 3 Paratypes. Wete, Pemba Id., East Africa. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

46081. Paratype. Kinazini, Pemba Id., East Africa. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

LYGODACTYLUS HEENENI Witte = *L. ANGULARIS HEENENI* Witte

1933, Revue Zool. Bot. Afr., **23**, p. 185.

42859. Paratype. Kapiri, Katanga, Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1937.

LYGODACTYLUS LAURAE Schmidt = *L. ANGOLENSIS* Bocage

1924, Ann. Carnegie Mus., **22**, p. 4.

38691. Paratype. Chitau, Bihe District, Angola. R. Boulton. Exch. Field Mus. 1935.

39727. Paratype. Chitau, Bihe District, Angola. R. Boulton. Exch. Carnegie Mus. 1936.

LYGODACTYLUS PICTURATUS DEPRESSUS Schmidt

See *L. DEPRESSUS* Schmidt

LYGODACTYLUS PICTURATUS KENIENSIS Parker

1936, Ann. Mag. Nat. Hist. (10), **18**, p. 602.

42697. Paratype. Kerio River, Turkana, Kenya Colony. W. P. Lowe. Exch. British Mus. 1937.

42698. Paratype. Lodwar, Turkana, Kenya Colony. V. E. Fuchs. Exch. British Mus. 1937.

LYGODACTYLUS PICTURATUS MOMBASICUS Loveridge

1935, Proc. Biol. Soc. Washington, **48**, p. 198.

38537-42. 6 Paratypes. Frere Town, Kenya Colony. A. Loveridge. T. Barbour. 1924.

30586, 8, 9, 91-93. 6 Paratypes. Kilindini, Mombasa Id., Kenya Colony. A. Loveridge. Mus. Exped. 1930.

30590. Type. Kilindini, Mombasa Id., Kenya Colony. A. Loveridge. Mus. Exped. 1930.

LYGODACTYLUS PICTURATUS SUDANENSIS Loveridge

1935, Proc. Biol. Soc. Washington, **48**, p. 197.

8796. Paratype. El Mesherat, Senaar, Anglo-Egyptian Sudan. G. M. Allen. J. C. Phillips. 1913.

8799. 8801. 2 Paratypes. Abu Zor, Senaar, Anglo-Egyptian Sudan. G. M. Allen. J. C. Phillips. 1913.

8800. Type. Abu Zor, Senaar, Anglo-Egyptian Sudan. G. M. Allen. J. C. Phillips. 1913.

8802. Paratype. Roseires, Senaar, Anglo-Egyptian Sudan. G. M. Allen. J. C. Phillips. 1913.

LYGODACTYLUS PICTURATUS UKEREWENSIS Loveridge

1935, Proc. Biol. Soc. Washington, **48**, p. 199.

17978-9. 2 Paratypes. Loita Plains, Kenya Colony. C. P. Curtis. C. P. Curtis. 1923.

30536-41. 30542-60. 34 Paratypes. Ukerewe Id., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30542. Type. Ukerewe Id., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

LYGODACTYLUS SOMALICUS SOMALICUS Loveridge

1935, Proc. Biol. Soc. Washington, **48**, p. 196.

35558. Type. Bar Madobe, Nogal Valley, British Somaliland. R. H. R. Taylor. Exch. British Mus. 1933.

35559. Paratype. Bar Madobe, Nogal Valley, British Somaliland. R. H. R. Taylor. Exch. British Mus. 1933.

**LYGOSOMA (SIC) AKELEYI Meek =
CHALCIDES OCELLATUS OCELLATUS Forskål**

1897, Field Mus. Nat. Hist., Zool. Series, **1**, p. 181, fig.

34990. Paratype. Berbera, British Somaliland. C. Akeley. Exch. Field Mus. 1933.

LYGOSOMA EMIGRANS Van L. de Jeude =*LYGOSOMA (SPHENOMORPHUS) EMIGRANS* (Van L. de Jeude)

1895, Notes Leyden Mus., 16, p. 125.

38993. Cotype. Soemba, Hetar Id., Dutch East Indies. D. H. ten Kate. Exch. Leyden Mus. 1935.

LYGOSOMA FUSCUM BARBARENSE Kopstein

1926, Zool. Meded. (Leiden), 9, p. 88.

38982-91. 10 Cotypes. Samlakki, Tenimber Id., Banda Sea. F. Kopstein. Exch. Leyden Mus. 1935.

LYGOSOMA FUSCUM DIGULIENSE Kopstein

1926, Zool. Meded. (Leiden), 9, p. 88.

38997-81. 5 Cotypes. Assike, Upper Digul River, New Guinea. F. Kopstein. Exch. Leyden Mus. 1935.

LYGOSOMA (HINULIA) FASCIOLATUM INTERMEDIUM Sternfeld =*L. (SPHENOMORPHUS) F. INTERMEDIUM* Sternfeld

1919, Senckenbergiana, 1, p. 81.

33530. Cotype. Hermannsburg, Finke River, Central Australia. M. Leonhardi. Exch. Senckenburg Mus. 1932.

LYGOSOMA (HINULIA) KÜHNEI Roux =*L. (SPHENOMORPHUS) KÜHNEI* Roux

1910, Abhand. Senckenberg Ges., 33, p. 237.

27945. Paratype. Kei Island, Molucca Is. Kuhne. Exch. Basel Museum. 1929.

LYGOSOMA (HINULIA) LEONHARDII Sternfeld =*L. (SPHENOMORPHUS) LEONHARDII* Sternfeld

1919, Senckenbergiana, 1, p. 79.

33529. Cotype. Hermannsburg, Finke River, Central Australia. M. Leonhardi. Exch. Senckenberg Mus. 1932.

The Museum of Comparative Zoölogy also possesses a series of topotypes of this and other Hermannsburg species collected by W. E. Schevill.

LYGOSOMA GRAUERI GRAUERI Sternfeld
 See L. G. QUINQUEDIGITATA Sternfeld

LYGOSOMA GRAUERI QUINQUEDIGITATA Sternfeld =
L. G. GRAUERI Sternfeld

1912, Wiss. Ergebni. Deutsch Zentral-Afrika Exped., **4**, p. 240, pl. vi, fig. 5.

37205. Cotype. Bugoie Forest, Belgian Ruanda. Stegman & Stein. Exch. Berlin Mus. 1933.

LYGOSOMA JOBIENSE ELEGANS Sternfeld =
L. (SPHENOMORPHUS) J. ELEGANS Sternfeld

1921, Anh. Senckenberg. Nat. Ges., **36**, p. 397, pl. xxxi, fig. 1.

33532-3. 2 Cotypes. Ross Id., New Guinea. E. Wolf. Exch. Senckenberg Mus. 1932.

LYGOSOMA KORATENSE M. A. Smith = RIOPA KORATENSIS
 (M. A. Smith)

1917, Journ. Nat. Hist. Soc. Siam, **2**, p. 222, pl. -, figs. 1-1b.

39323. Paratype. Lat Bna Kao, Dong Paya Fai Mtns., Siam. M. A. Smith. T. Barbour. 1935.

Dong Paya Fai is apparently the same as Dong Rek Mountains.

LYGOSOMA KUEKENTHALI Boettger = EMOIA KUEKENTHALI (Boettger)
 1895, Zool. Anz., **18**, p. 117.

33544. Cotype. Soa Konorra, Halmahera Id., Molucca Is. W. Küenthal. Exch. Senckenberg Mus. 1932.

LYGOSOMA (LEIOLOPISMA) ELEGANTOIDES LOBULUS Loveridge
 1945, Proc. Biol. Soc. Washington, **58**, p. 50.

47067. Type. Mount Wilhelm, 7500-8000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

47068-82. 15 Paratypes. Mount Wilhelm, 7500-8000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

LYGOSOMA (LEIOLOPISMA) HAWAIIENSE (Loveridge)
 See LEIOLOPISMA HAWAIIENSIS Loveridge

LYGOSOMA (LEIOLOPISMA) PREHENSICAUDA Loveridge1945 Proc. Biol. Soc. Washington, **58**, p. 48.

47057. Type. Mount Wilhelm, 7500-8000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

47058. Paratype. Mount Wilhelm, 7500-8000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

LYGOSOMA ORIENTALE Shreve1940, Proc. New England Zoöl. Club, **18**, p. 19.

44742. Type. Mt. Victoria, Pakokku-Chin Hills, Burma. G. Heinrich. T. Barbour. 1938.

44743. Paratype. Mt. Victoria, Pakokku-Chin Hills, Burma. G. Heinrich. T. Barbour. 1938.

LYGOSOMA (SPHENOMORPHUS) BIGNELLI Schmidt

See S. BIGNELLI Schmidt

LYGOSOMA (SPHENOMORPHUS) EMIGRANS (Van L. de Jeude)

See L. EMIGRANS Van L. de Jeude

LYGOSOMA (SPHENOMORPHUS) FASCIOLATUM INTERMEDIUM Sternfeld

See L. (HINULIA) F. INTERMEDIUM Sternfeld

LYGOSOMA (SPHENOMORPHUS) JOBIENSE ELEGANS Sternfeld

See L. J. ELEGANS Sternfeld

LYGOSOMA (SPHENOMORPHUS) LEAE BROOKSI Loveridge

See SPHENOMORPHUS L. BROOKSI Loveridge

LYGOSOMA (SPHENOMORPHUS) LEONARDII Sternfeld

See L. (HINULIA) LEONARDII Sternfeld

LYGOSOMA (SPHENOMORPHUS) KÜHNEI Roux

See L. (HINULIA) KÜHNEI Roux

LYGOSOMA VICTORIANUM Shreve

1940, Proc. New England Zoöl. Club, **18**, p. 17.

44738. Type. Mt. Victoria, Pakokku-Chin Hills, Burma. G. Heinrich. T. Barbour. 1938.

44729. Paratype. Mt. Victoria, Pakokku-Chin Hills, Burma. G. Heinrich. T. Barbour. 1938.

MABUYA FRENATA COCHABAMBAE Dunn

1935, Proc. Acad. Nat. Sci. Philadelphia, **87**, p. 553.

46532. Paratype. Pocona, Dept. Cochabamba, Bolivia. F. B. Steinbach. Exch. Michigan Mus. 1942.

MABUYA ISSELII (Peters). See *EUPREPES (EUPREPIS) ISSELII* Peters

MALACOCHERSUS TORNIERI (Siebenrock)

See *TESTUDO LOVERIDGII* Boulenger

MANTIDACTYLUS BETSILEANUS (Boulenger)

See *RANA BETSILEANA* Boulenger

MANTIDACTYLUS DECARYI (Angel)

See *GEPHYROMANTIS DECARYI* Angel

MANTIDACTYLUS TRIPUNCTATUS Angel

1931, Bull. Mus. Hist. Nat. Paris (2), **2**, p. 619.

17460. Cotype. Pic St. Louis, Fort Dauphin Prov., Madagascar. A. Decary. Exch. Paris Mus. 1932.

MASTICOPHIS FLAGELLUM LINEATULUS H. M. Smith

1941, Journ. Washington Acad. Sci., **31**, p. 394.

14280. Paratype. 3 miles W. of Las Cruces, New Mexico. W. Huber. J. E. Thayer. 1920.

MASTICOPHIS RUTHVENI Ortenburger

1923, Occ. Papers Mus. Zool. Univ. Michigan, No. 139, p. 3.

46506. Paratype. Brownsville, Texas. Exch. Michigan Mus. 1942.

MEGALIXALUS FORNASINII (Bianconi)

See M. F. VAR. UNICOLOR Boettger

MEGALIXALUS FORNASINII VAR. UNICOLOR Boettger =

M. FORNASINII (Bianconi)

1913, in Voeltzkow, Reise in Ostafrika, 3, p. 349.

15429. Cotype. Pemba Id., nr. Zanzibar. A. Voeltzkow. Exch. Senckenberg Mus. 1929.

MELANOSEPS ATER MATENGOENSIS Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 361.

44119. Cotype. Ugano, Matengo Highlands, Tanganyika Territory. H. Zerny. Exch. Vienna Mus. 1938.

MELANOSEPS ATER RONDOENSIS Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 360.

47780. Type. Nchingidi, Rondo Plateau, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

47781-800. 20 Paratypes. Nchingidi, Rondo Plateau, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

MELANOSEPS ATER UZUNGWENSIS Loveridge

1942, Bull. Mus. Comp. Zoöl., 92, p. 361.

31076. Type. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31077. Paratype. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

MENOBRANCHUS PUNCTATUS Gibbes = **NECTURUS PUNCTATUS** (Gibbes)

1850, Proc. Amer. Assoc. Adv. Sci. Charleston, p. 159.

1553. Cotype. Santee River, South Carolina. L. R. Gibbes. L. R. Gibbes.

MICRURUS AFFINIS MAYENSIS Schmidt1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 37.

7247. Paratype. Chichen Itza, Yucatan. L. J. Cole. A. Agassiz.
28749. Paratype. Chichen Itza, Yucatan. J. C. Bequaert. J. C. Bequaert. 1929.
31871. Paratype. Chichen Itza, Yucatan. Geo. Shattuck. Geo. Shattuck. 1930.
31872. Type. Chichen Itza, Yucatan. Geo. Shattuck. Geo. Shattuck. 1930.
31874. Paratype. Valladolid, Yucatan. Geo. Shattuck. Geo. Shattuck. 1930.

MICRURUS ANCORALIS JANII Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 197.

11151. Paratype. Andagoya, Choco, Colombia. Bt. of Rosenberg. T. Barbour. 1915.
13270. Paratype. Andagoya, Choco, Colombia. M. V. Campbell. M. V. Campbell. 1919.
32720,-1,-3. 3 Paratypes. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1929.
32722. Type. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1929.

The describer errs in attributing the Type to Dr. H. G. F. Spurrell, the collector and donor being Dr. W. H. White, 1929.

MICRURUS BROWNI Schmidt and Smith1943, Field Mus. Nat. Hist. Zool. Series, **29**, p. 30.

- 33666-8. 3 Paratypes. Chilpancingo, Guerrero, Mexico. W. W. Brown. T. Barbour. 1932.

MICRURUS CLARKI Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 211

38390. Holotype. Yavisa, Darien, Panama Republic. H. C. Clark. T. Barbour. 1934.

MICRURUS ECUADORIANUS Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 196.

3559. Type. Daule River, Ecuador. S. Garman. A. Agassiz. 1875.
 3569. Paratype. Daule River, Ecuador. S. Garman. A. Agassiz. 1875.
 8399. Paratype. Guayaquil, Ecuador. E. Whymper. E. Whymper. 1899.

MICRURUS FULVIUS BARBOURI (Schmidt)See *ELAPS F. BARBOURI* Schmidt*MICRURUS LATIFASCIATUS* Schmidt1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 35.

22133. Paratype. Finca Cipres, Guatemala. H. E. Anthony. T. Barbour. 1926.
 22135. Type. Finca Carolina, Guatemala. H. E. Anthony. T. Barbour. 1926.

MICRURUS NIGROCINCTUS COIBENSIS Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 208.

- 37061-3. 3 Paratypes. Coiba Id., Panama Republic. R. Carpenter. R. Carpenter. 1933.

MICRURUS NIGROCINCTUS MOSQUITENSIS Schmidt1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 33.

9548. Paratype. Ocatal, Nicaragua. W. B. Richardson. Bt. by M. C. Z. 1909.
 9570. 17087. 2 Paratypes. Matagalpa, Nicaragua. W. B. Richardson. Bt. by M. C. Z. 1909.
 19333. Paratype. Coen Dispensary, Costa Rica. Dunn & Duryea. T. Barbour. 1923.
 19741. Type. Limon, Costa Rica. S. Kriss. United Fruit Co. 1924.
 19742. Paratype. Limon, Costa Rica. S. Kriss. United Fruit Co. 1924.
 20449. Paratype. Nr. Almirante, Panama Republic. United Fruit Co. United Fruit Co. 1925.

22211-2. 2 Paratypes. Nr. Almirante, Panama Republic. F. H. Kennard. F. H. Kennard. 1926.

MICRURUS NUCHALIS Schmidt

1933, Field Mus. Nat. Hist. Zool. Series, **20**, p. 35.

27830. Holotype. Tapanatepec, Oaxaca, Mexico. W. W. Brown. T. Barbour. 1927.

MICRURUS PERUVIANUS Schmidt

1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 193.

17385. Type. Perico, Peru. G. K. Noble. Harvard Peruvian Exped. 1916.

17386-9. 4 Paratypes. Perico, Peru. G. K. Noble. Harvard Peruvian Exped. 1916.

According to the author, M. C. Z. 17384 from Bellavista, Peru, is doubtfully referable to this form which is nearly related to *corallinus* (Wied).

MICRURUS TRANSANDINUS Schmidt

1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 195.

32744. Type. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1929.

32742-3. 32745-6. 4 Paratypes. Andagoya, Choco, Colombia. W. H. White. W. H. White. 1929.

The describer errs in attributing this series to Dr. H. G. F. Spurrell, 1915, the collector and donor was Dr. W. H. White, 1929.

MIXOPHYES FASCIOLATUS SCHEVILLI Loveridge

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 55.

18150. Type. Millaa Millaa, Atherton Tableland, Queensland. P. J. Darlington. Harvard Australian Exped. 1932.

18480. Paratype. Lake Barrine, Atherton Tableland, Queensland. W. E. Schevill. Harvard Australian Exped. 1932.

18481. Paratype. Tick Camp, Bellenden Ker Range, Queensland. W. E. Schevill. Harvard Australian Exped. 1932.

MORUNASAURUS GROI Dunn

1933, Occ. Papers Boston Soc. Nat. Hist., 8, p. 76.

34875. Type. El Valle de Antón, Panama Republic. E. R. Dunn. E. R. Dunn. 1933.

34876-7. 2 Paratypes. El Valle de Antón, Panama Republic. E. R. Dunn. E. R. Dunn. 1933.

NANNOBATRACHUS ANAMALLAIENSIS Myers

1942, Proc. Biol. Soc. Washington, 55, p. 49.

25599. Paratype. Puthutotam Estate, Valparai P. O., Anamallai Hills, 3600-3800 feet, Southern India. A. W. Herre. Exch. Stanford Univ. Mus. 1943.

NATRIX CYCLOPION FLORIDANA Goff

1936, Occ. Papers Mus. Zool. Univ. Michigan, No. 327, p. 1.

44. Paratype. Florida. L. G. Pourtales. Count Pourtales. N. D. 14805-10. 4 Paratypes. Palm Beach, Florida. T. Barbour. T. Barbour. 1920.

22670. 38577. 2 Paratypes. Sebastian, Florida. G. Nelson. G. Nelson. 1920.

NATRIX GODMANI (Boulenger)

See *TROPIDONOTUS GODMANI* Boulenger

NATRIX OLIVACEA PEMBANA Loveridge=

NEUSTEROPHIS O. PEMBANUS (Loveridge)

1935, Bull. Mus. Comp. Zoöl., 79, p. 8.

19112. Holotype. Chakechake, Pemba Id. Loveridge's collector. A. Loveridge & T. Barbour. 1924.

At the time of its description the only known example with 15 midbody scale-rows; subsequently a second turned up in the Matengo Highlands of Tanganyika Territory with a series of the mainland montaine form possessing 17 rows. Still more recently several snakes from Pemba have been received with 17 rows, others with 15, so that the race is doubtful.

NATRIX OLIVACEA ULUGURUENSIS Loveridge=
NEUSTEROPHIS O. ULUGURUENSIS (Loveridge)

1935, Bull. Mus. Comp. Zoöl., **79**, p. 7.

18445-6. 23094. 3 Paratypes. Bagilo, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1924 & 1927.

23095. 1 Paratype. Mkangazi, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23096-116. 21 Paratypes. Nyange, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23117. Type. Nyange, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23119, 23130-1. 3 Paratypes. Nyingwa, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23132. 1 Paratype. Vituri, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23136-59. 24 Paratypes. Amani, Usambara Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

23163. 1 Paratype. Bumbuli, Usambara Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

NATRIX SIPEDON ENGELSI Barbour

1943, Proc. New England Zoöl. Club **22**, p. 1, pl. i.

46688. Holotype. Mullet Pond, Shackleford Banks, Carteret Co., N. Carolina. Dr. W. L. Engels. Prof. R. E. Coker. 1943.

NECTURUS MACULOSUS LEWISI Brimley

1924, Journ. Elisha Mitchell Sci. Soc., **40**, p. 167.

17726-7. 2 Cotypes. Raleigh, Neuse River, N. Carolina. F. Lewis. T. Barbour. 1932.

17729. Cotype. Crabtree Creek, N. Carolina. F. Lewis. T. Barbour 1932.

NECTURUS MACULOSUS STICTUS Bishop

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 9.

25578-9. 2 Paratypes. Lake Winnebago, Winnebago Co., Wisconsin. J. Pawlack. Exch. S. C. Bishop. 1942.

NECTURUS PUNCTATUS (Gibbes)See *MENOBRANCHUS PUNCTATUS* Gibbes*NEPHRURUS WHEELERI* Loveridge

1932, Proc. New England Zoöl. Club, 13, p. 31.

32950. Type. Yandil, Western Australia. A. G. Paterson. Harvard Australian Exped. 1931.

32951-3. 3 Paratypes. Yandil, Western Australia. A. G. Paterson. Harvard Australian Exped. 1931.

The numbers are erroneously given in the description as 32590-3.

NEUSTEROPHIS OLIVACEUS PEMBANUS (Loveridge)See *NATRIX O. PEMBANA* Loveridge*NEUSTEROPHIS OLIVACEUS ULUGURUENSIS* (Loveridge)See *NATRIX O. ULUGURUENSIS* Loveridge*NEUSTICURUS ECPLÉOPUS OCCELLATUS* SinitzinSee *N. OCCELLATUS* Sinitzin*NEUSTICURUS OCCELLATUS* Sinitzin =*N. ECPLÉOPUS OCCELLATUS* Sinitzin

1930, Amer. Mus. Novit., No. 408, p. 1.

34870. Paratype. Perené, Peru. Carlos Schunke. Exch. American Mus. 1933.

NEUSTICURUS TUBERCULATUS Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., 8, p. 209.

37264-6. 3 Paratypes. Pastaza River between Canelos and Marañon River, Ecuador. C. Spencer. T. Barbour. 1935.

37711. Type. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1932.

NINIA SEBAE MORLEYI Schmidt & Andrews

1936, Field Mus. Nat. Hist. Zool. Series, 20, p. 169.

26801-25. 25 Paratypes. Chichen Itza, Yucatan. E. H. Thompson. E. H. Thompson. N. D.

NYCTIBATRACHUS MAJOR Boulenger

1882, Cat. Batr. Sal. Ecaud. Brit. Mus. (London), p. 114, pl. xii, fig. 2.

15405. Cotype. Malabar. Beddome. Exch. British Mus. 1929.

NYCTIMYSTES MILNEANA Loveridge1945, Proc. Biol. Soc. Washington, **58**, p. 58.

11652. Type. Milne Bay, East Division, Papua. Exch. British Mus. 1925.

NYCTIMYSTES MONTANA Parker1936, Ann. Mag. Nat. Hist. (10), **17**, p. 80, fig. 4.

21327-9. 3 Paratypes. Kokoda, 1200 ft., New Guinea. L. E. Cheeseman. Exch. British Mus. 1935.

OEDIPUS BARBOURI Schmidt1936, Proc. Biol. Soc. Washington, **49**, p. 43.

21247. Type. Portello Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

21248-50. 3 Paratypes. Portello Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

OEDIPUS BROMELIACEA Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 161, fig. 18 (part).

22177-9. 3 Paratypes. Volcan Tajumulco, 8000 ft., Guatemala. K. P. Schmidt. Exch. Field Mus. 1937.

OEDIPUS ENGELHARDTI Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 156, fig. 18 (part).

22182-4. 3 Paratypes. Volcan Atitlan, 7000 ft., Guatemala. F. J. W. Schmidt. Exch. Field Mus. 1937.

OEDIPUS FLAVIMEMBRIS Schmidt1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 158.

22174. Paratype. Volcan Tajumulco, 7000 ft., Guatemala. F. J. W. Schmidt. Exch. Field Mus. 1937.

OEDIPUS FRANKLINI Schmidt

1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 159, fig. 19.

22180-1. Paratype. Volcan Atitlan, 7000 ft., Guatemala. K. P. Schmidt. Exch. Field Mus. 1937.

OEDIPUS GOEBELI Schmidt

1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 163.

22715-6. 2 Paratypes. Volcan Tajumulco, 8000 ft., Guatemala. K. P. Schmidt. Exch. Field Mus. 1937.

OEDIPUS HELMRICHI Schmidt

1936, Field Mus. Nat. Hist. Zool. Series, **20**, p. 152, fig. 18 (part).

22185. Paratype. Above Finca Samar, 5000 ft., Alta Verapaz, Guatemala. D. Clark. Exch. Field Mus. 1937.

OEDIPUS MOSAUERI Woodall

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 444, p. 1.

24576. Paratype. Durango, Hidalgo, Mexico. Woodall & Swington. Exch. Michigan Mus. 1941.

OEDIPUS MULTIDENTATA Taylor=
BOLITOGLOSSA MULTIDENTATA (Taylor)

1939 (1938), Univ. Kansas Sci. Bull., **25**, p. 289.

14812. Type. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T Barbour. 1927.

14810-1. 2 Paratypes. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T. Barbour. 1927.

OEDIPUS ODONELLI Stuart

1943, Misc. Publ. Mus. Zool. Univ. Michigan, No. 56, p. 10.

25540. Paratype. Finca Volcán, Alta Verapaz, Guatemala. L. C. Stuart. Exch. Michigan Museum. 1942.

OEDIPUS ORIZABENSIS (Blatchley)

See **SPELERPES ORIZABENSIS Blatchley**

OEDIPUS ROBERTSI Taylor

1939 (1938), Univ. Kansas Sci. Bull., **25**, p. 287, pl. xxvi, fig. 2.

25610. Paratype. Nevada de Toluca, 10,000–11,000 ft., Mexico, Mexico. E. H. Taylor, et al. Exch. E. H. Taylor. 1942.

OEDIPUS SMITHI Taylor = *BOLITOGLOSSA SMITHI* (Taylor)

1939 (1938), Univ. Kansas Sci. Bull., **25**, p. 269, pl. xxv, figs. 5–6.

25611–2. 2 Paratypes. Cerro San Felipe 15 miles northwest, Oaxaca, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1942.

OEDURA KARROICA WILMOTI Hewitt =*AFROEDURA KARROICA KARROICA* (Hewitt)

1926, Ann. Natal Mus., **5**, p. 446, pl. xxv, figs. 1–2.

22090–3. 4 Cotypes. Tarkastad, Cape Province. C. W. Wilmot. Exch. Albany Mus. 1926.

OEDURA NAMAQUENSIS FitzSimons*AFROEDURA NAMAQUENSIS* (FitzSimons)

1938, Ann. Transvaal Mus., **19**, p. 163, figs. 1–2.

46803. Paratype. Between Springbok & Kamaggas, Little Namaqualand, Cape Province. V. FitzSimons. Exch. Transvaal Mus. 1943.

OEDURA TEMBULICA Hewitt =*AFROEDURA TEMBULICA* (Hewitt)

1926, Ann. S. African Mus., **20**, p. 415.

22094. Cotype. Cofimvaba, Tembuland, Cape Province. C. W. Wilmot. Exch. Albany Mus. 1926.

OEDURA TRANSVAALICA TRANSVAALICA Hewitt =*AFROEDURA T. TRANSVAALICA* (Hewitt)

1925, Rec. Albany Mus., **3**, p. 350, pl. xvi, fig. 1, pl. xvii, fig. 1.

41819. Paratype. Njelele River, Zoutpansberg District, Transvaal. G. van Dam. Exch. Transvaal Mus. 1936.

OLIGOSOMA GEMMINGERI Cope = **LEIOLOPISMA UNICOLOR** (Harlan)
 1864, Proc. Acad. Nat. Sci. Philadelphia, p. 180.

46960. Cotype. Orizaba, Mexico. F. Sumichrast. Exch. U. S.
 Nat. Mus. 1944.

Original number of this specimen was Smithsonian Institute 6331.

ONYCHOCEPHALUS DINGA Peters =
TYPHLOPS SCHLEGELII SCHLEGELII Bianconi

1854, Monatsb. Akad. Wiss. Berlin, p. 620.

32344. Cotype. Tete, Mozambique. W. Peters. Exch. Berlin
 Mus. 1932.

ONYCHODACTYLUS JAPONICUS (Houltyn)
 See **SALAMANDRA UNGUICULATA** Schlegel

OOCIDOZYGA FLORESIANA Mertens

1927, Senckenbergiana, 9, p. 234.

15810. Paratype. Rana Mese, Flores, Dutch East Indies. R. Mertens. Exch. Senckenberg Mus. 1930.

OPHEODRYS VERNALIS BLANCHARDI Grobman

1941, Misc. Publ. Mus. Zool. Univ. Michigan, No. 50, p. 11.

5277. Paratype. Santa Fe, New Mexico. Prof. Agassiz. 1885.

OPHIOPS ELEGANS var. **PERSICUS** Boulenger =
OPHISOPS E. PERSICUS (Boulenger)

1918, Ann. Mag. Nat. Hist. (9), 2, pp. 159, 160.

28693. 1. Shiraz, Persia. Exch. British Mus. 1929.

OPHISOPS BLANFORDI Schmidt

1939, Field Mus. Nat. Hist. Zool. Series, 24, p. 64.

45599-600. 2 Paratypes. Nasiriyah, Iraq. H. Field. Exch. Field
 Mus. 1940.

Ophisops elegans persicus (Boulenger)
See *Ophiopterus e. var. persicus* Boulenger

Opisthotropis balteatus (Cope). See *O. multicinctata* Fan

Opisthotropis multicinctata Fan = *O. balteatus* (Cope)
1931, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. (Canton), No. 11, p. 82,
figs. 5-6.
32414. Paratype. Loshiang, Kwangsi, China. Kwechow Exped.
Exch. Sun Yatsen Univ. 1932.

Oreophryne rookmaakeri Mertens
1927, Senckenbergiana, 9, p. 236.
15816. Paratype. Rana Mese, Flores, Dutch East Indies. R. Mertens.
Exch. Senckenberg Mus. 1930.

Oxyrhopus fitzingeri frizzelli Schmidt & Walker
1943, Field Mus. Nat. Hist. Zool. Series, 24, p. 313.
17383. Paratype. Chongollapi, Piura, Peru. G. K. Noble. Harvard Peruvian Exped. 1916.

Pachydactylus bibroni pulitzerae Schmidt
1934, Ann. Carnegie Mus., 22, p. 6, pl. i.
39728. Paratype. Pico Azevedo, Mossamedes, Angola. R. Boulton.
Exch. Carnegie Mus. 1936.

Pachydactylus capensis garieensis Hewitt =
Pachydactylus weberi garieensis Hewitt
1932, Ann. Natal Mus., 7, p. 124, pl. vi, figs. 8-9.
31573-4. 2 Paratypes. Garies to Kamiesberg, Little Namaqualand,
South Africa. B. Peers. Exch. Albany Mus. 1931.

PACHYDACTYLUS CAPENSIS LABIALIS FitzSimons

1938, Ann. Transvaal Mus., 19, p. 168, fig. 7.

46971. Paratype. Steinkopf, Little Namaqualand, Cape Province, S. Africa. V. FitzSimons. Exch. Transvaal Mus. 1944.

PACHYDACTYLUS CAPENSIS TIGRINUS van Dam

1921, Ann. Transvaal Mus., 7, p. 244, pl. v.

41843. Cotype. Blinkwater, Brak River, Transvaal. G. van Dam. Exch. Transvaal Mus. 1936.

21227-8. 41844-5. 4 Paratypes. N'jelele River, Zoutpansberg, Transvaal. G. van Dam. Exch. Transvaal Mus. 1935. 1936.

PACHYDACTYLUS KOBOSENSIS FitzSimons

1938, Ann. Transvaal Mus., 19, p. 170.

46804. Paratype. "Kobos" Farm, 40 miles south of Rehoboth, South West Africa. V. FitzSimons. Exch. Transvaal Mus. 1943.

PACHYDACTYLUS LINEATUS RUPICOLUS FitzSimons

1938, Ann. Transvaal Mus., 19, p. 162.

46818. Paratype. Between O'okiep and Springbok, Little Namaqualand. V. FitzSimons. Exch. Transvaal Mus. 1943.

PACHYDACTYLUS PUNCTATUS LANGI FitzSimons

1932, Ann. Transvaal Mus., 15, p. 35.

33467-90. 4 Paratypes. Gemsbok Pan, Ghanzi Dist., Bechuana-land. Vernay & Lang. Exch. Field Mus. 1932.

PACHYDACTYLUS SCUTATUS ANGOLENSIS Loveridge

1944, Amer. Mus. Novit., No. 1254, p. 3.

46856. Paratype. Hanha, Benguela Dist, Angola. R. Boulton. Exch. Am. Mus. Nat. Hist. 1943.

PACHYDACTYLUS WEBERI ACUMINATUS FitzSimons1941, Ann. Transvaal Mus., **20**, p. 274.

46817. Paratype. 8 miles west of Aus, Great Namaqualand, South West Africa. V. FitzSimons. Exch. Transvaal Mus. 1943.

Part of the series previously referred with a query to *w. weberi* (1938. Ann. Transvaal Mus., **19**, p. 181).**PALUDICOLA PUSILLA** Ruthven =
PSEUDOPALUDICOLA PUSILLA (Ruthven)

1916, Occ. Papers Mus. Zool. Univ. Michigan, No. 30, p. 1.

4757. Paratype. Gaira, Colombia. A. G. Ruthven. Exch. Michigan Mus. 1917.

PELOMEDUSA SUBRUFA OLIVACEA (Schweigger)
See **PENTONYX GEHAFIE** Rüppell**PELOPHRYNE ALBOTAENIATA** Barbour1938, Proc. Biol. Soc. Washington, **51**, pp. 192, 194, fig.

23291. Holotype. Thumb Peak, Palawan Id., Philippine Is. E. H. Taylor. T. Barbour. 1933.

PENTONYX GEHAFIE Rüppell =
PELOMEDUSA SUBRUFA OLIVACEA (Schweigger)

1835, Neue Wirbelth, Fauna Abyss., Amph., p. 2, pl. i.

42993. Cotype. Massaua, Eritrea. E. Rüppell. Exch. Senckenberg Mus. 1937.

Reasons for synonymizing *gehofie* will be found in a recent revision of the family Pelomedusidae (1941, Bull. Mus. Comp. Zoöl., **88**, p. 480).**PHELSUMA BARBOURI** Loveridge1942, Bull. Mus. Comp. Zool., **89**, p. 458.

11640. Type. Forest between Tamatave and Tananarive, E. Madagascar. F. R. Wulsin. F. R. Wulsin. 1915.

11641. Paratype. Forest between Tamatave and Tananarive, E. Madagascar. F. R. Wulsin. F. R. Wulsin. 1915.

PHELSUMA LINEATA GraySee **PHELSUMIA LINEATA** var. **BIFASCIATA** Boettger**PHELSUMA MADAGASCARIENSIS PARKERI** Loveridge1941, Proc. Biol. Soc. Washington, **54**, p. 175.

46086. Type. Kinowe, Pemba Id. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

46087-92. 6 Paratypes. Kinazini, Pemba Id. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

PHELSUMIA LINEATA var. **BIFASCIATA** Boettger =
PHELSUMA LINEATA Gray1913, in Voeltzkow, Reise in Ostafrika, **3**, p. 294.

21950. Cotype. Ankarimbela, E. Madagascar. A. Voeltzkow. Exch. Berlin Mus. 1925.

PHELSUMIA MICROPHOLIS Boettger =
PHELSUMA MUTABILIS (Grandidier)1913, in Voeltzkow, Reise in Ostafrika, **3**, p. 293, pl. xxiv, figs. 6-7.

21955-7. 3 Cotypes. Tulear, S. W. Madagascar. A. Voeltzkow. Exch. Senckenberg Mus. 1925.

Reasons for synonymizing *micropholis* will be found in a recent revision of the genus *Phelsuma* (1942, Bull. Mus. Comp. Zoöl., **89**, p. 475).**PHILAUTUS EXIMIUS** Shreve1940, Proc. Biol. Soc. Washington, **53**, p. 106.

20879. Type. Queenwood Estate, Dimbulla, Ceylon. W. L. Schofield. T. Barbour. 1933.

20880-4. 5 Paratypes. Queenwood Estate, Dimbulla, Ceylon. W. L. Schofield. T. Barbour. 1933.

PHILAUTUS GRYLLUS M. A. Smith =
RHACOPHORUS VERRUCOSUS Boulenger

1924, Proc. Zool. Soc. London, p. 231, pl. iii, figs. 2-5.

10503-4. 2 Cotypes. Langham Plateau, S. Annam, Indo China. M. A. Smith. Exch. British Mus. 1925.

PHILAUTUS HANSENAE Cochran1927, Proc. Biol. Soc. Washington, **40**, p. 181.

25738. Paratype. Nong Khor, S. E. Siam. H. M. Smith. Exch. U. S. Nat. Mus. 1944.

PHILAUTUS NONGKHORENSIS Cochran1927, Proc. Biol. Soc. Washington, **40**, p. 179.

26739. Paratype. Nong Khor, S. E. Siam. H. M. Smith. Exch. U. S. Nat. Mus. 1944.

PHILOCHORTUS HARDEGGERI TAYLORI Parker = *P. PHILLIPSI* (Boulenger)

1932, Proc. Zool. Soc. London, p. 354.

35562. Paratype. Haud, 2000 ft., British Somaliland. R. H. R. Taylor. Exch. British Mus. 1933.

PHILOCHORTUS INTERMEDIUS Boulenger

1917, Proc. Zool. Soc. London, p. 152, pl. ii, figs. 2-3.

28695. Cotype. Inland of Berbera, British Somaliland. Exch. British Mus. 1929.

PHILOCHORTUS PHILLIPSI (Boulenger)See *P. HARDEGGERI TAYLORI* Parker*PHRYNIXALUS REGINAE* Anderson = *COPHIXALUS ORNATUS* (Fry)1916, Svenska Vetensk.-Akad. Handl. (Stockholm), **52**, No. 9, p. 4, figs. 1a-d

17805. Cotype. Malanda, Queensland. E. Mjöberg. Exch. Stockholm Mus. 1932.

PHRYNOBATRACHUS ALLENI Parker1936, Zool. Meded. (Leiden), **19**, p. 91.

11951-60. 11985-90. 20 Paratypes. Plantation No. 3, Du River, Liberia. G. M. Allen. Harvard Med. Sch. Exped. 1926.

11961-70. 70 Paratypes. Paiata, nr. St. Pauls River, Liberia. G. M. Allen. Harvard Med. Sch. Exped. 1926.

PHRYNOBATRACHUS DENDROBATES Boulenger
See **P. PETROPEDETOIDES** Ahl

PHRYNOBATRACHUS ELBERTI (Ahl)
See **HYLARTHIROLEPTIS ALBERTI** Ahl

PHRYNOBATRACHUS LATIFRONS Ahl. See also **P. L. TOGOENSIS** Ahl
1924, Zool. Anz., **60**, p. 272.

17536. Cotype. Dodo, French Cameroons. Riggengbach. Exch. Berlin Mus. 1932.

PHRYNOBATRACHUS LATIFRONS TOGOENSIS Ahl = **P. LATIFRONS** Ahl
1924, Zool. Anz., **60**, p. 273.

17537. Cotype. Kete to Kratje (Kvatschi) Togoland. Graf Zech. Exch. Berlin Mus. 1932.

PHRYNOBATRACHUS MABABIENSIS FitzSimons
1932, Ann. Transvaal Mus., **15**, p. 40.

11716-20. 5 Paratypes. Tsotsoroga Pan, Bechuanaland. Vernay & Lang. Exch. Field Mus. 1932.

PHRYNOBATRACHUS PAKENHAMI Loveridge
1941, Proc. Biol. Soc. Washington, **54**, p. 178.

24568. Type. Machengwe Swamp, Wete, Pemba Id. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

24569-72. 4 Paratypes. Machengwe Swamp, Wete, Pemba Id. R. H. W. Pakenham. R. H. W. Pakenham. 1941.

PHRYNOBATRACHUS PARKERI Witte
1933, Revue Zool. Bot. Afr., **24**, p. 97.

21751-2. 2 Paratypes. Manda, Uele, Belgian Congo. H. Scouteden. Exch. Congo Mus. 1936.

**PHRYNOBATRACHUS PETROPEDETOIDES Ahl =
P. DENDROBATES Boulenger**

1924, Zool. Anz., 61, p. 102.

17534-5. 2 Cotypes. W. of Lake Edward, Belgian Congo. R. Graver. Exch. Berlin Mus. 1932.

PHRYNOBATRACHUS STEINDACHNERI Nieden

1910, Arch. Naturg., 76, 1-2, p. 241.

19577. Cotype. Banjo District, Cameroons. F. W. Rigganbach. T. Barbour. 1933.

PHRYNOBATRACHUS VANROOGENI Hoffman

1940, Soölog. Navor. Nas. Mus. Bloemfontein, 1, p. 99, fig. 2B.

24509-10. 2 Paratypes. Greytown, Natal. A. C. Hoffman. Exch. Bloemfontein Mus. 1941.

PHRYNOBATRACHUS VERSICOLOR Ahl

1924, Zool. Anz., 61, p. 100.

17532-3. 3 Cotypes. Rugege Forest, Belgian Ruanda. H. Schubotz. Exch. Berlin Mus. 1932.

**PHYLLOBATES CYSTIGNATHOIDES Cope =
SYRRHOPUS CYSTIGNATHOIDES (Cope)**

1877, Proc. American Philos. Soc., 17, p. 89.

25732. Cotype. Potrero, near Cordova, Veracruz, Mexico. F. Sumichrast. Exch. U. S. Nat. Mus. 1944.

PHYLLOBATES FLOTATOR Dunn

1931, Occ. Papers Boston Soc. Nat. Hist., 5, pp. 389, 392.

9819. Paratype. Suretka, Costa Rica. Dunn & Duryea. T. Barbour. 1923.

9989. Paratype. Las Cascadas, Canal Zone. Panama Exped. T. Barbour. 1924.

10257-62. 6 Paratypes. La Loma, Panama Republic. Dunn & Duryea. T. Barbour. 1923.

10728. Paratype. Barro Colorado Id., Canal Zone. T. Barbour. T. Barbour. 1923.

15289-92. 4 Paratypes. Barro Colorado Id., Canal Zone. E. R. Dunn. E. R. Dunn. 1929.

16006. Type. Barro Colorado Id., Canal Zone. E. R. Dunn. E. R. Dunn. 1929.

16007. 2 Paratypes. Punta Bruja, Panama Republic. J. B. Shropshire. T. Barbour. 1930.

Only the type and one other specimen are mentioned on p. 389, the rest are listed in detail on p. 392.

PHYLLODACTYLUS DELCAMPI Mosauer

1936, Copeia, p. 141, figs. 1-6.

42138. Type. Tierra Colorada, Guerrero, Mexico. W. Mosauer. T. Barbour. 1936.

42139. Paratype. Tierra Colorada, Guerrero, Mexico. W. Mosauer. T. Barbour. 1936.

The 2 and 1 are transposed in the type number as printed.

PHYLLODACTYLUS GILBERTI Heller

1903, Proc. Washington Acad. Sci., 5, p. 61.

46737. Paratype. Wenman Id., Galapagos Ids. Heller & Snodgrass. Exch. Stanford Univ. Mus. 1943.

PHYLLODACTYLUS HOMOLEPIDURUS H. M. Smith

1935, Univ. Kansas Sci. Bull., 22, p. 121, fig. 1A, pl. xxv, fig. 2.

42588. Paratype. Five miles S. W. of Hermosillo, Mexico. E. H. Taylor. Exch. Univ. Kansas. 1936.

PHYLLODACTYLUS LANEI H. M. Smith

1935, Univ. Kansas Sci. Bull., 22, p. 125, fig. 1B, pl. xxv, fig. 3.

39899. Paratype. Between Rincon and Cajones, Guerrero; Mexico. Taylor & Smith. Exch. Univ. Kansas. 1936.

PHYLLODACTYLUS LINEATUS RUPICOLUS FitzSimons

1938, Ann. Transvaal Mus., **19**, p. 162.

46818. Paratype. Between O'okiep and Springbok, Little Namaqualand, South Africa. V. FitzSimons. Exch. Transvaal Mus. 1943.

PHYLLOMEDUSA FELTONI Shreve

1935, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 214.

19941. Holotype. Sarayacu, Ecuador. O. C. Felton. T. Barbour. 1933.

PHYLLORHYNCHUS DECURTATUS PERKINSI Klauber

1935, Bull. Zool. Soc. San Diego, No. 12, p. 11, fig. 2.

39677. Paratype. Dry Lake, San Diego Co., California. L. M. Klauber. Exch. L. M. Klauber. 1935.

PHYSALAEUMUS FERNANDEZAE L. Müller

1926, Zool. Anz., **65**, p. 193.

17741. Paratype. Christiano Muerto, Buenos Aires Province, Argentina. Merkle. Exch. Munich Mus. 1932.

PHYSIGNATHUS GILBERTI CENTRALIS Loveridge

1933, Proc. New England Zoöl. Club, **13**, p. 71.

35207. Type. Teatree Well, Northern Territory, Australia. W. E. Schevill. Harvard Australian Exped. 1932.

PIPA SNETHLAGEAE L. Müller

1914, Ann. Mag. Nat. Hist. (8), **14**, p. 102.

17734. Paratype. Utinga, near Para, Brazil. E. Snethlage. Exch. Munich Mus. 1932.

PLATYPELIS BARBOURI Noble

1940, Proc. New England Zoöl. Club, **18**, p. 28.

23848.. Type. Fanovana Forest nr. Tananarive, Madagascar. Bt. from W. F. H. Rosenberg. T. Barbour. 1939.

23849. Paratype. Fanovana Forest nr. Tananarive, Madagascar
Bt. from W. F. H. Rosenberg. T. Barbour. 1939.

PLATYPLACOPUS DORSALIS (Stejneger)
See *TAKYDROMUS DORSALIS* Stejneger

PLATYPLACOPUS INTERMEDIUS (Stejneger)
See *TAKYDROMUS INTERMEDIUS* Stejneger

PLATYSAURUS GUTTATUS FITZSIMONSI Loveridge

1944, Bull. Mus. Comp. Zoöl., 95, p. 88.

8982. Type. Lydenburg, Transvaal. Exch. British Mus. 1913.

PLATYSAURUS TORQUATUS Peters = *P. GUTTATUS TORQUATUS* Peters
1879, Sitz. Ges. Naturf. Freunde Berlin, p. 10.

37203. Cotype. Tete, Mozambique. W. Peters. T. Barbour. 1933.

PLATYSAURUS WILHELMII Hewitt = *P. GUTTATUS WILHELMII* Hewitt
1909, Ann. Transvaal Mus., 2, p. 29, pl. -.

21448. 1 Paratype. Ubombo, Zululand. —legit 1905. Exch. Natal
Mus. 1925.

PLATYTHRYRA FLAVESCENS Agassiz =
KINOSTERNON FLAVESCENS (Agassiz)

1857, Contr. Nat. Hist. U. S., 1, Part 2, p. 430, pl. v, figs. 12-15.

1918. Cotype. Rio Grande, Texas. N.D.

1919. Cotype. Red River, Arkansas. Capt. Marcy. N.D.

PLECTROHYLA SAGORUM Hartweg

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 437, p. 2.

24538. Paratype. Mt. Ovando, Chiapas, Mexico. N. Hartweg.
Exch. Michigan Mus. 1941.

PLETHODON NETTINGI Green

1938, Ann. Carnegie Mus., **27**, p. 295.

24088. Paratype. $1\frac{1}{4}$ miles S. E. of Cheat Bridge, West Virginia. N. D. Richmond. Don. Carnegie Mus. 1939.

PLETHODON RICHMONDI Netting & Mittleman

1938, Ann. Carnegie Mus., **27**, p. 288, pl. xxx, fig. 1.

24089. Paratype. Ritter Park, Cabell Co., West Virginia. N. D. Richmond. Don. Carnegie Mus. 1939.

PLETHODON WELLERI Walker

1931, Proc. Jun. Soc. Nat. Hist. Cincinnati, Memorial No., p. 3.

17365-6. 2 Paratypes. Grandfather Mts., above 5000 ft., nr. Linville, North Carolina. Weller & Drury. Exch. Junior Nat. Hist. Soc. Cincinnati. 1931.

PLETHOPSIS WRIGHTI Bishop

1937, Herpetologica, **1**, p. 93, pl. ix.

22355-6. 2 Paratypes. 8.7 miles S. E. of Sandy, Clackamas Co., Oregon. S. C. Bishop. Don. S. C. Bishop. 1937.

PLIOCERCUS ANDREWSI H. M. Smith

1942, Proc. Biol. Soc. Washington, **55**, p. 162.

46796. Paratype. Yokdzonot, Yucatan. E. W. Andrews. Exch. Field Mus. Nat. Hist. 1943.

The female paratype formerly F.M.N.H. 36322.

PLIOCERCUS ELAPOIDES SCHMIDTI H. M. Smith

1942, Proc. Biol. Soc. Washington, **55**, p. 161.

26843. Type. Chichen Itza, Yucatan. E. H. Thompson. E. H. Thompson. N.D.

The paratype M. C. Z. 26836 is now in the Chicago Natural History Museum.

PRIONODACTYLUS MARIANUS Ruthven =
EUSPONDYLYS MARIANUS (Ruthven)

1922, Occ. Papers Mus. Zool. Univ. Michigan, No. 103, p. 1.

14651-60. 10 Paratypes. San Pedro, nr. Medellin, Colombia.
 Hno. Nicéforo Maria. Exch. Michigan Mus. 1921.

PRISTURUS CARTERI TUBERCULATUS Parker

1931, Ann. Mag. Nat. Hist. (10), **8**, p. 515.

32336-7. 2 Cotypes. Rub al Khali, Ain al Rizat, S. Arabia. B. Thomas. Exch. British Mus. 1932.

PRISTURUS CRUCIFER LATICEPHALUS Scortecci =
PRISTURUS CRUCIFER (Valenciennes)

1933, Atti. Soc. Ital. Sci. Nat., **72**, p. 244.

38965. Cotype. Garoe, Italian Somaliland. G. Scortecci. Exch. Milan Mus. 1935.

PRISTURUS SOMALICUS Parker

1932, Proc. Zool. Soc. London, p. 349.

35560-1. 2 Paratypes. Sol Haud, 2500 ft., British Somaliland. R. H. R. Taylor. Exch. British Mus. 1933.

PROBREVICEPS MACRODACTYLUS LOVERIDGEI Parker

1931, Ann. Mag. Nat. Hist. (10), **8**, p. 263.

15701-8. 8 Paratypes. Vituri, Uluguru Mtns., Tanganyika Territory. A. Loveridge. T. Barbour. 1927.

PROBREVICEPS MACRODACTYLUS RUNGWENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., **72**, p. 387.

16451. Type. Nkuka Forest, Rungwe Mtn., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16452-3. Paratypes. Nkuka Forest, Rungwe Mtn., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

PROCTOPORUS (OREOSAURUS) SHREVEI Parker
1935, Trop. Agric. (Trinidad), **12**, p. 283.
38659. Paratype. Trinidad. N. A. Weber. N. A. Weber. 1935.

PSAMMOPHIS BISERIATUS TANGANICUS Loveridge
1940, Bull. Mus. Comp. Zoöl., **87**, p. 57.

18220. Paratype. Dodoma, Ugogo, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

18468. Paratype. Ikkikuyu, Ugogo, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

23073-4. 2 Paratypes. Dodoma, Ugogo, Tanganyika Territory. A. Loveridge. Smithsonian Chrysler Exped. 1927.

30371. Paratype. Kilimatinde, Ugogo, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30372-3. 2 Paratypes. Unyanganyi, Turu, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30374-9. 30381-2. 8 Paratypes. Mangasini, Usandawi, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30380. Type. Mangasini, Usandawi, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30383-6. 4 Paratypes. Kikuyu, Ugogo, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

PSEUDACRIS BRIMLEYI Brandt & Walker
1933, Occ. Papers Mus. Zool. Univ. Michigan, No. 272, p. 2.

781. 3 Paratypes. Newbern, North Carolina. J. G. Shute. J. G. Shute. 1863.

PSEUDEMYS DECORATA Barbour & Carr
1940, Mem. Mus. Comp. Zoöl., **54**, p. 409, pl. ix, figs. 3-4.

36851-60. 10 Paratypes. Thomazeau, Haiti. M. Audain. A. V. Armour Exped. 1933.

36861,-3-4. 3 Paratypes. Fond Parisien, Haiti. M. Audain. A. V. Armour Exped. 1933.

36862. Type. Fond Parisien, Haiti. M. Audain. A. V. Armour Exped. 1933.

36865-6. 2 Paratypes. St. Marks, Haiti. M. Audain. A. V. Armour Exped. 1933.

PSEUDEMYS DECUSSATA ANGUSTA Barbour & Carr

1940, Mem. Mus. Comp. Zoöl., 54, p. 402, fig. 2.

33948. Paratype. Lake La Deseoda, Pinar del Rio, Cuba. G. S. Villalba. G. S. Villalba. 1932.

34334-6. 3 Paratypes. Rio S. Cristobal, Pinar del Rio, Cuba. F. E. Conville. T. Barbour. 1933.

34337-9. 3 Paratypes. Rio Taco, Pinar del Rio, Cuba. F. E. Conville. T. Barbour. 1933.

34340. Type. Rio Taco, Pinar del Rio, Cuba. F. E. Conville. T. Barbour. 1933.

34341-5. 5 Paratypes. Rio Santa Cruz, Pinar del Rio, Cuba. F. E. Conville. T. Barbour. 1933.

The last two figures of No. 33948 are transposed in the text.

PSEUDEMYS DECUSSATA GRANTI Barbour & Carr

1941, Proc. New England Zoöl. Club, 18, p. 59.

44854. Paratype. Cayman Brac. Chapman Grant. T. Barbour. 1939.

44855-7. 3 Paratypes. Grand Cayman Id. Chapman Grant. T. Barbour. 1939.

46045. Type. Grand Cayman Id. F. R. Benitez. T. Barbour. 1941.

46046. Paratype. Grand Cayman Id. F. R. Benitez. T. Barbour. 1941.

PSEUDEMYS DECUSSATA PLANA Barbour & Carr

1940, Mem. Mus. Comp. Zoöl., 54, p. 405, fig. 3, pl. viii, figs. 1, 3, 8.

34134. Type. Rio Jobabo, Western Oriente, Cuba. T. Barbour. T. Barbour. 1932.

34128-33. 34135. 7 Paratypes. Rio Jobabo, Western Oriente, Cuba. T. Barbour. T. Barbour. 1932.

PSEUDEMYS FELIS Barbour

1935, Occ. Pap. Boston Soc. Nat. Hist., **8**, p. 205.

38385. Type. Cat Id., Bahamas. W. G. Albury & C. S. Dolley. T. Barbour. 1935.

38386. Paratype. Cat Id., Bahamas. W. G. Albury & C. S. Dolley. T. Barbour. 1935.

Dolley, not Dooley is the correct spelling.

PSEUDEMYS FLORIDANA PENINSULARIS Carr

1938, Copeia, p. 105.

43849. Type. Crystal Springs, Pasco Co., Florida. L. Marchand. A. F. Carr, Jr. 1938.

43850. Paratype. Crystal Springs, Pasco Co., Florida. L. Marchand. A. F. Carr, Jr. 1938.

44069. Paratype. Nr. Woodmere, Sarasota Co., Florida. A. F. Carr, Jr. A. F. Carr, Jr. 1938.

PSEUDEMYS FLORIDANA SUWANNIENSIS Carr

1937, Occ. Pap. Mus. Zool. Michigan, No. 348, p. 4, pl. 1.

43030. Paratype. Suwannee River, Levy Co., Florida. A. F. Carr, Jr. A. F. Carr, Jr. 1937.

43031. Paratype. Manatee Springs, Levy Co., Florida. A. F. Carr, Jr. A. F. Carr, Jr. 1937.

PSEUDEMYS MALONEI Barbour & Carr

1938, Proc. New England Zoöl. Club, **17**, p. 76.

44338. Type. Near Northwest Point, Great Inagua Id., Bahamas. B. Shreve. Mus. Exped. 1938.

44339-48. 10 Paratypes. Near Northwest Point, Great Inagua Id., Bahamas. B. Shreve. Mus. Exped. 1938.

PSEUDEMYS NELSONI Carr

1938, Occ. Pap. Boston Soc. Nat. Hist., **8**, p. 307, fig. 1.

39888. Type. St. John's Marsh, Fellsmere, Florida. G. Nelson. G. Nelson. 1936.

43847. Paratype. Sulfur City, Lake Co., Florida. A. F. Carr, Jr. A. F. Carr, Jr. 1938.

43848. Paratype. Lake Neuman, Alachua Co., Florida. A. F. Carr, Jr. A. F. Carr, Jr. 1938.

PSEUDEMYS RUBRIVENTRIS BANGSI Babcock

1937, Occ. Papers Boston Soc. Nat. Hist., 8, p. 293.

7047. Paratype. Boot Pond, Plymouth Co., Massachusetts. F. A. Lucas. F. A. Lucas. 1912.

16777. Paratype. Gunner's Exchange Pond, Plymouth Co., Massachusetts. H. J. Thayer. H. J. Thayer. 1912.

16778. Type. Gunner's Exchange Pond, Plymouth Co., Massachusetts. H. J. Thayer. H. J. Thayer. 1912.

The type and paratype actually came from Gunner's Exchange Pond which is connected with Boot Pond by a narrow channel.

PSEUDEMYS SCRIPTA GAIGEAE Hartweg

1939, Occ. Pap. Mus. Zool. Michigan, No. 397, p. 1.

4550-1. 4 Paratypes. San Pedro, Estado de Coahuila, Mexico. E. Palmer. E. Palmer. 1880.

The paper mentions only 3 paratypes under these numbers.

PSEUDEMYS SCRIPTA HILTONI Carr

1942, Amer. Mus. Novit., No. 1181, p. 1, figs. 1-3.

46678. Paratype. Guirocoba, S. E. of Alamos, Sonora, Mexico. J. W. Hilton. Exch. Am. Mus. Nat. Hist. 1942.

PSEUDEMYS STEJNEGERI VICINA Barbour & Carr

1940, Mem. Mus. Comp. Zoöl., 54, p. 408.

1891-2. 4 Paratypes. "Haiti." D. F. Weinland. D. F. Weinland. 1862.

43651-4. 4 Paratypes. Sosua, Puerto Plata, Santo Domingo. W. J. Clench. Mus. Exped. 1937.

PSEUDOBRANCHUS STRIATUS AXANTHUS Netting & Goin
1942, Ann. Carnegie Mus., **29**, p. 183, pl. i, figs. 1-2.
23735-44. 12 Paratypes. Hale's Siding, Payne's Prairie, Florida.
A. F. Carr, Jr. A. F. Carr, Jr. 1938.

PSEUDOCORDYLUS LANGI Loveridge
1944, Bull. Mus. Comp. Zoöl., **95**, p. 73.
46835. Holotype. Mont aux Sources, Drakensberg, Basutoland.
H. Lang. Exch. Transvaal Mus. 1943.

PSEUDOCORDYLUS ROBERTSI (Van Dam)
See ZONURUS ROBERTSI Van Dam

PSEUDOPALUDICOLA PUSILLA (Ruthven)
See PALUDICOLA PUSILLA Ruthven

PSEUDOPHYNE BROOKSI Loveridge = P. GUENTHERI Boulenger
1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 59.
13025. Type. Manjimup, Western Australia. W. S. Brooks.
T. Barbour. 1927.
13026-31. 6 Paratypes. Manjimup, Western Australia. W. S.
Brooks. T. Barbour. 1927.

PSEUDOPHYNE GUENTHERI Boulenger. See P. BROOKSI Loveridge

PSEUDOPHYNE OCCIDENTALIS Parker
1940, Novit. Zool., **42**, p. 97.
18301-2. 2 Paratypes. Burara, S. of Kalgoorlie, Western Australia.
G. E. Nicholls. Exch. G. E. Nicholls. 1932.
The Museum possesses a series of topotypes, taken with the paratypes but
not seen by Parker.

PSEUDOTRITON DURYI Weller =
GYRINOPHILUS PORPHYRITICUS DURYI (Weller)

1930, Proc. Jun. Soc. Nat. Hist. Cincinnati, **1**, Nos. 5-6, p. 6.

17540. Paratype. Cascade Caves, near Grayson, Carter Co., Kentucky. Dury & Weller. Exch. Junior Soc. Nat. Hist., Cincinnati. 1932.

PSEUDOTRITON MONTANUS DIASTICUS Bishop

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 14.

25797. Holotype. Cascade Caverns, Carter Co., Kentucky. S. C. Bishop. Exch. S. C. Bishop. 1944.

PYTHON CURTUS BRONGERSMAI Stull

1938, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 297.

29779. Type. Singapore, Malay Peninsula. C. B. Kloss. Exch. Raffles Mus. 1931.

RANA ALBOLABRIS ACUTIROSTRIS Parker = R. A. PARKERIANA Loveridge

1936, Novit. Zool., **40**, p. 141.

22304. Paratype. Quirimko, 75 km. E. of Amboin, Angola. K. Jordan. Exch. British Mus. 1907.

RANA ALBOLABRIS PARKERIANA Loveridge nom. nov. for
R. A. ACUTIROSTRIS Parker, which see

1941, Proc. U. S. Nat. Mus., **91**, p. 136.

Unfortunately the name *acutirostris* Parker, 1936, was preoccupied by that of *acutirostris* Fatis, 1872 in the genus *Rana*.

RANA BETSILEANA Boulenger =
MANTIDACTYLUS BETSILEANUS (Boulenger)

1882, Cat. Batr. Sal. Ecaud. Brit. Mus., p. 460.

15362. Cotype. E. Betsileo, Madagascar. D. Cowan. Exch. British Mus. 1929.

RANA CHOBIENSIS FitzSimons

1932, Ann. Transvaal Mus., **15**, p. 39.

17715. Paratype. Kasane, Chobe River, Bechuanaland. Vernay & Lang. Exch. Field Mus. 1932.

20794. Paratype. Kasane, Chobe River, Bechuanaland. Vernay & Lang. Exch. Transvaal Mus. 1936.

RANA COOPERI Parker

1930, Proc. Zool. Soc. London, p. 2.

16251. Paratype. Serpent Lake, Wouramboulchi, Ethiopia. J. Omer-Cooper. Exch. British Mus. 1931.

RANA CRASSIPES CRASSIPES Buchholz & Peters

See *R. PERPALMATA* Witte

RANA CRYPTOTIS Boulenger=*RANA DELALANDII CRYPTOTIS* Boulenger

1907, Ann. Mag. Nat. Hist. (7), **20**, p. 109.

19268. Cotype. Ponang Kuma, Dongwenna, Mossamedes, Angola. W. J. Ansorge. Exch. British Mus. 1930.

RANA DELALANDII DELALANDII Tschudi

See *R. HIEROGLYPHICA* Ahl

RANA DELALANDII CRYPTOTIS Boulenger

See *R. CRYPTOTIS* Boulenger

RANA FLOWERI Boulenger. See *ABRANA COTTI* Parker

RANA GRAHAMII Boulenger

1917, Ann. Mag. Nat. Hist. (8), **20**, p. 415.

15360. Cotype. Tongchuan-fu, Yunnan, China. G. Graham. Exch. British Mus. 1929.

The description however states: "Yunnan at Yunnan fu; numerous specimens."

RANA GREENII Boulenger

1904, Spolia Zeylanica, 2, p. 74.

15361. Paratype. Ceylon. Exch. British Mus. 1929.

RANA HIEROGLYPHICA Ahl = *R. DELALANDII DELALANDII* Tschudi

1925, Sitz. Ges. Naturf. Freunde Berlin, p. 42.

17539. Paratype. N. Somaliland. Erlanger & Neuman. Exch. Berlin Mus. 1932.

Called cotype by Ahl, but a type is designated.

RANA MACCARTHYENSIS Andersson

1937, Arkiv. Zool., 29A, No. 16, p. 9, figs. 3-4.

23030. Cotype. MacCarthy Id., Gambia. G. Svensson. Exch. Stockholm High Schoool. 1938.

We have seven other examples of this valid species from four localities in Liberia.

RANA MASCARENIENSIS UZUNGWENSIS Loveridge

1932, Bull. Mus. Comp. Zoöl., 72, p. 384.

16626. Type. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16627-35. 9 Paratypes. Dabaga, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16636-8. 3 Paratypes. Kigogo, Uzungwe Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

16639. Paratype. Lukungu, Ubena Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

RANA MIADIS Barbour & Loveridge

1929, Bull. Mus. Comp. Zoöl., 69, p. 143.

14847. Holotype. Little Corn Id., off Nicaragua. J. L. Peters. Museum Exped. 1928.

RANA MICRODISCA DAMMERMANNI Mertens

1929, Zool. Anz., 86, p. 68.

15811-2. 2 Paratypes. Badjawa, Flores, Dutch East Indies. R. Mertens. Exch. Senckenberg Mus. 1930.

RANA NEUMANNI Ahl

1924, Mitt. Zool. Mus. Berlin, **11**, p. 4.

22331-2. 2 Cotypes. Somaliland. Erlanger & Neumann. Exch. Berlin Mus. 1937.

RANA PERPALMATA Witte=

R. CRASSIPES CRASSIPES Buchholz & Peters

1922, Revue Zool. Afr., **10**, p. 320.

21785. Paratype. Butu-Polo, Mapanga R., Belgian Congo. H. Schouteden. Exch. Congo Mus. 1936.

RANA SEVOSA Goin & Netting

1940, Ann. Carnegie Mus., **28**, p. 137, pl. xii.

15803-6. 4 Paratypes. Jackson Co., Mississippi. Caribbean Biol. Soc. T. Barbour. 1930.

24071. Paratype. Vestry, Jackson Co., Mississippi. M. J. Allen. Exch. Michigan Mus. 1939.

24584. Paratype. Van Cleve, Jackson Co., Mississippi. M. J. Allen. Exch. Carnegie Mus. 1941.

RANA SHINI Ahl=R. SPINOSA David

1930, Sitz. Ges. Naturf. Freunde Berlin, p. 315.

17651. Cotype. Yao shan, N. Kwangsi, China. Shin. Exch. Berlin Mus. 1932.

RANA SPINOSA David. See *R. SHINI* Ahl*RANA VERNAYI* FitzSimons

1932, Ann. Transvaal Mus., **15**, p. 39.

17714. Paratype. Metsimaklaba River, Bechuanaland. Vernay & Lang. Exch. Field Mus. 1932.

RAPPIA MONTANA Angel = *HYPEROLIUS MONTANUS* (Angel)

1924, Bull. Mus. Hist. Nat. Paris, p. 269.

15333. Cotype. Mt. Kinangop, Aberdare Mtns., Kenya Colony.
Alluaud & Jeannel. Exch. Paris Mus. 1929.*RAPPIA UNDULATA* Boulenger =
HYPEROLIUS UNDULATUS (Boulenger)

1901, Ann. Mus. Congo, Zool. (1), 2, p. 4, pl. ii, fig. 2.

15427. Cotype. Lofoi, Katanga, Belgian Congo. C. Lemaire.
Exch. British Mus. 1929.*RHACOPHORUS AGLAVEI* Methuen & Hewitt
See *RSIKORAE* Boettger*RHACOPHORUS DIMBULLAE* Shreve

1940, Proc. Biol. Soc. Washington, 53, p. 105.

20878. Holotype. Queenwood Estate, Dimbulla, Ceylon. W. L.
Schofield. T. Barbour. 1933.*RHACOPHORUS ROBUSTUS* Boulenger

1909, Ann. Mag. Nat. Hist. (8), 4, p. 494.

15412. Cotype. Kankau, Formosa Id. H. Sauter. Exch. British
Mus. 1929.*RHACOPHORUS SIKORAE* Boettger, xii, 1913 =
R. AGLAVEI Methuen & Hewitt, x. 1913

1913, in Voeltzkow, Reise in Ostafrika, 3, p. 276, pl. xxiii, fig. 4.

17712. Cotype. Moramanga, E. Madagascar. F. Sikora. Exch.
Senckenberg Mus. 1932.This is the first occasion on which *sikorae* has been synonymized.*RHACOPHORUS VERRUCOSUS* Boulenger
See *PHILAUTUS GRYLLUS* M. A. Smith

RHADINAEA AEMULA Bailey

1940, Occ. Papers Mus. Zool. Univ. Michigan, No. 412, p. 4, pl. i, fig. 3.

42659. Holotype. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1937.

RHADINAEA GAIGEAE Bailey

1937, Copeia, p. 118.

4539. Paratype. Alvarez, San Luis Potosi, Mexico. Edward Palmer. E. Palmer. 1879.

19047. Paratype. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T. Barbour. 1923.

24982. Paratype. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T. Barbour. 1927.

24983. Type. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T. Barbour. 1927.

24984-5. 2 Paratypes. Alvarez, San Luis Potosi, Mexico. W. W. Brown. T. Barbour. 1927.

No. 4539 is now in the Museum of Zoölogy, University of Michigan. Unfortunately in Bailey's paper this number was transposed as 4359 and others as 24892, 24894-95.

RHADINAEA HESPERIA Bailey

1940, Occ. Papers Mus. Zool. Univ. Michigan, No. 412, p. 8, pl. ii, fig. 3.

42661. Type. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1937.

42660. 42662. 2 Paratypes. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1937.

RHADINAEA PERSIMILIS Dunn

1938, Copeia, p. 197.

19345. Type. La Loma, Panama Republic. Dunn & Duryea. T. Barbour. 1924.

RHAMNOPHIS AETHIOPISSA ELGONENSIS Loveridge

1929, U. S. Nat. Mus. Bull. 151, p. 24.

18198. Type. Yala River, Kenya Colony. H. J. A. Turner. T. Barbour. 1924.

The number is erroneously given in the description as 18189.

RHAMPHIOPHIS CONNALI Parker = *R. o. OXYRHYNCHUS* Reinhardt
1929, Ann. Mag. Nat. Hist. (10), 4, p. 450.

31562. Ilorin, S. of Jebba, Southern Nigeria. C. Francis. Exch. British Mus. 1931.

This is the typical western form which, in Uganda, meets with the eastern *R. o. rostratus* Peters of Mozambique.

RHAMPHIOPHIS OXYRHYNCHUS OXYRHYNCHUS Reinhardt
See *R. CONNALI* Parker

RHINOCHEILUS LECONTEI Baird & Girard =
R. L. LECONTEI Baird & Girard

1853, Cat. N. American Rept., Pt. 1, p. 120.

137. Holotype. San Diego, California. Dr. J. L. LeConte. Mr. Belknap. N. D.

RHINOCHEILUS LECONTEI CLARUS Klauber

1941, Trans. San Diego Soc. Nat. Hist., 9, p. 308, pl. xiii, figs. 1-2.

46648. Paratype. Borego Valley, San Diego Co., California. J. Wansley. Exch. L. M. Klauber. 1942.

RHODONA NICHOLLSI Loveridge

1933, Occ. Papers Boston Soc. Nat. Hist., 8, p. 97.

33252. Holotype. Dalgaranger Station, Western Australia. G. E. Nicholls. Harvard Australian Exped. 1931.

RHOPTROPUS BOULTONI Schmidt

1934, Ann. Carnegie Mus., 22, p. 7, fig. 2, pl. i.

35551-2. 2 Paratypes. Pico Azevedo, Mosamedes, Angola. R. Boulton. Exch. Field Mus. 1933.

38383-4. 2 Paratypes. Pico Azevedo, Mosamedes, Angola. R. Boulton. Exch. Carnegie Mus. 1935.

RIOPA KORATENSIS (M. A. Smith)
See *LYGOSOMA KORATENSE* M. A. Smith

RIOPA MABUIIFORMIS Loveridge

1935, Bull. Mus. Comp. Zoöl., **79**, p. 12.

40264. Type. Ngatana, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40265-73. 9 Paratypes. Ngatana, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

RIOPA POPAE Shreve

1940, Proc. New England Zoöl. Club, **18**, p. 21.

44703. Type. Mt. Popa, 1250 metres, Burma. G. Heinrich. T. Barbour. 1938.

44704-7. 4 Paratypes. Mt. Popa, 1250 metres, Burma. G. Heinrich. T. Barbour. 1938.

RIOPA TANAE Loveridge

1935, Bull. Mus. Comp. Zool., **79**, p. 11.;

40251. Type. Kau, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40252-9. 8 Paratypes. Kau, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40261. Paratype. Witu, N. of Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40262-3. 2 Paratypes. Golbanti, Tana River, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

SALAMANDRA SUBCRISTATA Schlegel = *TRITURUS PYRRHOGASTER* (Boie)
1838, Fauna Japon., Rept., Saur. et Batr., p. 125; pl. iv, figs. 1-3, pl. v, figs. 7-8.

21327. Cotype. Japan. Burger. Exch. Leyden Mus. 1935.

SALAMANDRA UNGUICULATA Schlegel =
ONYCHODACTYLUS JAPONICUS (Houttyn)

1838, Fauna Japon., Rept., Saur. et Batr., p. 123, pl. v, figs. 1-6.

21320. Cotype. Japan. Burger. Exch. Leyden Mus. 1935.

SALVADORA GRAHAMIAE LINEATA Schmidt
See *S. LINEATA* Schmidt

SALVADORA HEXALEPIS KLAUBERI Bogert

1945, Amer. Mus. Novit., No. 1285, p. 2, figs. 1-4.

37228-9. 2 Paratypes. La Paz & vic., Lower California. M. L. Cornejo. T. Barbour. 1933.

SALVADORA INTERMEDIA Hartweg

1940, Copeia, p. 256.

33642-4. 3 Paratypes. Chilpancingo, Guerrero, Mexico. W. W. Brown. T. Barbour. 1932.

SALVADORA LINEATA Schmidt=

S. GRAHAMIAE LINEATA Schmidt

1940, Field Mus. Nat. Hist. Zool Series, 24, p. 148, fig. 15.

13823. Paratype. Brownsville, Texas. R. D. Camp. T. Barbour. 1920.

43910. Paratype. Georgetown, Texas. L. J. Milne. L. J. Milne. 1938.

SAURODACTYLUS FASCIATUS Werner

1931, Sitz. Akad. Wiss. Wien, 140, 1, p. 276, pl. i, fig. 1.

29935. Holotype. Djebel Zalagh, Fez, Morocco. F. Werner. T. Barbour. 1931.

SCELOPORUS AENEUS BICANTHALIS H. M. Smith

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 361, p. 6.

14156. Paratype. Mt. Orizaba, 10,000 ft., Mexico. W. S. Blatchley. T. Barbour. 1920.

SCELOPORUS FERRARIPIREZI Cope=

S. FERRARIPIREZI FERRARIPIREZI Cope

1885, Proc. Amer. Philos. Soc., 22, p. 400 (part).

46922. Cotype. Guanajuato, Mexico. A. Dugés. Exch. U. S. Nat. Mus. 1944.

SCELOPORUS FORMOSUS SCITULUS H. M. Smith

1942, Proc. U. S. Nat. Mus., **92**, p. 352.

34228. 34230. 2 Paratypes. Chilpancingo, Guerrero, Mexico. W. W. Brown. T. Barbour. 1932.

There are five specimens in the series, why the others were not designated paratypes is not clear.

SCELOPORUS GOLDMANI H. M. Smith

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 361, p. 5.

46522. Paratype. Charcas, San Luis Potosi, Mexico. C. L. Lundell. Exch. Michigan Mus. 1942.

Used in drafting the description of variational range, but not specifically designated as paratypes.

SCELOPORUS HETEROLEPIS Boulenger

1895, Proc. Zool. Soc. London, 1894, p. 731, pl. xlviii, fig. 4.

32346. Cotype. La Cumbre de los Arrastrados, Jalisco, Mexico. A. C. Buller. Exch. British Mus. 1932.

SCELOPORUS JARROVII OBERON H. M. Smith

1941, Field Mus. Nat. Hist. Zool. Series, **24**, p. 254, fig. 24.

46194-6. 3 Paratypes. Diamond Pass, 7800 ft., Coahuila, Mexico. H. M. Smith. Exch. Field Mus. 1941.

SCELOPORUS MAGISTER ZOSTEROMUS Cope. See *S. ZOSTEROMUS* Cope

SCELOPORUS MERRAMI ANNULATUS H. M. Smith

1937, Proc. Biol. Soc. Washington, **50**, p. 83.

46523-4. 2 Paratypes. Glenn Springs, Brewster Co., Texas. H. T. Gaige. Exch. Michigan Mus. 1942.

SCELOPORUS NELSONI Cochran

1923, Journ. Washington Acad. Sci., **13**, p. 185.

32596. Paratype. Nr. Mazatlan, Sinaloa, Mexico. E. A. Goldman. Exch. U. S. Nat. Mus. 1932.

SCELOPORUS OLIGOPORUS Cope = S. SPINOSUS OLIGOPORUS Cope
 1864, Proc. Acad. Nat. Sci. Philadelphia, p. 177.

46924. Cotype. Colima, Colima, Mexico. J. Xantus. Exch. U. S.
 Nat. Mus. 1944.

SCELOPORUS SCALARIS SLEVINI H. M. Smith

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 361, p. 3.

29837-8. 2 Paratypes. Ramsey Canyon, Huachuca Mtns., Arizona.
 W. W. Brown. T. Barbour. 1929.

SCELOPORUS SPINOSUS OLIGOPORUS Cope

See S. OLIGOPORUS Cope

SCELOPORUS TORQUATUS MUCRONATUS Cope

1885, Proc. Amer. Phil. Soc., 22, p. 402.

46938. Cotype. Mirador, Vera Cruz, Mexico. Dr. Sartorius.
 Exch. U. S. Nat. Mus. 1944.

Hobart M. Smith, 1939, regards this as a full species and ignores *torquatus*
 Weigmann, 1828.

SCELOPORUS ZOSTEROMUS Cope = S. MAGISTER ZOSTEROMUS Cope

1863, Proc. Acad. Nat. Sci. Philadelphia, p. 105.

46939. Cotype. Cape St. Lucas, Lower California, Mexico. J.
 Xanthus. Exch. U. S. Nat. Mus. 1944.

SCELOPORUS UNDULATUS VIRGATUS H. M. Smith

1938, Occ. Papers Mus. Zool. Univ. Michigan, No. 387, p. 11.

46525-6. 2 Paratypes. Above Santa Maria Mine, Sonora, Mexico.
 Barry Campbell. Exch. Michigan Mus. 1942.

SCELOPORUS VARIABILIS OLLOPORUS H. M. Smith

1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 358, p. 11.

46527. Paratype. San Juanillo, Costa Rica. A. Smith. Exch.
 Michigan Mus. 1942.

SCELOPORUS VARIABILIS SMITHI Hartweg & Oliver
1937, Occ. Papers Mus. Zool. Univ. Michigan, No. 356, p. 1.
43108-9. 46528-9. 4 Paratypes. Quiengola Mtn., Oaxaca, Mexico.
Hartweg & Oliver. Exch. Michigan Mus. 1937 & 1942.

SCELOTES TETRADACTYLUS HEMPTINNEI (Witte)
See SEPSINA HEMPTINNEI Witte

SCHOUTEDENELLA MUTA Witte
1933, Revue Zool. Bot. Afr., 24, p. 101.
19420-3. 21801-10. 14 Paratypes. Kando, nr. Tenke, Katanga,
Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1933 & 1936.

SCOLOCOPHIS FUMICEPS Cope = TANTILLA NIGRICEPS FUMICEPS (Cope)
1860, Proc. Acad. Nat. Sci. Philadelphia, p. 371.
46249. Holotype. "Probably Cuba" *errone*. No history. Returned
by U. S. N. M. 1942.

SCINCUS OFFICINALIS CUCULLATA Werner =
S. SCINCUS CUCULLATUS Werner
1914, Sitz. Akad. Wiss. Wien, 123, Abt. 1, p. 343.
22353. Cotype. Gabés, Tunisian Sahara, Tunis. A. Weidholz.
Bt. of F. Werner. 1926.
22354. Cotype. Tripoli. B. Klaptoz. Bt. of F. Werner. 1926.
The remarks below apply also to this form which is stated to occur in Tripoli,
Tunis, and eastern Algeria.

SCINCUS OFFICINALIS LINEOLATA Werner =
S. SCINCUS SCINCUS (Linnaeus)
1914, Sitz. Akad. Wiss. Wien, 123, Abt. 1, p. 343.
22352. Cotype. Cairo, Egypt. Bt. of F. Werner. 1926.
This is rather doubtfully a type as no particular specimen was designated,
the name being allocated to Egyptian material.

SCINCUS SCINCUS CUCULLATUS Werner
See S. OFFICINALIS CUCULLATA Werner

SCINCUS SCINCUS SCINCUS (Linnaeus)
See S. OFFICINALIS LINEOLATA Werner

SEPSINA HEMPTINNEI Witte=
SCELOTES TETRADACTYLUS HEMPTINNEI (Witte)

1933, Revue Zool. Bot. Afr., **23**, p. 188.

42884-5. 2 Paratypes. Lukafu, Katanga, Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1937.

The reduction to subspecific status was made by the junior author on the basis of a long series of *hemptinnei* which he obtained at Ujiji, Tanganyika Territory.

SCOLOCOSAURUS ALLENI PARVICEPS Barbour

1933, Copeia, p. 77.

32345. Holotype. Cannouan Id., Grenadine Is., British West Indies. H. F. Loomis. D. Fairchild. 1932.

SIBON NICHOLSI (Dunn). See SIBYNOMORPHUS NICHOLSI Dunn

SIBYNOMORPHUS NICHOLSI Dunn=SIBON NICHOLSI (Dunn)

1933, Copeia, p. 193.

37884. Holotype. Chagres Midbasin, Panama Republic. Dr. H. C. Clark. T. Barbour. 1933.

Consists of a head only.

SIBYNOPHIS ANNULATUS HONDURENSIS Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 48.

38703. Type. Portillo Grande, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

21201, etc. 9 Paratypes. Various localities in Honduras Republic, as listed by the describer. In addition there are—

19957-61. 5 Paratype heads from Tela, Honduras Republic.

SIBYNOPHIS ZETEKI Dunn

1930, Occ. Papers Boston Soc. Nat. Hist., 5, p. 329.

29060. Holotype. Ancon, Canal Zone. J. Zetek. J. Zetek. 1930.

SIREN INTERMEDIA NETTINGI Goin

1942, Ann. Carnegie Mus., 29, p. 211.

8601-4. 4 Paratypes. Vigo Co., Indiana. W. S. Blatchley. T. Barbour. 1920.

SISTRURUS MILIARIUS BARBOURI Gloyd

1935, Occ. Papers Mus. Zool. Univ. Michigan, No. 322, p. 2.

12510-11. 2 Paratypes. Royal Palm Hammock, Dade Co., Florida. Barbour, Brooks & Mosier. T. Barbour. 1919.

12512. Type. Royal Palm Hammock, Dade Co., Florida. Barbour, Brooks & Mosier. T. Barbour. 1919.

SMINTHILLUS LIMBATUS ORIENTALIS Barbour & Shreve

1937, Bull. Mus. Comp. Zool., 80, p. 379.

22082. Type. El Yunque de Barcoa, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

22083-9. 7 Paratypes. El Yunque de Barcoa, Oriente, Cuba. P. J. Darlington. Mus. Exped. 1936.

SONORA SEMIANNULATA BLANCHARDI Stickel

1938, Copeia, p. 185.

46514. Paratype. Near Government Spring, Burnham Ranch, Chisos Mtns., Brewster Co., Texas. Blanchard & Carney. Exch. Michigan Mus. 1942.

SPELERPES ORIZABENSIS Blatchley = *OEDIPUS ORIZABENSIS* (Blatchley)
1893, Proc. U. S. Nat. Mus., 16, p. 38.

6640. Cotype. S.W. slope of Mt. Orizaba, Mexico. W. S. Blatchley. T. Barbour. 1920.

SPHAERODACTYLUS ALTAVELENSIS Noble & Hassler

1933, Amer. Mus. Novit., No. 652, p. 7.

45946-7. Paratypes. Alta Vela Id., Dominican Republic. W. G. Hassler. Exch. American Mus. 1941.

SPHAERODACTYLUS ARGUS BARTSCHI Cochran

See *S. BARTSCHI* Cochran

SPHAERODACTYLUS ARGUS HENRIQUESI Grant

1940, "Jamaica Today," p. 154.

44971. Type. Mandeville, Jamaica. C. Grant. T. Barbour. 1939.

44972-6. Paratypes. Mandeville, Jamaica. C. Grant. T. Barbour. 1939.

SPHAERODACTYLUS BARTSCHI Cochran =

S. ARGUS BARTSCHI Cochran

1934, Smithsonian Misc. Coll., 92, No. 7, p. 5.

38179. Paratype. Little Cayman Id. P. Bartsch. Exch. U. S. Nat. Mus. 1934.

SPHAERODACTYLUS BEATTYI Grant

1937, Journ. Dept. Agric. Univ. Puerto Rico, 21, p. 508, pl. xiv.

46533-4. 2 Paratypes. East end of St. Croix, U. S. Virgin Is. H. L. Beatty. Exch. Michigan Mus. 1942.

SPHAERODACTYLUS DANFORTHI Grant

1931, Journ. Dept. Agric. Porto Rico, 15, p. 205, pl. xxii, figs. 6-10.

34403. Type. Culebra Id., Porto Rico. C. Grant. T. Barbour. 1933.

34404-13. 62 Paratypes. Culebra Id., Porto Rico. C. Grant. T. Barbour. 1933.

34424-33. 13 Paratypes. Louis Pena Key, Porto Rico. C. Grant. T. Barbour. 1933.

SPHAERODACTYLUS DUNNI Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 46.

32199. Holotype. Naco River nr. Cofradia, Honduras Republic. R. E. Stadelman. T. Barbour. 1931.

SPHAERODACTYLUS GAIGEAE Grant

1932, Journ. Dept. Agric. Puerto Rico, **16**, p. 31.

34434-43. 15 Paratypes. 10 km. S. of Canovenas, Porto Rico. C. Grant. T. Barbour. 1933.

A type was designated from "mountains near Yabucoa" but has not been traced. The author had 22 specimens from "mountains between Maunabo and Yabucoa," no special mention being made of Canovenas. Perhaps this series had better be regarded as cotypes seeing that the description was based on a series.

SPHAERODACTYLUS KLAUBERI Grant

1931, Journ. Dept. Agric. Porto Rico, **15**, p. 207, pl. xx, fig. 1, pl. xxiii, fig. 13.

34473. Type. El Yunque, Porto Rico. C. Grant. T. Barbour. 1933.

34474-80. 8 Paratypes. El Yunque, Porto Rico. C. Grant. T. Barbour. 1933.

Others (M. C. Z. 34481-7) from Luquillo; Maricao; and Hiachoatero, collected between January and May 1931, are probably some of the 24 paratypes mentioned in the paper published July, 1931.

SPHAERODACTYLUS LEWISI Grant

1940, "The Herpetology of the Cayman Islands," p. 20.

44987. Type. Georgetown, Grand Cayman Id., West Indies. C. B. Lewis. T. Barbour. 1939.

SPHAERODACTYLUS MARIGUANAE Cochran

1934, Smithsonian Misc. Coll., **92**, No. 7., p. 9.

38178. Paratype. Booby Id., E. of Mariguana Cay, Bahamas. P. Bartsch. Exch. U. S. Nat. Mus. 1934.

SPHAERODACTYLUS NICHOLSI Grant

1931, Journ. Dept. Agric. Porto Rico, **15**, p. 204, pl. xxiii, fig. 11.

34578. Type. 3 miles W. of Ensenada, Porto Rico. C. Grant. T. Barbour. 1933.

34579-88. 39 Paratypes. 3 miles W. of Ensenada, Porto Rico. C. Grant. T. Barbour. 1933.

SPHAERODACTYLUS PARKERI Grant

1939, Copeia, p. 8, fig. 1.

45005. Type. Alligator Pond, S. coast of Jamaica. C. Grant. T. Barbour. 1939.

45006-9. 5 Paratypes. Alligator Pond, S. coast of Jamaica. C. Grant. T. Barbour. 1939.

SPHAERODACTYLUS RICHARDSONI GOSSEI Grant

1939, Copeia, p. 10, fig. 2.

45015. Type. Mouth of Roaring River, Jamaica. C. Grant. T. Barbour. 1939.

45016-7. 2 Paratypes. Mouth of Roaring River, Jamaica. C. Grant. T. Barbour. 1939.

45018. 2 Paratypes. Port Maria, Jamaica. C. Grant. T. Barbour. 1939.

SPHAERODACTYLUS ROOSEVELTI Grant

1931, Journ. Dept. Agric. Porto Rico, **15**, p. 203, pl. xxi, figs. 4-5.

34609. Type. Parguera, Porto Rico. C. Grant. T. Barbour. 1933.

34610. Paratype. Parguera, Porto Rico. C. Grant. T. Barbour. 1933.

SPHAERODACTYLUS SABANUS Cochran

1938, Proc. Biol. Soc. Washington, **51**, p. 148.

45215-7. 3 Paratypes. Saba Id., Dutch West Indies. S. T. Danforth. Exch. U. S. Nat. Mus. 1938.

SPHAERODACTYLUS TOWNSENDI Grant

1931, Journ. Dept. Agric. Porto Rico, **15**, p. 208, pl. xxiii, fig. 12.

34613. Type. N.E. corner of Cape San Juan, Porto Rico. C. Grant. T. Barbour. 1933.

34614-7. 4 Paratypes. N. E. corner of Cape San Juan, Porto Rico. C. Grant. T. Barbour. 1933.

SPHENOMORPHUS BIGNELLI Schmidt =*LYGOSOMA (S.) BIGNELLI* Schmidt

1932, Field Mus. Nat. Hist. Zool. Series, **18**, p. 183.

32192. Paratype. Webster Cove, Kulambangra Id., Solomon Is. K. P. Schmidt. Exch. Field Mus. 1931.

SPHENOMORPHUS JAGORII DIVERGENS Taylor

1929, Bureau of Sci., Manila, No. 17, p. 194.

20134. Cotype. Sumagui, Mindoro, Philippine Islands. E. H. Taylor. Exch. Carnegie Mus. 1925.

20135. 26326-8. 4 Cotypes. Calapan & San Isidro, Mindoro, Philippine Islands. E. H. Taylor. Exch. Carnegie Mus. 1925.

SPHENOMORPHUS LEAE BROOKSI Loveridge =*LYGOSOMA (S.) LEAE BROOKSI* (Loveridge)

1933, Occ. Papers Boston Soc. Nat. Hist., **8**, p. 95.

25055. Holotype. Perth, Western Australia. W. S. Brooks. T. Barbour. 1927.

STENOCERCUS JUNINENSIS Shreve

1941, Proc. New England Zoöl. Club, **18**, p. 75.

45820. Type. Huasqui, near Tarma, Dept. Junin, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

45821-2. 2 Paratypes. Huasqui, near Tarma, Dept. Junin, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

STENOCERCUS TACNAE Shreve

1941, Proc. New England Zoöl. Club, **18**, p. 73.

45806. Type. Toquepala Mine, Dept. Tacna, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

45807-8. 2 Paratypes. Toquepala Mine, Dept. Tacna, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1941.

STORERIA DEKAYI TEMPORALINEATA Trapido

1944, American Midland Naturalist, **31**, p. 71.

2843. Paratype. Jalapa, Mexico. Exch. R. Montes de Oca. 1872.

15990. Paratype. Jalapa, Mexico. E. R. Dunn. T. Barbour. 1921.

STORERIA DEKAYI TEXANA Trapido

1944, American Midland Naturalist, **31**, p. 63.

2434. 3 Paratypes. Dallas, Texas. Mr. Boll. Mr. Boll.

3815. 6 Paratypes. Fort McPherson, Nebraska. Dr. Shafist. Peabody Mus., Salem. 1876.

19896. Paratype. Deemings Bridge, Matagorda Co., Texas. F. W. Wamsley. J. W. P. Jenks. 1891.

43917. Paratype. Georgetown, Texas. L. J. Milne. L. J. Milne. 1938.

STORERIA DEKAYI WRIGHTORUM Trapido

1944, American Midland Naturalist, **31**, p. 57.

80. Paratype. Burlington, Iowa.

125. 2 Paratypes. New Harmony, Indiana. Col. Owen.

360. Paratype. Delphi, Indiana. F. C. Hill Rev. F. C. Hill.

3269. Paratype. Evanston, Illinois. O. Marcy. O. Marcy.

3272. Paratype. Evanston, Illinois. O. Marcy. O. Marcy.

15713. Paratype. Pensacola, Florida. Dr. S. Kneeland. Boston Soc. Nat. Hist. 1917.

22806. Paratype. Pointe au Basil, Ontario, Canada. L. Giovannoli. L. Giovannoli. 1927.

31843. Paratype. Fulton Co., Georgia. H. A. Carter. H. A. Carter. 1931.

SYRRHOPUS CYSTIGNATHOIDES (Cope)

See PHYLLOBATES CYSTIGNATHOIDES Cope

SYRRHOPUS JUNINENSIS Shreve

1938, Journ. Washington Acad. Sci., **28**, p. 406.

22851. Type. Cascas, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

22852-6. 5 Paratypes. Cascas, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

SYRRHOPUS MONTIUM Shreve

1938, Journ. Washington Acad. Sci., **28**, p. 406.

22858. Type. Cascas, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

22859-61. 3 Paratypes. Cascas, Dept. Junin, Peru. W. F. Walker, Jr. W. F. Walker, Jr. 1937.

TAKYDROMUS DORSALIS Stejneger =
PLATYPLACOPUS DORSALIS (Stejneger)1904, Smithsonian Mus. Coll., **47**, p. 294.

46951-2. Cotypes. Ishigaki Shima, Yaeyama Group, Loo Choo Islands. A. Owston. Exch. U. S. Nat. Mus. 1944.

This species was made genotype of *Apeltonotus* Boulenger, 1917, but synonymized with *Platyplacopus* by Pope, 1935.TAKYDROMUS INTERMEDIUS Stejneger =
PLATYPLACOPUS INTERMEDIUS (Stejneger)1924, Occ. Papers Boston Soc. Nat. Hist. **5**, p. 120.

46950. Cotype. Suifu, Szechwan, China. D. C. Graham. Exch. U. S. Nat. Mus. 1944.

TANTILLA NIGRICEPS FUMICEPS (Cope)

See SCOLOCOPHIS FUMICEPS Cope

TANTILLA YAQUIA H. M. Smith

1942, *Zoologica* (New York), **27**, p. 41.

43274. Holotype. Guasaremos, Rio Mayo, Mexico. H. S. Gentry. T. Barbour. 1937.

TAPINURUS SCUTIPUNCTATUS Amaral

1932, *Mem. Inst. Butantan*, **7**, p. 65, figs. 22-25.

37395. Paratype. Villa Nova, Bahia, Brazil. E. Garbe. Exch. Inst. Butantan. 1934.

See Amaral (1933, *Mem. Inst. Butantan*, **8**, p. 190) for further discussion on relationship to *Tropidurus*.

TARBOPHIS FALLAX CYPRIANUS Barbour & Amaral

1927, *Bull. Antivenin Inst. Amer.* (Philadelphia), **1**, p. 27.

22375. Holotype. Cyprus. Exch. British Mus. 1926.

TARBOPHIS FALLAX MCEWANI Schmidt

1939, *Field Mus. Nat. Hist. Zool. Series*, **24**, p. 82.

45632. Paratype. Hatay, Amouk (Amuq) Plain. C. W. McEwan. Exch. Field Mus. 1940.

TARBOPHIS MARTINI Schmidt

1939, *Field Mus. Nat. Hist. Zool. Series*, **24**, p. 84.

45608. Paratype. Baghdad, Iraq. H. Field. Exch. Field Mus. 1940.

TEJUS TEJOU CYANOGASTER L. Müller

1928, *Zool. Anz.*, **77**, p. 69.

39981-2. 2 Paratypes. San José de Chiquitos, Bolivia. Chaco Exped. Exch. Munich Mus. 1936.

TELMATOBIAUS WALKERI Shreve

1941, Proc. New England Zoöl. Club, **18**, p. 79.

24370. Type. Rapi, Dept. Ayacucho, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1939.

24371-9. 12 Paratypes. Rapi, Dept. Ayacucho, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1939.

24380-1. 2 Paratypes. Pajonal, Dept. Ayacucho, Peru. W. F. Walker, Sr. W. F. Walker, Sr. 1939.

TESTUDO LOVERIDGII Boulenger =
MALACOCHERSUS TORNIERI (Siebenrock)

1920, Comptes Rendus Acad. Sci., **170**, p. 263.

39956-7. 2 Cotypes. Dodoma, Ugogo, Tanganyika Territory. A. Loveridge. A. Loveridge. 1935.

TESTUDO PARDALIS BABCOCKI Loveridge

1935, Bull. Mus. Comp. Zoöl., **79**, p. 4.

7990. Paratype. Guaso Nyiro, Kenya Colony. G. M. Allen. W. L. Smith. 1909.

18156. Paratype. Arusha, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

18157. Paratype. Singida, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

18158. Paratype. Kilosa, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

18160. Paratype. Pwaga, Tanganyika Territory. A. Loveridge. T. Barbour. 1924.

30001. Paratype. Saranda, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

30002. Paratype. Tukuyu, Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

31984. Paratype. Plains nr. Meru River, Kenya Colony. G. M. Allen. W. L. Smith. 1909.

31985. Paratype. Ithanga Hills, Kenya Colony. G. M. Allen. W. L. Smith. 1909.

40003. Type. Mt. Debasien, Karamojo, Uganda. A. Loveridge. Mus. Exped. 1934.

40004. Paratype. Mt. Mbololo, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40005. Paratype. Mt. Mbololo, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

40006. Paratype. Ngatana, Wema, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

TESTUDO VEROXII A. Smith. See **CHERSINELLA SCHONLANDI** Hewitt

THAMNOPHIS ORDINOIDES HYDROPHILA Fitch

1936, Amer. Midl. Nat. (Notre Dame), **17**, p. 648.

46507. Paratype. Rogue River, Jackson Co., Oregon. Hubbs & Schultz. Exch. Michigan Mus. 1942.

THAMNOPHIS RUTHVENI Hartweg & Oliver

1938, Occ. Papers Mus. Zool. Univ. Michigan, No. 390, p. 1.

46453-4. 2 Paratypes. Tehuantepec, Oaxaca, Mexico. Hartweg & Oliver. Exch. Michigan Mus. 1942.

THORIUS NARISOVALIS Taylor

1941 (1940), Univ. Kansas Sci. Bull., **26**, p. 416, pl. xlvii, fig. 3.

24544. Paratype. Cerro San Felipe, Oaxaca, Mexico. E. H. Taylor Exch. E. H. Taylor. 1941.

See under *Oedipus* also for species referred to *Thorius* by Taylor.

THORIUS PULMONARIS Taylor

1941 (1940), Univ. Kansas Sci. Bull., **26**, p. 411, figs. 3-4.

24545. Paratype. Cerro San Felipe, Oaxaca, Mexico. E. H. Taylor. Exch. E. H. Taylor. 1941.

THRASOPS JACKSONII SCHMIDTI Loveridge

1936, Proc. Biol. Soc. Washington, **49**, p. 63.

9276. Type. Meru Forest, Kenya Colony. G. M. Allen. Allen, Brooks & Smith. 1910.

TOLUCA CONICA Taylor & Smith

1942, Uni. Kansas Sci. Bull., **28**, p. 340, fig. 5.

42541-4. 4 Paratypes. Omilteme, Guerrero, Mexico. W. W. Brown. T. Barbour. 1942.

Two uncatalogued specimens in same series were intentionally not designated.

TOLUCA LINEATA WETMOREI H. M. Smith

1943, Proc. U. S. Nat. Mus., **93**, p. 489.

45685. Paratype. Vera, Cruz, Tequeyutepec, Mexico. D. McH. Forbes. T. Barbour. 1941.

TRETANORHINUS VARIABILIS LEWISI Grant

1940, "The Herpetology of the Cayman Islands," p. 46.

44890. Type. Grand Cayman Id., West Indies. C. B. Lewis. T. Barbour. 1939.

44891-3. 3 Paratypes. Grand Cayman Id., West Indies. C. B. Lewis. T. Barbour. 1939.

TRIMERESURUS, see also **BOTHROPS****TRIMERESURUS DUNNI** Hartweg & Oliver

1938, Occ. Papers Mus. Zool. Univ. Michigan, No. 390, p. 6.

27813-7. 5 Paratypes. Tehuantepec, Oaxaca, Mexico. W. W. Brown. T. Barbour. 1929.

The authors' assignment of this snake to *Trimeresurus* is left, but cf. Stejneger and Barbour, 1940, Copeia, pp. 217-218.

TRIMERESURUS LANSBERGI ANNECTENS Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 50.

38782. Type. Subirana Valley, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

38783. Paratype. Subirana Valley, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

TRIMERESURUS SUMATRANUS MALCOLMI Loveridge

1938, Proc. Biol. Soc. Washington, **51**, p. 45.

43604. Type. Sungii River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr. Harvard Primate Exped. 1937.

43605. Paratype. Kenok River, Mt. Kinabalu, Borneo. J. A. Griswold, Jr. Harvard Primate Exped. 1937.

43606. Paratype. Kiau, Mt. Kinabalu, Borneo. J. A. Griswold, Jr. Harvard Primate Exped. 1937.

TRIMERORHINUS TRITAENIATUS MULTISQUAMIS Loveridge

1932, Proc. Biol. Soc. Washington, **45**, p. 84.

18213. Type. Parklands, Nairobi, Kenya Colony. A. Loveridge. T. Barbour. 1924.

29429. Paratype. Juja Farm, Kenya Colony. Smithsonian-African Exped. Exch. U. S. Nat. Mus. 1930.

29430. Paratype. Lake Naivasha, Kenya Colony. Smithsonian-African Exped. Exch. U. S. Nat. Mus. 1930.

29431. Paratype. Guaso Nyiro, Kenya Colony. Smithsonian-African Exped. Exch. U. S. Nat. Mus. 1930.

29432. Paratype. Mtito Andei, Kenya Colony. E. Heller. Exch. U. S. Nat. Mus. 1930.

34926. Paratype. Molo, Kenya Colony. C. Akeley. Exch. Field Mus. N. H. 1933.

TRIMETOPON BARBOURI Dunn

1930, Occ. Papers Boston Soc. Nat. **5**, p. 331.

23877. Type. Pedro Miguel, Canal Zone. Health Dept., Canal Zone. T. Barbour. 1927.

23873-6. 4 Paratypes. Ancon, Canal Zone. Health Dept., Canal Zone. T. Barbour. 1927.

TRIMETOPON SIMILE Dunn

1930, Occ. Papers Boston Soc. Nat. Hist., **5**, p. 331.

15263. Holotype. Reventazon, Costa Rica. Exch. Mus. Nac. de Costa Rica. 1921.

TRITURUS GRANULOSUS MAZAMAE Myers

1942, Copeia, p. 80.

25560. Paratype. Crater Lake on higher slopes of Mt. Mazama, Klamath Co., Oregon. J. P. Heath. Exch. Mus. Vert. Zool., Cal. 1942.

TRITURUS GRANULOSUS TWITTYI Bishop

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 16, pl. i, figs. 4-5.

25582-3. 2 Paratypes. Saratoga, California. S. C. Bishop & V. C. Twitty. Exch. S. C. Bishop. 1942.

TRITURUS PERSTRIATUS Bishop

1941, Occ. Papers Mus. Zool. Univ. Michigan, No. 451, p. 16, pl. i, fig. 2.

25559. Paratype. Near Gainesville, Alachua Co., Florida. A. F. Carr, Jr. Exch. Michigan Mus. 1942.

25584-5. 2 Paratypes. Dedge Pond, Okefenokee Swamp, Georgia. S. C. Bishop & M. Wright. Exch. S. C. Bishop. 1942.

TRITURUS PYRRHOGASTER (Boie)See **SALAMANDRA SUBCRISTATA** Schlegel**TRITURUS SIERRAE** Twitty

1942, Copeia, p. 65, pls. i, iii-v.

25561-3. 2 Paratypes. Near Chico, Butte Co., California. Twitty & Myers. Exch. Mus. Vert. Zool., Cal. 1942.

TROGONOPHIS WIEGMANNI KaupSee **T. W. MAROCCANA** Werner**TROGONOPHIS WIEGMANNI MAROCCANA** Werner = **T. WIEGMANNI** Kaup
1931, Sitz. Akad. Wiss. Wien, **140**, 1, p. 280.

29668. Type. Chella, nr. Rabat, French Morocco. F. Werner-T. Barbour. 1931.

29669. Paratype. Djebel Taghat, Fez, French Morocco. F. Werner-T. Barbour. 1931.

29670. Paratype. Agadir, French Morocco. F. Werner. T. Barbour. 1931.

Reasons for synonymizing *maroccana* will be found in a recent revision of the Amphisbaenidae (1941, Bull. Mus. Comp. Zoöl., 87, p. 363).

TROPIDONOTUS GODMANI Boulenger = **NATRIX GODMANI** (Boulenger)
1896, Cat. Snakes Brit. Mus., 3, p. 600.

28466. Cotype. Omilteme, Guerrero, Mexico. H. H. Smith. Exch. British Mus. 1929.

TROPIDOPHIS MACULATUS PILSBRYI Bailey

1937, Proc. New England Zoöl. Club, 16, p. 42.

9884. Paratype. Guantanomo, Cuba. C. T. Ramsden. C. T. Ramsden. 1914.

TROPIDOPHIS MACULATUS STULLI Grant

1940, "Jamaica Today," p. 158.

44870. Type. Portland Point, Jamaica. C. Grant. T. Barbour. 1939.

44871-2. Paratype. Portland Point, Jamaica. C. Grant. T. Barbour. 1939.

TROPIDOPHIS MELANURUS PARKERI Grant. See **T. PARKERI** Grant

TROPIDOPHIS PARDALIS BARBOURI Bailey

1937, Proc. New England Zoöl. Club, 16, p. 49.

37892-4. 3 Paratypes. Clarencetown, Long Id., Bahamas. T. Barbour. T. Barbour. 1934.

37895-900. 6 Paratypes. Mortimer's Point, Long Id., Bahamas. T. Barbour. T. Barbour. 1934.

37913. Type. Bannermantown, S. Eleuthera Id., Bahamas. T. Barbour. T. Barbour. 1934.

37902-12. 37914-24. 22 Paratypes. Bannermantown, S. Eleuthera Id., Bahamas. T. Barbour. 1934.

39484-90. 7 Paratypes. Arthurstown, Cat. Id., Bahamas. W. J. Clench. Mus. Exped. 1935.

42250-57. 8 Paratypes. Clarencetown, Long Id., Bahamas. R. McLean. Mus. Exped. 1936.

42258-64. 7 Paratypes. Simms, Long Id., Bahamas. R. McLean. Mus. Exped. 1936.

TROPIDOPHIS PARDALIS GREENWAYI Barbour & Shreve
1936, Proc. New England Zoöl. Club, **16**, p. 2.

42051. Type. Ambergris Cay, Caicos Ids., Bahamas. J. C. Greenway, Jr. Mus. Exped. 1936.

42052. Paratype: Ambergris Cay, Caicos Ids., Bahamas. J. C. Greenway, Jr. Mus. Exped. 1936.

TROPIDOPHIS PARDALIS STEJNEGERI Grant
1940, "Jamaica Today," p. 158.

44769. Holotype. Boston Bay between Pórt Antonio and Manchimeal, Jamaica. C. Grant. T. Barbour. 1939.

TROPIDOPHIS PARKERI Grant = T. MELANURUS PARKERI Grant
1940, The Herpetology of the Cayman Islands, p. 44.

44865. Type. Little Cayman Id., West Indies. C. Grant. T. Barbour. 1939.

44866-8. 3 Paratypes. Little Cayman Id., West Indies. C. Grant. T. Barbour. 1939.

The paratypes listed above are not so designated but are part of the series of 6 in the "writer's collection" referred to on p. 46.

TROPIDOPHORUS DARLINGTONI Loveridge
1945, Proc. Biol. Soc. Washington, **58**, p. 47.

47051. Type. Mount Wilhelm, 5,000-6,000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

47052-3. 2 Paratypes. Mount Wilhelm, 5,000-6,000 ft., Bismarck Range, New Guinea. P. J. Darlington. Capt. P. J. Darlington. 1944.

TROPIDURUS PICTUS L. Müller

1924, Mitt. Zool. Mus. Berlin, **11**, p. 85.

37202. Cotype. Upper Pilcomayo, Bolivia. Herrmann. T. Barbour. 1933.

TYPHLOPS ATER SUTURALIS Brongersma

1934, Zool. Meded. (Leiden), **17**, p. 196, fig. 26.

33505. Paratype. Soa Konorra, Halmahera Id. W. Kukenthal. Exch. Senckenberg Mus. 1932.

TYPHLOPS ENDOTERUS Waite. See T. LEONHARDI Sternfeld**TYPHLOPS GRANTI Ruthven & Gaige**

1935, Occ. Papers Mus. Zool. Univ. Michigan, No. 307, p. 1, fig. 1.

38301-2. 2 Paratypes. Cajade Muertos, 8 miles off Ponce, Porto Rico. C. Grant. T. Barbour. 1935.

TYPHLOPS KAIMOSAE Loveridge

1935, Bull. Mus. Comp. Zoöl., **79**, p. 5.

40060. Type. Kaimosi, Kakamega, Kenya Colony. A. Loveridge. Mus. Exped. 1934.

TYPHLOPS KATANGENSIS Witte

1933, Revue Zool. Bot. Afr., **23**, p. 190.

42896. Paratype. Lukafu, Katanga, Belgian Congo. G. F. de Witte. Exch. Congo Mus. 1937.

TYPHLOPS LEONHARDII Sternfeld = T. ENDOTERUS Waite

1919, Senckenbergiana, **1**, p. 77.

22082. Cotype. Hermannsburg, Finke River, Central Australia. M. Leonhardi. Exch. Senckenberg Mus. 1926.

TYPHLOPS MUCRONATUS Boettger

1880, Zool. Anz., **3**, p. 279.

33504. Cotype. Zukube, Nossi Bé, Madagascar. Stumpff & Ebenau. Exch. Senckenberg Mus. 1932.

Though clearly labeled "paratype" by Senckenberg Museum, its status is very doubtful for the original description calls for two cotypes, and our specimen bears the date 1881, i.e. the year after publication.

TYPHLOPS PLATYRHYNCHUS Sternfeld

1910, Mitt. Zool. Mus. Berlin, **5**, p. 69.

39798. Cotype. Tanga, Tanganyika Territory. Martienssen. Exch. Berlin Mus. 1936.

TYPHLOPS SCHLEGELII SCHLEGELII Bianconi

See **ONYCHOCEPHALUS DINGA** Peters

TYPHLOPS STADELMANI Schmidt

1936, Proc. Biol. Soc. Washington, **49**, p. 48.

38701. Holotype. Subirana Valley, Honduras Republic. R. E. Stadelman. T. Barbour. 1935.

TYPHLOPS TETTENSIS RONDOENSIS Loveridge

1942, Bull. Mus. Comp. Zoöl., **92**, p. 256.

48066. Type. Nchingidi, Rondo Plateau, Tanganyika Territory. A Loveridge. Mus. Exped. 1939.

48067-9. 3 Paratypes. Nchingidi, Rondo Plateau, Tanganyika Territory. A. Loveridge. Mus. Exped. 1939.

TYPHLOPS TOVELLI Loveridge

1945, Proc. Biol. Soc. Washington, **58**, p. 111.

48844. Type. Koonowarra Sports Ground, Darwin, N. T. Australia, T. R. Tovell. T. R. Tovell. 1945.

48845. Paratype. Koonowarra Sports Ground, Darwin, N. T. Australia. T. R. Tovell. T. R. Tovell. 1945.

TYPHLOPS VERMIS Boulenger = *T. ZENKERI* Sternfeld

1914, Ann. Mag. Nat. Hist. (8), **14**, p. 482.

28465. Cotype. Bitye, French Cameroons. G. L. Bates. Exch. British Mus. 1929.

Boulenger (1915) himself synonymized this species with *zenkeri* Sternfeld (1908).

TYPHLOPS ZENKERI Sternfeld. See *T. VERMIS* Boulenger**UROMASTIX MACFADYENI** Parker

1932, Proc. Zool. Soc. London, p. 353.

33596. Paratype. Berbera, 400 ft., British Somaliland. G. W. Bury. Exch. British Mus. 1932.

UROMASTIX PHILBYI Parker

1938, Ann. Mag. Nat. Hist. (11), **1**, p. 484.

44760. Paratype. Between Mecca & Shabwa, S. Arabia. H. St J. B. Philby. Exch. British Mus. 1938.

UTA CAERULEA H. M. Smith

1935, Univ. Kansas Sci. Bull., **22**, p. 172, pl. xxvi, fig. 2.

39900. Paratype. 30 miles N. of Chihuahua City, Chihuahua, Mexico. Dunkle and Smith. Don. Univ. Kansas. 1936.

UTA ORNATA SCHMIDTI Mittleman

1940, Herpetologica, **2**, p. 33, pl. iii, fig. 1.

45589. Paratype. Colonia Garcia, Chihuahua, Mexico. T. Barbour. 1910.

46943. Paratype. 6 miles N. W. of Alpine, Brewster Co., Texas. L. Hoyle. Exch. U. S. Nat. Mus. 1944.

UTA STANSBURIANA NEVADENSIS Ruthven =
U. S. STANSBURIANA Baird & Girard

1913, Proc. Bull. Soc. Washington, **26**, p. 27, fig. 1.

46530-1. 2 Paratypes. Moleen Canyon, River Range, Nebraska.
A. G. Ruthven. Exch. Michigan Mus. 1942.

UTA STANSBURIANA STANSBURIANA Baird & Girard
See U. S. NEVADENSIS Ruthven

UTA TAYLORI H. M. Smith

1935, Univ. Kansas Sci. Bull., **22**, p. 158, pl. xxvi, fig. 3.

39901. Paratype. 10 miles N. W. of Guaymas, Sonora, Mexico.
E. H. Taylor. Don. Univ. Kansas. 1936.

VARANUS SCUTIGERULUS Barbour

1932, Proc. New England Zoöl. Club, **13**, p. 1.

32264. Holotype. Kampong Ulu, Madalam River, Sarawak,
Borneo. H. W. Smith. Exch. Sarawak Mus. N. D.

VERTICARIA PICTA Van Denburgh & Slevin =

CNEMIDOPHORUS HYPERYTHRUS PICTUS (Van Denburgh & Slevin)

1921, Proc. California Acad. Sci., **11**, p. 98.

15564. Paratype. Montserrat Id., Gulf of California. J. R. Slevin.
Exch. Californian Acad. 1921.

XENOPUS LAEVIS BOREALIS Parker

1936, Ann. Mag. Nat. Hist. (10), **18**, p. 596, figs. 11-13.

22302. Cotype. Boma Waterhole, Marsabit, Kenya Colony. V. E.
Fuchs. Exch. British Mus. 1937.

22303. Cotype. Cave at 6000 ft., Mt. Elgon, Kenya Colony.
F. W. Edwards. Exch. British Mus. 1937.

XENOPUS LAEVIS BUNYONIENSIS Loveridge

1932, Proc. Biol. Soc. Washington, **45**, p. 114.

10288-92. 5 Paratypes. Kissolo Market, Kigezi District, Uganda. Bt. in Market. J. C. Phillips. 1924.

14616. Type. Bufundi, Lake Bunyonyi, Uganda. J. C. Bequaert. Harvard Med. Sch. Exped. 1927.

14617. Paratype. Bufundi, Lake Bunyonyi, Uganda. J. C. Bequaert. Harvard Med. Sch. Exped. 1927.

The 5 paratypes are dried but the Museum possesses a good series of topotypes of this dwarf form from the montane lake district.

XIPHOCERCUS DARLINGTONI Cochran

1935, Proc. Boston Soc. Nat. Hist., p. 373.

38251. Holotype. Roche Croix, Massif de la Hotte, Haiti. P. J. Darlington. Mus. Exped. 1934.

ZAMENIS VARIABILIS Boulenger=COLUBER VARIABILIS (Boulenger)

1905, Ann. Mag. Nat. Hist. (7), **16**, p. 178.

28468. Cotype. El Kubar, South Arabia. G. W. Burg. Exch. British Mus. 1929.

ZAOCYS DHUMNADES MONTANUS Pope

1928, Amer. Mus. Novit., No. 325, p. 2.

45964-5. 2 Paratypes. Chungan Hsien, Yenping, China. C. H. Pope. Exch. American Mus. 1941.

ZONURUS BARBERTONENSIS DEPRESSUS FitzSimons=CORDYLUS WARRENI DEPRESSUS (FitzSimons)

1930, Ann. Transvaal Mus., **14**, pp. 24, 29.

41869. Paratype. Newgate Farm, nr. Louis Trichardt, Zoutpansberg Mountains, Transvaal. A. Roberts. Exch. Transvaal Mus. 1936.

ZONURUS CAMPBELLII FitzSimons = CORDYLUS CAMPBELLII (FitzSimons)
1938, Ann. Transvaal Mus., **19**, p. 189.

46824. Paratype. Barby Farm, Great Namaqualand, South West Africa. V. FitzSimons. Exch. Transvaal Mus. 1943.

ZONURUS CORDYLUS RHODESIANUS Hewitt =
CORDYLUS C. RHODESIANUS (Hewitt)

1933, Occ. Papers Rhod. Mus. Bulawayo, **2**, p. 48, pl. ix, fig. 3.

33448. Cotype. Monte Cassino, Macheke, Southern Rhodesia. K. Tasman. Exch. Albany Mus. 1932.

ZONURUS CORDYLUS TASMANI Power = CORDYLUS C. TASMANI (Power)

1930, Ann. Transvaal Mus., **14**, pp. 12, 16, pl. i, fig. 4.

31571-2. 2 Paratypes. Dunbrody, Sundays River, Cape Province, S. Africa. Rev. Fr. McGinty. Exch. Albany Mus. 1921.

ZONURUS ROBERTSI van Dam = PSEUDOCORDYLUS ROBERTSI (van Dam)
1921, Ann. Transvaal Mus., **7**, p. 241, pl. iv.

21230. Paratype. Klaver, van Rhynsdorp District, Cape Province, S. Africa. A. Roberts & A. Adendorff. Exch. Transvaal Mus. 1925.

ZONURUS UKINGENSIS Loveridge =
CORDYLUS UKINGENSIS (Loveridge)

1932, Bull. Mus. Comp. Zoöl., **72**, p. 378.

30761. Holotype. Tandala, Ukinga Mtns., Tanganyika Territory. A. Loveridge. Mus. Exped. 1930.

ZONURUS VANDAMI FitzSimons = CORDYLUS VANDAMI (FitzSimons)

1930, Ann. Transvaal Mus., **14**, pp. 25, 30, figs. 6-7.

41876. Paratype. Gravelotte, nr. Leydsdorp, Transvaal. G. van Dam. Exch. Transvaal Mus. 1936.